

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

0524/YG-04608/EC/2024

We declare and guarantee with full responsibility that the following products:

Fryer; item no. YG-04608	Fryer; item no. YG-04620	Fryer; item no. YG-04632
Fryer; item no. YG-04609	Fryer; item no. YG-04621	Fryer; item no. YG-04634
Fryer; item no. YG-04610	Fryer; item no. YG-04622	Fryer; item no. YG-04636
Fryer; item no. YG-04615	Fryer; item no. YG-04623	Fryer; item no. YG-04638
Fryer; item no. YG-04616	Fryer; item no. YG-04624	Fryer; item no. YG-04640
Fryer; item no. YG-04617	Fryer; item no. YG-04630	Fryer; item no. YG-04641

meet requirements of the following European Standards / Technical Specifications:

EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019 + A14:2019 + A2:2019 + A15:2021
EN 60335-2-37:2002 + A1:2008 + A11:2012 + A12:2016
EN 62233:2008
EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019 + A1:2021
EN 61000-3-3:2013 + A1:2019 + A2:2021

and fulfill requirements of the following European Directives:

2014/35/EU Low voltage equipment
2014/30/EU Electromagnetic compatibility (EMC) Directive
2011/65/EU Restriction of the Use of Certain Hazardous Substances
1935/2004/EC Food contact safety

Wrocław, 2024.05.02

(Place and date of issue)

 **TOYA SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ**
SPECJALISTA DS. TECHNICZNYCH
TOMASZ ZYCH

(Name and signature of authorized person)

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

0124/YG-02030/EC-food/2024

We declare and guarantee with full responsibility that the following products:

Name	Item no.
Kitchen scissors	YG-02365
Foldable kitchen scissors	YG-02366
Multilayer kitchen scissors	YG-02368

fulfill requirements of the following European Directives / Regulations:

1935/2004 – Materials and articles intended to come into contact with food

test report no.: (9320)269-0640 issued by: Bureau Veritas Consumer Products Services (Guangzhou) Co. Ltd. dated at 2020.10.08

Declared migration:

Aluminum: < 5 mg/kg
Antimony: < 0,04 mg/kg
Chromium: < 0,25 mg/kg
Cobalt: < 0,02 mg/kg
Copper: < 4 mg/kg
Iron: < 40 mg/kg
Manganese: < 1,8 mg/kg

Molybdenum: < 0,12 mg/kg
Nickel: < 0,14 mg/kg
Silver: < 0,08 mg/kg
Tin: < 100 mg/kg
Vanadium: < 0,01 mg/kg
Zinc: < 5 mg/kg
Arsenic: < 0,002 mg/kg

Barium: < 1,2 mg/kg
Beryllium: < 0,01 mg/kg
Cadmium: < 0,005 mg/kg
Lead: < 0,01 mg/kg
Lithium: < 0,048 mg/kg
Mercury: < 0,015 mg/kg
Thallium: < 0,0005 mg/kg

Requirements for the use of material or article:

The product is intended for contact with food.

Wrocław, 2024.01.02

(Place and date of issue)

 **TOYA SP. Z O.O.**
SPECJALISTA DS. TECHNICZNYCH
TOMASZ ZYCH

(Name and signature of authorized person)

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DEKLARACJA ZGODNOŚCI

0624/YG-02150/EC-food/2024

Deklarujemy z pełną odpowiedzialnością, że niżej wymienione wyroby:

Deska do krojenia wykonana z polietylenu (PE):

Nr kat. TOYA SA	Rozmiar [mm]	Grubość [mm]	Kolor
YG-02150	250x150	10	biały
YG-02153	300x220	10	biały
YG-02160	350x250	20	biały
YG-02163	440x290	20	biały
YG-02166	500x340	20	biały
YG-02168	600x390	20	biały
YG-02180	600x400	20	czerwony
YG-02181		20	zielony
YG-02182		20	żółty
YG-02183		20	niebieski
YG-02184		20	biały
YG-02185		20	brązowy
YG-02170		13	czerwony
YG-02171	450x300	13	zielony
YG-02172		13	żółty
YG-02173		13	niebieski
YG-02174		13	biały
YG-02175		13	brązowy

do których odnosi się niniejsza deklaracja są zgodne i spełniają wymagania:

10/2011 – rozporządzenie (WE) w sprawie wyrobów z tworzyw sztucznych przeznaczonych do kontaktu z żywnością,
1935/2004 – rozporządzenie (WE) w sprawie wyrobów przeznaczonych do kontaktu z żywnością,

Badanie przeprowadzono dla płynu modelowego imitującego żywność - 3% kwas octowy
nr badania: SHAHL23021530801 oraz SHAHL24002971401 wykonanego przez: SGS-CSTC Standards Technical Services (Shanghai) Co. Ltd.

Deklarowana migracja:

Baru: < 1 mg/kg

Kobaltu: < 0,05 mg/kg

Miedzi: < 5 mg/kg

Żelaza: < 48 mg/kg

Litu: < 0,6 mg/kg

Manganu: < 0,6 mg/kg

Cynku: < 5 mg/kg

Glinu: < 1 mg/kg

Niklu: < 0,02 mg/kg

Wymagania dotyczące wykorzystania materiału lub wyrobu:

Produkt jest przeznaczony do kontaktu z żywnością.

Wrocław, 2024.06.01
(miejsce i data wystawienia)

 **TOYA SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ**
SPECJALISTA D.S. TECHNICZNYCH
TOMASZ ZYCH

(nazwisko i podpis osoby upoważnionej)

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

0524/YG-02055/EC-food/2024

We declare and guarantee with full responsibility that the following products:

Products made of stainless steel:

Item no.	Name
YG-02055	Serving tray 220x150 mm
YG-02056	Serving tray 305x215 mm
YG-02057	Serving tray 380x240 mm
YG-02408	Flat spatula 120 mm
YG-02409	Flat spatula 200 mm
YG-02410	Flat spatula 250 mm
YG-02411	Flat spatula 300 mm
YG-02412	Flat spatula 350 mm
YG-02413	Angle spatula 120 mm
YG-02414	Angle spatula 200 mm
YG-02415	Angle spatula 250 mm
YG-02416	Angle spatula 300 mm
YG-02430	Can opener 350 mm
YG-02510	Wire whip 300 mm
YG-02511	Wire whip 400 mm
YG-02512	Wire whip 500 mm
YG-02513	Wire whip 600 mm
YG-02520	Kettle paddle 1220 mm
YG-02593	Skimmer 300 mm
YG-02595	Skimmer 350 mm
YG-02598	Skimmer 400 mm

Item no.	Name
YG-02730	Serving tongs 195 mm
YG-02731	Serving tongs 220 mm
YG-02732	Spaghetti tongs 220 mm
YG-02733	Sugar tongs 150 mm
YG-02735	Ice tongs 100 mm
YG-02736	Ice tongs 150 mm
YG-02750	Utility tong 240 mm
YG-02751	Utility tong 300 mm
YG-02752	Utility tong 400 mm
YG-02770	Meat fork 290 mm
YG-02771	Meat knife 320 mm
YG-02772	Spatula 375 mm
YG-02773	Skimmer 365 mm
YG-02774	Serving spoon 300 mm
YG-02775	Serving spoon 300 mm
YG-02776	Ladle 115 ml
YG-02777	Sauce ladle 300 mm
YG-02778	Salad fork 300 mm
YG-02779	Cake server knife 285 mm
YG-02780	Spaghetti spoon 330 mm
YG-07136	Bartender's spoon 330 mm

fulfill requirements of the following European Directives / Regulations:

1935/2004 – Materials and articles intended to come into contact with food

Test was conducted for food simulant: - 0.5% Citric acid (W/V) aqueous solution

Test report no.: 6139100.50QS issued by:DEKRA Testing and Certification (Shanghai) Ltd.

Declared migration:

Silver: < 0,08 mg/kg
Aluminium: < 5 mg/kg
Cobalt: < 0,02 mg/kg
Chromium: < 0,25 mg/kg
Copper: < 4 mg/kg
Iron: < 40 mg/kg
Magnesium: < 0,01 mg/kg
Manganese: < 1,8 mg/kg

Molybdenum: < 0,12 mg/kg
Nickel: < 0,14 mg/kg
Tin: < 100 mg/kg
Titanium: < 0,01 mg/kg
Vanadium: < 0,01 mg/kg
Zinc: < 5 mg/kg
Arsenic: < 0,002 mg/kg
Barium: < 1,2 mg/kg

Beryllium: < 0,01 mg/kg
Cadmium: < 0,005 mg/kg
Mercury: < 0,003 mg/kg
Lithium: < 0,048 mg/kg
Lead: < 0,01 mg/kg
Antimony: < 0,04 mg/kg
Thallium: < 0,0001 mg/kg

Requirements for the use of material or article:

The product is intended for contact with food.

Wrocław, 2024.05.09

(Place and date of issue)

 **TOYA SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ**
SPECJALISTA DS. TECHNICZNYCH
TOMASZ ZYCH

(Name and signature of authorized person)

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

0324/YG-00001/EC-food/2024

We declare and guarantee with full responsibility that the following products:

Products made of stainless steel:

Name and size	Item no.
Deep stockpot with lid 16x12 cm	YG-00001
Deep stockpot with lid 20x20 cm	YG-00002
Deep stockpot with lid 24x20 cm	YG-00003
Deep stockpot with lid 28x25 cm	YG-00004
Deep stockpot with lid 32x26 cm	YG-00005
Deep stockpot with lid 32x32 cm	YG-00006
Deep stockpot with lid 36x36 cm	YG-00007
Deep stockpot with lid 40x40 cm	YG-00008
Deep stockpot with lid 45x45 cm	YG-00009
Deep stockpot with lid 50x50 cm	YG-00010
Medium stockpot with lid 16x9,5 cm	YG-00021
Medium stockpot with lid 20x14 cm	YG-00022
Medium stockpot with lid 24x16 cm	YG-00023
Medium stockpot with lid 28x18 cm	YG-00024
Medium stockpot with lid 32x20 cm	YG-00025
Medium stockpot with lid 36x22 cm	YG-00026
Medium stockpot with lid 40x30 cm	YG-00027
Medium stockpot with lid 45x36 cm	YG-00028
Medium stockpot with lid 50x32 cm	YG-00029

Name and size	Item no.
Low stockpot with lid 20x10,5 cm	YG-00040
Low stockpot with lid 24x11 cm	YG-00041
Low stockpot with lid 28x13 cm	YG-00042
Low stockpot with lid 32x16 cm	YG-00043
Low stockpot with lid 36x18 cm	YG-00044
Low stockpot with lid 40x25 cm	YG-00045
Casserole pot with lid 36x11 cm	YG-00055
Saucepan with lid 16 cm	YG-00060
Saucepan with lid 20 cm	YG-00061
Saucepan with lid 24 cm	YG-00062
Saucepan with lid 28 cm	YG-00063
Gravy pot 20 cm	YG-00080
Gravy pot 24 cm	YG-00081
Frypan 20 cm	YG-00100
Frypan 24 cm	YG-00101
Frypan 28 cm	YG-00102
Frypan 32 cm	YG-00103
Frypan 36 cm	YG-00104
Frypan 40 cm	YG-00105

fulfill requirements of the following European Directives / Regulations:

No. 1935/2004 (EU) Materials and articles intended to come into contact with food

Test was conducted for food simulant: - 0.5% Citric acid (W/V) aqueous solution

Test report no.: 6139100.50QS issued by DEKRA Testing and Certification (Shanghai) Ltd.

Declared migration:

Aluminium: < 5 mg/kg
Antimony: < 0,04 mg/kg
Chromium: < 0,25 mg/kg
Cobaltu: < 0,02 mg/kg
Copper: < 4 mg/kg
Iron: < 40 mg/kg
Manganese: < 1,8 mg/kg

Molybdenum: < 0,12 mg/kg
Nickel: < 0,14 mg/kg
Silver: < 0,08 mg/kg
Tin: < 100 mg/kg
Vanadium: < 0,01 mg/kg
Zinc: < 5 mg/kg
Arsenic: < 0,002 mg/kg

Barium: < 1,2 mg/kg
Beryllium: < 0,01 mg/kg
Cadmium: < 0,005 mg/kg
Lead: < 0,01 mg/kg
Lithium: < 0,048 mg/kg
Mercury: < 0,003 mg/kg
Thallium: < 0,0001 mg/kg

Requirements for the use of material or article:

The product is intended for contact food

Wrocław, 2024.03.01
(Place and date of issue)

 **TOYA SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ**
SPECJALISTA D.S. TECHNICZNYCH
TOMASZ ZYCH

(Name and signature of authorized person)

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

0324/YG-00001/EC-food/2024

We declare and guarantee with full responsibility that the following products:

Products made of stainless steel:

Name and size	Item no.
Deep stockpot with lid 16x12 cm	YG-00001
Deep stockpot with lid 20x20 cm	YG-00002
Deep stockpot with lid 24x20 cm	YG-00003
Deep stockpot with lid 28x25 cm	YG-00004
Deep stockpot with lid 32x26 cm	YG-00005
Deep stockpot with lid 32x32 cm	YG-00006
Deep stockpot with lid 36x36 cm	YG-00007
Deep stockpot with lid 40x40 cm	YG-00008
Deep stockpot with lid 45x45 cm	YG-00009
Deep stockpot with lid 50x50 cm	YG-00010
Medium stockpot with lid 16x9,5 cm	YG-00021
Medium stockpot with lid 20x14 cm	YG-00022
Medium stockpot with lid 24x16 cm	YG-00023
Medium stockpot with lid 28x18 cm	YG-00024
Medium stockpot with lid 32x20 cm	YG-00025
Medium stockpot with lid 36x22 cm	YG-00026
Medium stockpot with lid 40x30 cm	YG-00027
Medium stockpot with lid 45x36 cm	YG-00028
Medium stockpot with lid 50x32 cm	YG-00029

Name and size	Item no.
Low stockpot with lid 20x10,5 cm	YG-00040
Low stockpot with lid 24x11 cm	YG-00041
Low stockpot with lid 28x13 cm	YG-00042
Low stockpot with lid 32x16 cm	YG-00043
Low stockpot with lid 36x18 cm	YG-00044
Low stockpot with lid 40x25 cm	YG-00045
Casserole pot with lid 36x11 cm	YG-00055
Saucepan with lid 16 cm	YG-00060
Saucepan with lid 20 cm	YG-00061
Saucepan with lid 24 cm	YG-00062
Saucepan with lid 28 cm	YG-00063
Gravy pot 20 cm	YG-00080
Gravy pot 24 cm	YG-00081
Frypan 20 cm	YG-00100
Frypan 24 cm	YG-00101
Frypan 28 cm	YG-00102
Frypan 32 cm	YG-00103
Frypan 36 cm	YG-00104
Frypan 40 cm	YG-00105

fulfill requirements of the following European Directives / Regulations:

No. 1935/2004 (EU) Materials and articles intended to come into contact with food

Test was conducted for food simulant: - 0.5% Citric acid (W/V) aqueous solution

Test report no.: 6139100.50QS issued by DEKRA Testing and Certification (Shanghai) Ltd.

Declared migration:

Aluminium: < 5 mg/kg
Antimony: < 0,04 mg/kg
Chromium: < 0,25 mg/kg
Cobaltu: < 0,02 mg/kg
Copper: < 4 mg/kg
Iron: < 40 mg/kg
Manganese: < 1,8 mg/kg

Molybdenum: < 0,12 mg/kg
Nickel: < 0,14 mg/kg
Silver: < 0,08 mg/kg
Tin: < 100 mg/kg
Vanadium: < 0,01 mg/kg
Zinc: < 5 mg/kg
Arsenic: < 0,002 mg/kg

Barium: < 1,2 mg/kg
Beryllium: < 0,01 mg/kg
Cadmium: < 0,005 mg/kg
Lead: < 0,01 mg/kg
Lithium: < 0,048 mg/kg
Mercury: < 0,003 mg/kg
Thallium: < 0,0001 mg/kg

Requirements for the use of material or article:

The product is intended for contact food

Wrocław, 2024.03.01
(Place and date of issue)

 **TOYA SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ**
SPECJALISTA D.S. TECHNICZNYCH
TOMASZ ZYCH

(Name and signature of authorized person)