

Specificații tehnice

Numărul procedurii de achiziție nr. ocds-b3wdp1-MD-1738843469863 din 6 febr 2025
Obiectul achiziției: Servere pentru SI „e-Monitorizare”

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Lotul 1						
Server pentru SI „e-Monitorizare”	ThinkSystem SR650 V3	China, Hong Kong	LENOVO	În conformitate cu Caietul de sarcini anexat.	<p>7D76CTO1WW Server : ThinkSystem SR650 V3 5 YEAR WARRANTY C3YZ ThinkSystem vSAN Ready Node (for HCI clusters) BLKK ThinkSystem V3 2U 24x2.5" Chassis</p> <p>BFYE Operating mode selection for: "Efficiency - Favoring Performance Mode"</p> <p>BVGL Data Center Environment 30 Degree Celsius / 86 Degree Fahrenheit</p> <p>2xBYVR Intel Xeon Gold 6548N 32C 250W 2.8GHz Processor</p> <p>12xBZ4V ThinkSystem 64GB TruDDR5 Performance+ 5600MHz (2Rx4) RDIMM</p> <p>5977 Select Storage devices - no configured RAID required</p> <p>BM50 ThinkSystem 440-16i SAS/SATA PCIe Gen4 12Gb HBA</p> <p>BM51 ThinkSystem 440-8i SAS/SATA PCIe Gen4 12Gb HBA</p> <p>3xBNW9 ThinkSystem 2.5" PM1655 1.6TB Mixed Use SAS 24Gb HS SSD</p>	

					<p>21xBNW6 ThinkSystem 2.5" PM1655 3.2TB Mixed Use SAS 24Gb HS SSD 3xB8LU ThinkSystem 2U 8x2.5" SAS/SATA Backplane BYFG ThinkSystem 7mm SATA/NVMe 2- Bay Rear Hot-Swap RAID Enablement Kit BTTV 7mm SATA 2xBQ1U ThinkSystem 7mm 5400 PRO 240GB Read Intensive SATA 6Gb HS SSD BN2T ThinkSystem Broadcom 57414 10/25GbE SFP28 2-Port OCP Ethernet Adapter BK1H ThinkSystem Broadcom 57414 10/25GbE SFP28 2-port PCIe Ethernet Adapter 4xBYBJ ThinkSystem Finisar Dual Rate 10G/25G SR SFP28 Transceiver 4x 151454 SFP-10/25G-CSR-S Compatible 10/25GBASE-CSR SFP28 Dual-rate 850nm 400m DOM Duplex LC/UPC MMF Optical Transceiver Module (Switch side) BLKL ThinkSystem V3 2U x16/x8/x8 PCIe Gen4 Riser1 or 2 BLKM ThinkSystem V3 2U x16/x16/E PCIe Gen4 Riser1 or 2 2xBMUF ThinkSystem 1800W 230V Platinum Hot-Swap Gen2 Power Supply v2 2xB0N5 1.0m, 13A/100-250V, C13 to C14 Jumper Cord 6xBLL6 ThinkSystem 2U V3 Performance Fan Module B8LA ThinkSystem Toolless Slide Rail Kit v2 BQQ2 ThinkSystem 2U V3 EIA Latch Standard BPKR TPM 2.0 BRPJ XCC Platinum BLL0 ThinkSystem SR650 V3 MB</p>	
--	--	--	--	--	---	--

					<p>BVMCTrigger MFG to scan the SN from the CPU Board via this MI</p> <p>BQQ6 ThinkSystem 2U V3 EIA right with FIO</p> <p>BXGY Right EIA with FIO assembly</p> <p>BP46 ThinkSystem 2U Main Air Duct</p> <p>BLL3 ThinkSystem SR650 V3 PSU Duct</p> <p>BC4X MS 2FH Riser Filler</p> <p>BPKD ThinkSystem 2U MS 3FH Riser 1&2 Cage w/Label1</p> <p>BLLA ThinkSystem V3 2U MS 3FH 7mm Riser 1&2 Cage w/ lbl2</p> <p>BYQL ThinkSystem SR650 V3 Firmware and Root of Trust Security Module v2</p> <p>BQ11 G4 x16/x8/x8 PCIe Riser BLKL for Riser 1 Placement</p> <p>BQ19 G4 x16/x16/E PCIe Riser BLKM for Riser 2 Placement</p> <p>7S0XCTO5WW XClarity Controller Platin-FOD</p> <p>SBCV Lenovo XClarity XCC2 Platinum Upgrade (FOD)</p> <p>5641PX5 XClarity Pro, Per Endpoint w/5 Yr SW S&S</p> <p>1341 Lenovo XClarity Pro, Per Managed Endpoint w/5 Yr SW S&S</p> <p>7Q01CTS2WW SERVER PREMIER NBD RESP</p> <p>7Q01CTSAWW SERVER KEEP YOUR DRIVE ADD-ON</p>
--	--	--	--	--	---

Numele, Prenumele: Alexandr Dașchevici În calitate de: Administrator

Ofertantul: „Noventiq International” S.R.L. Adresa: MD-2004, mun. Chișinău, bd. Ștefan cel Mare și Sfânt nr. 202