NANOPHOS S.A.		Dated 03/08/2018	
SurfaPaint ThermoDry Interior			Printed on 03/08/2018 Page n. 1/11
	Acco	Safety Data Sheet rding to Annex II to REACH - Regulation 2015/83	0
SECTION 1. Ide	ntification of the su	bstance/mixture and of the comp	any/undertaking
<b>1.1. Product identifier</b> Code: Product name	r	NanoPhos_GA_03082018-005 SurfaPaint ThermoDry Interior	
Product name		Surraraint Thermobry Interior	
1.2. Relevant identifie Intended use	d uses of the substance or Styrene acrylic pai	r mixture and uses advised against nt for thermal protection for interior walls & co	eilings
<b>1.3. Details of the sup</b> Name Full address District and Country	oplier of the safety data she	eet NANOPHOS S.A. Technological & Science Park 19 500 Lavrio (Greece) Greece	
		Tel. +30 22920 69312	
e-mail address of the c	competent person	Fax +30 22920 69303	
responsible for the Saf Product distribution by:	ety Data Sheet	iarabatz@NanoPhos.com Ioannis Arabatzis	
1.4. Emergency telep		-20 22020 20242	
For urgent inquiries ref		+30 22920 69312	
SECTION 2. Ha	zards identification		
.1. Classification of the	e substance or mixture		
	ed as hazardous pursuant to	the provisions set forth in EC Regulation 1272/20 ances in concentrations such as to be declared ir	008 (CLP). Section no. 3. it requires a safety data sheet with
lowever, since the produ ppropriate information, c	compliant to (EU) Regulation	2015/830.	· · · · · · · · · · · · · · · · · · ·
lowever, since the produ ppropriate information, c lazard classification and	compliant to (EU) Regulation	2015/830.	
lowever, since the produ ppropriate information, c lazard classification and .2. Label elements	compliant to (EU) Regulation : indication:	2015/830. 3 (CLP) and subsequent amendments and supple	
owever, since the produ ppropriate information, c azard classification and .2. Label elements	compliant to (EU) Regulation : indication:	2015/830.	
lowever, since the produ ppropriate information, c lazard classification and .2. Label elements lazard labelling pursuant	compliant to (EU) Regulation : indication:	2015/830.	
owever, since the produ ppropriate information, c azard classification and <b>.2. Label elements</b> azard labelling pursuant Hazard pictograms: Signal words:	compliant to (EU) Regulation : indication:	2015/830.	
lowever, since the produ ppropriate information, c lazard classification and <b>.2. Label elements</b> lazard labelling pursuant Hazard pictograms:	compliant to (EU) Regulation : indication: t to EC Regulation 1272/2008   Safety data sheet availa	2015/830. 3 (CLP) and subsequent amendments and supple ble on request.	

	Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018 Page n. 2/11
one	
May produce an allergic reaction.	

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing fume / gas / mist / vapours / spray.
P271	Use only outdoors or in a well-ventilated area.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER / doctor.
P404	Store in a closed container.
P410	Protect from sunlight.
P501	Dispose of contents / container according to Local/National Legislation.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
<b>1,2-Benzoisothiazol-3(2H)-one</b> CAS 2634-33-5 EC 220-120-9 INDEX 613-088-00-6	0 < x < 0,05	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one CAS 55965-84-9 EC -	0 < x < 0,0015	Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

INDEX 613-167-00-5

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

NANOPHOS S.A.	Revision nr. 2
	Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018
	Page n. 3/11

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire-fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

## 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

# 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

NANOPHOS S.A.	Revision nr. 2
NANOFIOS S.A.	
	Dated 03/08/2018
Currío Doint Thomas o Drug Internion	Printed on 03/08/2018
SurfaPaint ThermoDry Interior	
-	Page n. 4/11

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

# RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear opencircuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

NANOPHOS S.A.	Revision nr. 2 Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018 Page n. 5/11

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9.** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

#### 9.2. Other information

VOC (Directive 2010/75/EC) :

8,90

# SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

# 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

# 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

# 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

# 10.5. Incompatible materials

NANOPHOS S.A.	Revision nr. 2 Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018
	Page n. 6/11

Information not available

### 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component) LD50 (Oral) of the mixture: Not classified (no significant component) LD50 (Dermal) of the mixture: Not classified (no significant component)

Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

LC50 (Inhalation) 0,51 mg/l/4h Rat

**SKIN CORROSION / IRRITATION** 

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

NANOPHOS S.A.	Revision nr. 2
	Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018
1	Page n. 7/11

#### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one 1,2-Benzoisothiazol-3(2H)-one

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

## REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

## 12.1. Toxicity

1,2-Benzoisothiazol-3(2H)-one	
LC50 - for Fish	0,8 mg/l/96h
EC50 - for Crustacea	4,4 mg/l/48h
Mixture of 5-chloro-2-methyl-2H- isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one LC50 - for Fish EC50 - for Crustacea	0,58 mg/l/96h 1,02 mg/l/48h

## 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

NANOPHOS S.A.	Revision nr. 2
	Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018
	Page n. 8/11

Information not available

## 12.4. Mobility in soil

Information not available

# 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

## 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

NANOPHOS S.A.	Revision nr. 2 Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018 Page n. 9/11

Not applicable

### 14.5. Environmental hazards

Not applicable

## 14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

NANOPHOS S.A.	Revision nr. 2 Dated 03/08/2018
SurfaPaint ThermoDry Interior	Printed on 03/08/2018
	Page n. 10/11

Information not available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value

oroughness of provided information according to each specific use of the product. his document must not be regarded as a guarantee on any specific product property.	SurfaPaint ThermoDry Interior         Printed on 03/08/2018           Page n. 11/11         Page n. 11/11           CLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.         WA STEL: Short-term exposure limit           WA STEL: Short-term exposure limit         WO: Volate davrage exposure limit           VOC: Volatile organic Compounds         PMB: Very Persistent and very Bioaccumulative as for REACH Regulation           VGX: Water hazard classes (German).         ENERAL BIBLIOGRAPHY           Regulation (EC) 1907/2006 (REACH) of the European Parliament         Regulation (EC) 1907/2006 (REACH) of the European Parliament           Regulation (EU) 2015/9830 of the European Parliament         Regulation (EU) 286/2011 (III Ap. CLP) of the European Parliament           Regulation (EU) 286/2011 (III Ap. CLP) of the European Parliament         Regulation (EU) 487/2013 (VI Ap. CLP) of the European Parliament           Regulation (EU) 2016/9129 (III Ap. CLP) of the European Parliament         Regulation (EU) 2016/9129 (VI Ap. CLP) of the European Parliament           Regulation (EU) 2016/9129 (VI Ap. CLP) of the European Parliament         Regulation (EU) 2016/9129 (VI Ap. CLP) of the European Parliament           Regulation (EU) 2016/9129 (VI Ap. CLP) of the European Parliament         Regulation (EU) 2016/9129 (VI Ap. CLP) of the European Parliament           Regulation (EU) 2016/1707 (X Ap. CLP)         The European Parliament         Regulation (EU) 2016/1707 (X Ap. CLP)           Regulatio	NANOPHOS S.A.	Revision nr. 2	
Surface and the intermotive intermotintermotive intermotive intermotintereal intermotive intermotive in	Surface and the intermoting interior         Page n. 11/11           LV CEILING: Concentration that should not be exceeded during any time of occupational exposure.         WA         WA         Stription interm exposure limit         WA STEL: Short-term exposure limit         WA STEL: Short-term exposure limit         WA STEL: Short-term exposure limit         WA         Stription intermetation intermetatintermetatintent intermetation intermetation intermetation inteme		Dated 03/08/2018	
Page n. 11/11 UV CEILING: Concentration that should not be exceeded during any time of occupational exposure. WA STEL: Short-term exposure limit OC: Volatile organic Compounds PVB: Very Persistent and very Bioaccumulative as for REACH Regulation VGK: Water hazard classes (German).  INERAL BIBLIOGRAPHY Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2016/1780 (JAp. CLP) of the European Parliament Regulation (EU) 286/2011 (JI Ap. CLP) of the European Parliament Regulation (EU) 286/2011 (JI Ap. CLP) of the European Parliament Regulation (EU) 946/2012 (JI Ap. CLP) of the European Parliament Regulation (EU) 946/2013 (V Ap. CLP) of the European Parliament Regulation (EU) 966/2014 (VI Ap. CLP) of the European Parliament Regulation (EU) 2016/1179 (X Ap. CLP) of the European Parliament Regulation (EU) 2016/1179 (X Ap. CLP) of the European Parliament Regulation (EU) 2016/1179 (X Ap. CLP) of the European Parliament Regulation (EU) 2016/1179 (X Ap. CLP) of the European Parliament Regulation (EU) 2016/1179 (X Ap. CLP) Regulatin (EU) 2016/1179 (X Ap. CLP) Regulation (EU) 2016/1179	Page n. 11/11 UV CEILING: Concentration that should not be exceeded during any time of occupational exposure. WA STEL: Short-term exposure limit OC: Volatile organic Compounds PVB: Very Persistent and very Bioaccumulative as for REACH Regulation VGK: Water hazard classes (German).  INERAL BIBLIOGRAPHY Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2016/1780 (I Atp. CLP) of the European Parliament Regulation (EU) 2016/1742 (II Atp. CLP) of the European Parliament Regulation (EU) 2016/1742 (IVI Atp. CLP) of the European Parliament Regulation (EU) 949/2013 (V Atp. CLP) of the European Parliament Regulation (EU) 966/2014 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/1742 (VII Atp. CLP) of the European Parliament Regulation (EU) 2016/1742 (VII Atp. CLP) of the European Parliament Regulation (EU) 2016/1742 (VII Atp. CLP) of the European Parliament Regulation (EU) 2016/1747 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/1747 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/1747 (VI Atp. CLP) Regul	SurfaPaint ThermoDry Interior	Printed on 03/08/2018	
WA STEL: Short-term exposure limit WA: Time-weighted average exposure limit /OC: Volatile organic Compounds PVB: Very Persistent and very Bioaccumulative as for REACH Regulation VGK: Water hazard classes (German). ENERAL BIBLIOGRAPHY Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (ED) 709/2009 (AP, CLP) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/8210 (III Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (III Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VA tp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VA tp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/213 (VIII Atp. CLP) The Merck Index 10th Edition Handling Chemical Safety NRS - Fiche Toxicologique (toxicological sheet) *4ty - industrial Hygiene and Toxicology 41. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition FA GESTIS website CHA website Patabase of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy te for users: te information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and proughness of provided information according to each specific use of the product. Is document must not be regarded as a guarantee on any specific product property. He use of this product is not subject to our direct control; therefore, users must, under their own responsibility,	WA STEL: Short-term exposure limit WA: Time-weighted average exposure limit /OC: Volatile organic Compounds PVB: Very Persistent and very Bioaccumulative as for REACH Regulation VGK: Water hazard classes (German). ENERAL BIBLIOGRAPHY Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (ED) 709/2009 (AP, CLP) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/8210 (III Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (III Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VA tp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VA tp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/2121 (VI Atp. CLP) of the European Parliament Regulation (EU) 2016/213 (VIII Atp. CLP) The Merck Index 10th Edition Handling Chemical Safety NRS - Fiche Toxicologique (toxicological sheet) *4ty - industrial Hygiene and Toxicology 41. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition FA GESTIS website CHA website Patabase of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy te for users: te information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and proughness of provided information according to each specific use of the product. Is document must not be regarded as a guarantee on any specific product property. He use of this product is not subject to our direct control; therefore, users must, under their own responsibility,		Page n. 11/11	
Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1272/2008 (CLP) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 286/2011 (II Ap. CLP) of the European Parliament Regulation (EU) 618/2012 (III Ap. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament Regulation (EU) 944/2013 (V Ap. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2016/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2016/1179 (IX Ap. CLP) of the European Parliament . Regulation (EU) 2017/176 (X Atp. CLP) . Regulation (EU) 2017/776 (X Atp.	Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1272/2008 (CLP) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 286/2011 (II Ap. CLP) of the European Parliament Regulation (EU) 618/2012 (III Ap. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament Regulation (EU) 944/2013 (V Ap. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2016/1221 (VII Ap. CLP) of the European Parliament . Regulation (EU) 2016/1179 (IX Ap. CLP) of the European Parliament . Regulation (EU) 2017/176 (X Atp. CLP) . Regulation (EU) 2017/776 (X Atp.	NA STEL: Short-term exposure limit NA: Time-weighted average exposure limit DC: Volatile organic Compounds PvB: Very Persistent and very Bioaccumulative as for REACH Regulation		
		Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EU) 1272/2008 (CLP) of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 2016/2011 (II Atp. CLP) of the European Parliament Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament Regulation (EU) 944/2013 (IV Atp. CLP) of the European Parliament Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament Regulation (EU) 905/2014 (VI Atp. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament Regulation (EU) 2016/1179 (IX Atp. CLP) of the European Parliament Regulation (EU) 2016/1179 (IX Atp. CLP) of the European Parliament Regulation (EU) 2016/1179 (IX Atp. CLP) Regulation (EU) 2016/1179 (IX Atp. CLP) Regulation (EU) 2016/1179 (IX Atp. CLP) Regulation (EU) 2017/776 (X A		