



Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6

Seksyen 33 Shah Alam Selangor 40400 Malaysia

Holds Certificate No: MD 676150

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

Manufacture, Marketing and Distribution of latex and nitrile examination gloves, face masks and sterile surgical gloves.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2017-12-13 Effective Date: 2022-04-23 Latest Revision Date: 2022-04-08 Expiry Date: 2025-04-22

Page: 1 of 1

...making excellence a habit."





This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>.

Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +603 9212 9638.

Further clarifications regarding the scope of this certificate and the applicability of ISO 13485:2016 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.







Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that:

ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6

Seksyen 33 Shah Alam Selangor 40400 Malaysia

Holds Certificate No: FM 679348

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

Manufacture, Marketing and Distribution of latex and nitrile examination gloves, face masks and sterile surgical gloves.

For and on behalf of BSI:

Poon Cheong Yuen, Managing Director

Original Registration Date: 2017-11-13 Effective Date: 2022-04-25 Latest Revision Date: 2022-03-28 Expiry Date: 2025-04-24

Page: 1 of 1







...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>.

Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +603 9212 9638.

Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.



ASAP INTERNATIONAL SDN. BHD. (1157980-X)

No. 1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor, Malaysia. Tel: +6 03 5191 0166 Fax: +6 03 5191 0702 Website: www.whyasap.com Email: info@whvasap.com

EU DECLARATION of CONFORMITY

ASAP International Sdn. Bhd. Manufacturer:

No. 1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor, Malaysia.

SRN: MY-MF-000004500

Medical Devices & Basic UDI- DI:

• Powdered Latex Examination Gloves

(955589090ASAPPPL5E)

• Powder Free Latex Examination Gloves

(955589090ASAPPFL4G)

Powder Free Nitrile Examination Gloves

(955589090ASAPPFN4L)

Classification: Class I Medical Devices according to Medical Device

Regulation (EU) 2017/745, Annex VIII

Harmonised Standards: EN455-1:2000, EN 455-2:2015, EN455-3:2015,

EN455-4:2009

EÇ REP

European Authorized

Representative:

ASAP INNOVATIONS LIMITED

7 Saggart Lakes, Saggart, Dublin, D24 PY01, Ireland.

SRN: IE-AR-000002548

This EU declaration of conformity is issued under the sole responsibility of manufacturer, ASAP International Sdn. Bhd. We hereby declare that device covered by the present declaration is in conformity with the Medical Device Regulation (EU) 2017/745 and with the above-mentioned standards. All supporting documentation is retained at the premises of the manufacturer.

Place. Date of Declaration: Malaysia., May 26, 2021

Signature:

Mr. Chin Tze Wena

Senior Global Business Development Manager





















No. 1, Jalan Sitar 33/6 Seksyen 33 40400 Shah Alam Selangor Malaysia

ASAP International Sdn Bhd

Notified Body: 2777

SATRA customer number: P0130

EU Type-Examination Certificate

Certificate number: 2777/11077-01/E03-01

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

Product reference: Description:

AS LPF Latex Examination powder free gloves.

Sizes: Classification:

| 6 | XS | EN ISO 374-1:2016/Type B | Level | EN374-4:2013 |
|----|----|--------------------------|-------|--------------|
| 7 | S | 40% Sodium Hydroxide | 1 | -46.1% |
| 8 | M | 65% Nitric Acid | 2 | 30.9% |
| 9 | L | 37% Formaldehyde | 2 | -93.8% |
| 10 | XL | 40% Hydrofluoric Acid | 2 | X |

EN ISO 374-5:2016

Resistance to Bacteria and Fungi Pass
Resistance to Virus Pass

Standards/Technical specifications applied:

EN 420: 2003+A1: 2009; EN ISO 374-1:2016; EN ISO 374-5:2016

Technical reports/Approval documents:

SATRA: CHM0265590/1750/CL/A, CHM0265590/1750/CL/B, CHM0265590/1750/SPT

TUV: 7191154274-CHM16-01-RC

Signed on behalf of SATRA:



Hannah Coe



Geoff Graham

Date of issue: 17/04/2019

Expiry date: 14/08/2023

Page 1 of 2

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity. Please note:

- Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
- 2. Full details of the certification and product are contained within the manufacturer's technical documentation.
- 3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
- 4. Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
- 5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
- The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
- 7. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
- 8. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
- SATRA Technology reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.



Issued to:

ASAP International Sdn Bhd No. 1, Jalan Sitar 33/6 Seksyen 33 40400 Shah Alam Selangor Malaysia

Notified Body: 2777

SATRA customer number: P0130

EU Type-Examination Certificate

Certificate number: 2777/10648-04/E04-01

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

Product reference: Description:

AS NPF Nitrile examination powder free gloves

Sizes: Classification:

6 (XS) - 10 (XL) EN ISO 374-1:2016/Type B Level EN374-4:2013

 37% Formaldehyde
 6
 3.1%

 40% Sodium Hydroxide
 6
 -25.6%

 30% Hydrogen Peroxide
 2
 17.0%

EN ISO 374-5:2016

Resistance to Bacteria and Fungi Pass Resistance to Virus Pass

Standards/Technical specifications applied:

EN 420: 2003+A1: 2009; EN ISO 374-1:2016; EN ISO 374-5:2016

Technical reports/Approval documents:

SATRA: CHM0265112/1749/EN/A, CHM0265112/1749/EN/B, CHM0265112/1749/SPT, CHM0272621/1826/JS, CHM0275215/1836/LH, CHM0275215/1836/LH/E, CHM0275215/1836/LH/D, CHM0275215/1836/LH/A/Final

TUV: 7191143339-CHM16-01-RC

Signed on behalf of SATRA:

Reco

Hannah Coe

alahan

Geoff Graham

Date of issue: 17/04/2019

Expiry date: 25/06/2023

Page 1 of 2

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity. Please note:

- Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
- Full details of the certification and product are contained within the manufacturer's technical documentation.
- Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
- Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
- Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
- The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
- 7. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
- 8. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
- SATRA Technology reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.



Company

JOB REF NO.: 2021-05-21-009 DATE RECEIVED: MAY 21, 2021 DATE REPORTED: JUNE 04, 2021

PAGE: 1 of 1

Test Report No : CPS

: CPSA/210663477-CA64942 : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor,

Malaysia.

TEST REPORT

Sample Description : Powder Free Latex Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFL4G

Brand Name : ASAP
Country of Origin : Malaysia
Country of Destination : All countries

Size : M

Quantity Tested : 200 pieces

Test Conducted : Freedom from holes Test Method : EN455 Part 1:2020

Testing Period : 21 May 2021 – 04 June 2021

Based on submitted samples, the following results obtained :-

Acceptable Quality Limit (AQL): 1.5 Accept: 7 Found: 4

Result : Within AQL

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD ****End of Report****

CHEE TUCK CHOON SECTION HEAD IKM No. M/3983/6401/12/14



PAGE: 1 of 1

Test Report No : CPSA/210663478-CA64943

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor,

Malaysia.

TEST REPORT

Sample Description : Powder Free Latex Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFL4G

Brand Name : ASAP
Country of Origin : Malaysia
Country of Destination : All countries

Size : M

Quantity Tested : 13 pieces per test

Test Conducted : Force at Break During Shelf Life and After Challenge

Force at Break, N

| | | roice at | Dican, iv |
|--------------|------------|---------------------|-------------|
| SIZE | SAMPLE NO. | BEFORE AGING | AFTER AGING |
| \mathbf{M} | 1 | 10.7 | 8.8 |
| | 2 | 10.7 | 10.0 |
| | 3 | 10.3 | 9.1 |
| | 4 | 11.1 | 9.5 |
| | 5 | 9.8 | 9.1 |
| | 6 | 10.6 | 9.8 |
| | 7 | 10.1 | 9.1 |
| | 8 | 10.7 | 9.1 |
| | 9 | 10.0 | 9.4 |
| | 10 | 10.7 | 10.0 |
| | 11 | 10.7 | 9.1 |
| | 12 | 9.4 | 8.4 |
| | 13 | 8.9 | 9.0 |
| Median | | 10.6 | 9.1 |
| Requirement | | ≥ 6.0 | ≥ 6.0 |

****End of Report****

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHEE TUCK CHOON SECTION HEAD

IKM No. M/3983/6401/12/14



PAGE: 1 of 1

Test Report No : CPSA/210663479-CA64944

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor,

Malaysia.

TEST REPORT

Sample Description : Powder Free Latex Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFL4G

Brand Name : ASAP
Country of Origin : Malaysia
Country of Destination : All countries

Size : M

Quantity Tested : 13 pieces
Test Conducted : Dimensions

Test Method : EN 455 Part 2:2015

Testing Period : 21 May 2021 – 04 June 2021

Based on submitted samples, the following results obtained :-

| Size | M | M | M | M | M | M | M | M | M | M | M | M | M | Median |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
| Width Median: 95±10mm | 95 | 94 | 95 | 95 | 94 | 95 | 94 | 95 | 95 | 95 | 95 | 94 | 95 | 95 |
| Length Median: ≥ 240mm | 251 | 248 | 251 | 252 | 252 | 254 | 250 | 252 | 252 | 251 | 251 | 250 | 251 | 251 |

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD ****End of Report****

CHEE TUCK CHOON SECTION HEAD IKM No. M/3983/6401/12/14



PAGE: 1 of 1

Test Report No : CPSA/210663480-CA64945

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor,

Malaysia

TEST REPORT

Sample Description : Powder Free Latex Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFL4G

Brand Name : ASAP
Country of Origin : Malaysia
Country of Destination : All countries

Size : M

Quantity Tested : 8 pieces

Test Conducted : Aqueous Extractable Protein Content

Test Method : EN455 Part 3:2015

Testing Period : 21 May 2021 – 04 June 2021

EXTRACTABLE PROTEIN CONTENT

Analysis had been carried out as per your request. We report the following results:

| SIZE | AQUEOUS EXTRACTABLE PROTEIN CONTENT, μg/g | | | | | | |
|------|--|--|--|--|--|--|--|
| M | 23 | | | | | | |

Note: Detection limit = $10 \mu g/g$

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

****End of Report****

CHEE TUCK CHOON SECTION HEAD IKM No. M/3983/6401/12/14



PAGE: 1 of 1

Test Report No : CPSA/210663481-CA64946

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor,

Malaysia.

TEST REPORT

Sample Description : Powder Free Latex Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFL4G

Brand Name : ASAP
Country of Origin : Malaysia
Country of Destination : All countries

Size : M

Quantity Tested : 5 pieces

Test Conducted : Powder Content
Test Method : EN455 Part 3:2015

Testing Period : 21 May 2021 – 04 June 2021

On testing the samples, the following results were obtained:-

SIZE Average Powder Mass per Glove

M 0.12 mg

****End of Report****

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHEE TUCK CHOON SECTION HEAD

IKM No. M/3983/6401/12/14



PAGE: 1 of 1

: CPSA/210663482-CA64947 **Test Report No**

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor,

Malavsia

TEST REPORT

Sample Description Powder Free Nitrile Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFN4L

Brand Name ASAP Country of Origin Malaysia Country of Destination All countries

Size

Quantity Tested 200 pieces

Test Conducted Freedom from holes Test Method EN455 Part 1:2020

21 May 2021 - 04 June 2021 **Testing Period**

Based on submitted samples, the following results obtained:-

Acceptable Quality Limit (AQL): 1.5 Accept: 7 Found: 3

Result : Within AOL

**** End of Report ****

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHEE TUCK CHOON SECTION HEAD

IKM No. M/3983/6401/12/14



PAGE: 1 of 1

: CPSA/210663483-CA64948 **Test Report No** : ASAP International Sdn. Bhd. **Company**

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor,

Malavsia

TEST REPORT

Sample Description Powder Free Nitrile Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFN4L

Brand Name ASAP Country of Origin Malaysia Country of Destination All countries

Size

Quantity Tested 13 pieces per test

Test Conducted Force at Break During Shelf Life and After Challenge

Test Method EN 455 Part 2:2015 Ageing 70 ± 2 Deg C for 168 hrs **Testing Period** 21 May 2021 - 04 June 2021

Force at Break, N

| SIZE | SAMPLE NO. | BEFORE AGING | AFTER AGING |
|-------------|------------|--------------|-------------|
| M | 1 | 8.4 | 8.1 |
| | 2 | 8.6 | 8.3 |
| | 3 | 9.1 | 8.9 |
| | 4 | 7.5 | 9.8 |
| | 5 | 8.2 | 8.8 |
| | 6 | 8.6 | 9.9 |
| | 7 | 8.9 | 8.9 |
| | 8 | 8.7 | 8.2 |
| | 9 | 8.1 | 8.2 |
| | 10 | 7.9 | 8.6 |
| | 11 | 9.4 | 9.1 |
| | 12 | 8.9 | 9.3 |
| | 13 | 8.5 | 9.3 |
| Median | | 8.6 | 8.9 |
| Requirement | | ≥ 6.0 | ≥ 6.0 |

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

**** End of Report ****

CHEE TUCK CHOON SECTION HEAD IKM No. M/3983/6401/12/14



PAGE: 1 of 1

: CPSA/210663484-CA64949 **Test Report No**

Company : ASAP International Sdn. Bhd.

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor, Malaysia

TEST REPORT

Sample Description Powder Free Nitrile Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFN4L

Brand Name ASAP Country of Origin Malaysia Country of Destination All countries

Size

Ouantity Tested 13 pieces Test Conducted **Dimensions**

Test Method EN 455 Part 2:2015

Testing Period 21 May 2021 - 04 June 2021

Based on submitted samples, the following results obtained :-

| Size | M | M | M | M | M | M | M | M | M | M | M | M | M | Median |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
| Width Median: 95±10mm | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 95 | 95 | 96 | 96 | 96 |
| Length Median: ≥ 240mm | 245 | 240 | 246 | 244 | 241 | 245 | 241 | 246 | 242 | 240 | 248 | 249 | 245 | 245 |

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

**** End of Report ****

CHEE TUCK CHOON SECTION HEAD

IKM No. M/3983/6401/12/14



PAGE: 1 of 1

: CPSA/210663485-CA64950 **Test Report No**

: ASAP International Sdn. Bhd. **Company**

No.1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor,

Malavsia

TEST REPORT

Sample Description Powder Free Nitrile Examination Gloves,

Device Basic UDI-DI: 955589090ASAPPFN4L

Brand Name ASAP Country of Origin Malaysia All countries Country of Destination

Size

Quantity Tested 5 pieces

Test Conducted Powder Content Test Method EN455 Part 3:2015

21 May 2021 – 04 June 2021 **Testing Period**

On testing the samples, the following results were obtained:-

SIZE Average Powder Mass per Glove

0.08 mg M

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

**** End of Report ****

CHEE TUCK CHOON SECTION HEAD

IKM No. M/3983/6401/12/14