

Specificații tehnice (F4.1)

Numărul procedurii de achiziție: nr.21032134 din 09.12.2020						
Denumirea procedurii de achiziție: Servere						
Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
Cod CPV: 48820000-2 Server	Dell PowerEdge R740xd2 Server	China	Dell	Server Cerințe Minime: -Chassis: 2U – 24 x 3.5 SATA Hot-Swap, Dual Socket; -Processor: 2 x CPU 12C/24T, Base Frequency: 2.4GHz, Turbo: 3.5Ghz; 16.5MB Cache, (100W); -Memory: 192 Gb DDR4 ECC RDIMM; -Boot Drive: 2 x 480Gb SSD in raid1; -RAID Controller: RAID(0,1,5,6,10,50,60), 12Gb/s SAS and SATA controller with 2Gb Cache, with Cache Protection Module; -Hard Drive: 20 x 4TB 7.2k SATA 6Gbps HDD Enterprise 3.5; -Hard Drive: 4 x 1.9TB SSD SATA 6Gbps, DWPD: 1(3yrs); -Network: 4 x RJ45 10 Gigabit Ethernet; -Power Supply: 1000W+ , Redundant Power; -Rails for server rack; -Warranty: 3 Years;	Dell PowerEdge R740xd2 Server SKU: 210-ARCU -1 x Chassis Config 0, 24x3.5" HDD, Single PERC, for Riser Config 1 or 4 321-BDXY -2 x Intel Xeon Silver 4214R 2.4G, 12C/24T, 9.6GT/s, 16.5M Cache, Turbo, HT (100W) DDR4-2400 338-BVJX -1 x Additional Processor Selected 379-BDCO -1 x DIMM Blanks for System with 2 Processors 370-ABXX -1 x 1 CPU Standard Thermal for 3.5" Chassis 412-AARI -1 x Performance Optimized 370-AAIP -1 x 3200MT/s RDIMMs 370-AEVR -6 x 32GB RDIMM, 3200MT/s, Dual Rank 370-AEVN -1 x BOSS controller card + with 2 M.2 Sticks 480GB (RAID 1),FH 403-BCHJ -1 x PERC H730P Controller Card 405-AAND	

					-20 x 4TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive 400-ASIE -4 x 1.92TB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive,3.5in HYB CARR, 1 DWPD, 3504 TBW 400-AXRK -1 x Power Saving Dell Active Power Controller 750-AABF -1 x UEFI BIOS Boot Mode with GPT Partition 800-BBDM -1 x Dual, Hot-plug, Redundant Power Supply (1+1), 1100W 450-ADWM -2 x C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord 450-AADY -1 x Riser Config 4, Butterfly - 1xFH+4xLP, Dual CPU, R740xd2 330-BBMT -1 x PowerEdge R740xd2 MLK Motherboard 384-BCDO -1 x iDRAC9, Express 385-BBKS -1 x On-Board LOM 542-BBBP -1 x Intel X710 Quad Port 10GbE BASE-T Adapter, PCIe Low Profile 540-BBVO -1 x PEC Static Rails 770-BCFZ -1 x iDRAC,Factory Generated Password 379-BCRG -1 x iDRAC Group Manager, Disabled 379-BCQY -1 x Consolidation Fee ESG 991-10021 -1 x Asset Tag - ProSupport (Website, barcode, Onboard MacAddress) 293-10025	
--	--	--	--	--	---	--

					-1 x Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM) 293-10049 -1 x PowerEdge R740xd2 Shipping Material 340-CKUB -1 x PowerEdge R740xd2 CE,CCC,BIS Marking 389-DSYZ -1 x PowerEdge R740xd2 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/Arab) 340-COTK -1 x Enterprise Order - EMEA. 800-11671 -1 x Parts Only Warranty 12 Months 709-BBIW -1 x Parts Only Warranty Extension, 24 Month(s) 865-BBLI -1 x EX-Works 990-10090	
--	--	--	--	--	---	--

Semnat:_____ Numele, Prenumele: Srimtaev Emilia
Ofertantul: Daito SRL Adresa: Orhei, str Sadoveanu 26A

În calitate de: administrator