



ABBOTT LABORATORIES, S.A. - GRANADA (SPAIN)
Abbott Nutrition - Supply Chain Manufacturing
Camino de Purchil, 68
18004 -Granada (Spain)
Telephone: 034 958 248600
FAX: 034 958 248610

Product: SIMILAC HYPOALLERGENIC 1 375 G RUSSIA/KAZAKH
Batch Number: 02430QU
List Number: S926A1
International Code: 100S9268G9172
Изготовлен: 050219
Годен до: 050221

CERTIFICATE OF ANALYSIS

CHEMICAL	RESULT	RANGE SPEC
Proteins (g/100g)	11.23	10.73 - 12.39
Fat (g/100g)	23.75	23.02 - 26.58
Moisture (g/100g)	2.64	1.38 - 4.02
Sodium (Na) (mg/100g)	179	138.40 - 225.59
Potassium (K) (mg/100g)	627	481.60 - 721.19
Chloride (Cl) (mg/100g)	383	300.80 - 601.60
Calcium (Ca) (mg/100g)	403	343.20 - 526.38
Phosphorous (P) (mg/100g)	243	192.80 - 300.76
Magnesium (Mg) (mg/100g)	57.7	45.12 - 67.68
Vitamin C (mg/100g)	90.25	45.76 - 112.45
Color, flavor and aroma	Normal	Normal
MICROBIOLOGICAL	RESULT	RANGE SPEC
Standard Plate Count (cfu/g)	<5	0 - No more than 2 > 500 cfu/g, no 1 > 5000 cfu/g, from 5 individual containers
E. coli (/11g)	Negative	Negative
E. sakazakii (/750g)	Negative	Negative
Salmonella (/1500g)	Negative	Negative
S. aureus (/11g)	Negative	Negative

19-02-2019

Beatriz Delgado
Laboratory Manager
(Signature valid for COA purposes only)




ABBOTT LABORATORIES, S.A. - GRANADA (SPAIN)
Abbott Nutrition - Supply Chain Manufacturing
Camino de Purchil, 68
18004 -Granada (Spain)
Telephone: 034 958 248600
FAX: 034 958 248610

Product: SIMILAC HYPOALLERGENIC 2 375 G RUSSIA/KAZAKH
Batch Number: 04483QU
List Number: S927A1
International Code: 100S9278G9172
Изготовлен (MFG): 170419
Годен до (EXP): 170421

CERTIFICATE OF ANALYSIS

CHEMICAL	RESULT	RANGE SPEC
Proteins (g/100g)	13.94	12.87 - 14.89
Fat (g/100g)	23.58	22.60 - 26.15
Moisture (g/100g)	2.63	1.38 - 4.02
Sodium (Na) (mg/100g)	210	138.40 - 225.59
Potassium (K) (mg/100g)	567	397.60 - 751.96
Chloride (Cl) (mg/100g)	420	319.20 - 601.69
Calcium (Ca) (mg/100g)	399	319.20 - 677.10
Phosphorous (P) (mg/100g)	228	180.80 - 451.32
Magnesium (Mg) (mg/100g)	57.9	45.12 - 75.23
Vitamin C (mg/100g)	86.75	45.76 - 112.85
Color, flavor and aroma	Normal	Normal
MICROBIOLOGICAL	RESULT	RANGE SPEC
Standard Plate Count (cfu/g)	10	No more than 2 > 500 cfu/g, no 1 > 5000 cfu/g, from 5 individual containers
E. coli (/11g)	Negative	Negative
E. sakazakii (/750g)	Negative	Negative
Salmonella (/1500g)	Negative	Negative
S. aureus (/11g)	Negative	Negative

06-05-2019
Beatriz Delgado
Laboratory Manager
(Signature valid for COA purposes only)




ABBOTT LABORATORIES, S.A. - GRANADA (SPAIN)
Abbott Nutrition - Supply Chain Manufacturing
Camino de Purchil, 68
18004 -Granada (Spain)
Telephone: 034 958 248600
FAX: 034 958 248610

Product: SIMILAC NEOSURE 370 G RUSSIA
Batch Number: 95231QU01
List Number: N002B1
International Code: 100N002824171
Изготовлен (MFG): 061118
Годен до (EXP): 061121

CERTIFICATE OF ANALYSIS


CHEMICAL	RESULT	RANGE SPEC
Sediment (ADMI)	%A	%A
Proteins (g/100g)	13.04	12.64 - 14.63
Fat (g/100g)	28.55	26.79 - 31.02
Moisture (g/100g)	2.23	1.84 - 2.88
Sodium (Na) (mg/100g)	183	135 - 237
Potassium (K) (mg/100g)	801	582 - 1019
Chloride (Cl) (mg/100g)	439	307 - 538
Calcium (Ca) (mg/100g)	561	431 - 755
Phosphorous (P) (mg/100g)	331	254 - 445
Magnesium (Mg) (mg/100g)	47.4	36.8 - 69
Iron (Fe) (mg/100g)	9.82	7.36 - 16.56
Selenium (Se) (mcg/100g)	13.4	8.6 - 15.4
Vitamin E acetate (IU/100g)	22.5	14.8 - 33.3
Pyridoxine free (mcg/100g)	714	410 - 1283
Ca/P ratio	1.7	1.2 - 2.0
pH	7.1	6.6 - 7.2
Color, flavor and aroma	Normal	Normal
MICROBIOLOGICAL	RESULT	RANGE SPEC
Standard Plate Count (cfu/g)	45	No more than 2 > 500 cfu/g, no 1 > 1000 cfu/g, from 5 individual containers
E. coli (/11g)	Negative	Negative
Salmonella (/1500g)	Negative	Negative
S. aureus (/11g)	Negative	Negative


22-11-2018
Beatriz Delgado
Laboratory Manager
(Signature valid for COA purposes only)



spec






ABBOTT LABORATORIES, S.A. - GRANADA (SPAIN)
Abbott Nutrition - Supply Chain Manufacturing
Camino de Purchil, 68
18004 -Granada (Spain)
Telephone: 034 958 248600
FAX: 034 958 248610

Product: SIMILAC ANTIREFLUX 375 G RUSSIA
Batch Number: 93305QU
List Number: S481A1
International Code: 100S481824172
Изготовлен (MFG): 300918
Годен до (EXP): 300920

CERTIFICATE OF ANALYSIS

CHEMICAL	RESULT	RANGE SPEC
Proteins (g/100g)	11.40	10.46 - 12.10
Fat (g/100g)	28.05	26.32 - 30.34
Moisture (g/100g)	2.18	1.34 - 3.90
Sodium (Na) (mg/100g)	170	133.93 - 200.23
Potassium (K) (mg/100g)	478	370.86 - 554.67
Chloride (Cl) (mg/100g)	387	304.38 - 455.24
Calcium (Ca) (mg/100g)	449	341.23 - 510.77
Phosphorous (P) (mg/100g)	267	200.80 - 300.45
Magnesium (Mg) (mg/100g)	33.3	26.75 - 40.05
Vitamin C (mg/100g)	75.0	45.69 - 113.80
Color, flavor and aroma	Normal	Normal
MICROBIOLOGICAL	RESULT	RANGE SPEC
Standard Plate Count (cfu/g)	5	No more than 2 > 500 cfu/g, no 1 > 5000 cfu/g, from 5 individual containers
E. coli (/11g)	Negative	Negative
Salmonella (/1500g)	Negative	Negative
S. aureus (/11g)	Negative	Negative

15-10-2018
Beatriz Delgado
Laboratory Manager
(Signature valid for COA purposes only)



spec

PRODUCT: 5705816 ALIMENTUM PWD 400G - RUSSIA | BATCH NO. 91587Z260
 MASTER WORK ORDER: 01-0Z806-MWO | VERSION: 26 | EXPIR DATE: 01 08 20
 To be completed by Quality Systems. (if applicable) For Export Product Only

LE 01 CERTIFICATE OF ANALYSIS Product ALIMENTUM

Abbott Export Number	5705816	5705884	5705825
Batch Number	91587Z260	91587Z261	91587Z262
Country	RUSSIA	ISRAEL	SPAIN
Expiration Date	01 08 20	1AUG2020	08 2020
FAN #	NAP	NAP	NAP
FAN Comm. #	45966	44240	44578

	RESULT	SPECIFICATION
NUTRIENT TESTING		
FAT	29.01 %	27.63 - 30.53 %
PROTEIN	15.20 %	14.44 - 15.59 %
PHOSPHORUS	3800 PPM	2730 - 4710 PPM
SODIUM	2410 PPM	1850 - 3000 PPM
CALCIUM	6460 PPM	4410 - 7720 PPM
ZINC	48.1 PPM	31.5 - 63.0 PPM
IRON	96.2 PPM	75.6 - 118 PPM
VITAMIN B6, AS FED	0.471 MG/L	0.325 - 0.607 MG/L
VITAMIN A, AS FED	2380 IU/L	1725 - 3042 IU/L
VITAMIN E, AS FED	12.1 IU/L	10.3 - 14.2 IU/L
VITAMIN C, AS FED	212 MG/L	67.6 - 287 MG/L

	PASS	NORMAL
CHEMICAL/PHYSICAL TESTING		
FLAVOR	PASS	NORMAL
AROMA	PASS	NORMAL
PH	5.28	5.00 - 6.50
MOISTURE	1.68 %	1.12 - 1.80 %
SEDIMENT	A ADMI	B ADMI MAX

MICROBIOLOGICAL TESTING		
STANDARD PLATE COUNT	10 CFU/G	5000 CFU/G MAX
E. COLI	NEG	NEG/11 G
S. AUREUS	NEG	9 CFU/G MAX
SALMONELLA	NEG	NEG/1500 G
B. CEREUS	10 CFU/G	100 CFU/G MAX
CRNBCTR SPP (E. SAK)	NEG	NEG/300 G
ENTEROBACTERIACEAE	<3 CFU/G	3 CFU/G MAX

Documentation Review Passes
 Manufacture Date JUL 2018


All deviations have been reviewed and approved with Abbott Nutrition Quality Assurance.

The undersigned certifies this to be a true copy of test and assay results conducted by Abbott Nutrition, and that a complete documentation audit is a part of the basis for release of product.

J. Adams 8-27-18
 Prepared By/Date
 Abbott Nutrition Quality Systems Sturgis, MI 49091

L. Hendry 8-28-18
 Verified By/Date

Z806ANFP.006/QDLS/QAWOPSFL/ ALIMENTUM EU ANALYTICAL F.P.



ABBOTT LABORATORIES B.V.

P.O. BOX 626
8000 AP ZWOLLE
THE NETHERLANDS

RIETEWEG 21
8041 AJ ZWOLLE
THE NETHERLANDS

PRODUCT : SIMILAC SOY
ITEMNUMBER : 1 00S422 124 140
PACKSIZE : 400.0 G
BATCHNUMBER : 94122NR
LISTNUMBER : S422A0
DATE OF MANUFACTURE : 20-10-2018
EXPIRY DATE : 19-10-2020

CERTIFICATE OF ANALYSIS

Result

Fat	25.54	g/100g
Moisture	2.02	g/100g
Protein	12.49	g/100g
Magnesium	41.13	mg/100g
Calcium	478.67	mg/100g
Sodium	202.37	mg/100g
Potassium	534.87	mg/100g
Phosphorus	329.79	mg/100g
Chloride	446.90	mg/100g
Vitamin C	73.39	mg/100g
Aroma	PASS	
Flavor	PASS	
Color	Normal	
pH	6.65	
Sediment	A	ADPI
Bacillus Cereus	PASS	
Standard plate	PASS	
E. Coli	PASS	
Enterobacteriaceae	PASS	
Salmonella	PASS	
Staph. Aureus	PASS	
Cronobacter SPP.	PASS	

DATE : 19-11-2018


QA-APPROVAL DATE : 12-11-2018

ABBOTT LABORATORIES B.V.

A. v.d. Werf

A. van der Werf

QA Operations & Customer Support Manager




Abbott - Abbott Nutrition

Document ID: ANSOPTPM002-F-054

Title: List No. S281/B0, Similac Stage 2 Russia Mid Tier

Certificate of Analysis

Product: Similac Stage 2 Russia Mid Tier, List No. S281/B0			
Batch No.	6YX9500134		
MFG	08.11.18		
EXP	08.11.20		
Ref. No.	372038446		
<u>Test</u>	<u>Unit</u>	<u>Results of Analysis</u>	<u>Specification</u>
Fat	g/100 g	27.35	25.65 - 29.70
Protein	g/100 g	12.06	11.21 - 12.98
Moisture	g/100 g	2.21	2.00 - 3.00
Vitamin A	IU/100 g	2093	1067 - 2200
Vitamin C	mg/100 g	88	42 - 113
Sediment		A	"A" Maximum ADMI
pH		6.7	6.5 - 7.0
Appearance/Color		Normal	Normal
Flavor and Aroma		Normal	Normal
Standard Plate Count	cfu/g	10	No 2 > 1000 cfu/g, no 1 > 5000 cfu/g, from 5 individual containers
<i>E. coli</i>	/11 g	Negative	Negative in 11 g
<i>Salmonella</i>	/1500 g	Negative	Negative in 1500 g
<i>S. aureus</i>	/11 g	Negative	Negative in 11 g
<i>B. cereus</i>	cfu/g	<10	100 cfu/g maximum
Enterobacteriaceae	/100 g	Negative	Negative in 100 g (5 samples)
Comments: N/A			
04 Dec 2018 <i>u.h.805</i> Date Prepared by ANI QA 07 Dec 18 <i>Alina</i> Date Approved by ANI QA			



Abbott - Abbott Nutrition

Document ID: ANSOPTPM002-F-053

Title: List No. S280/B0, Similac Stage 1 Russia Mid Tier

Certificate of Analysis

Product: Similac Stage 1 Russia Mid Tier, List No. S280/B0			
Batch No.	6YX9500140		
MFG	27.11.18		
EXP	27.11.20		
Ref. No.	372564622		
<u>Test</u>	<u>Unit</u>	<u>Results of Analysis</u>	<u>Specification</u>
Fat	g/100 g	26.70	24.99 - 28.93
Protein	g/100 g	10.99	10.26 - 11.88
Moisture	g/100 g	2.28	1.84 - 3.00
Vitamin A	IU/100 g	1980	1147 - 2300
Vitamin C	mg/100 g	84	42 - 100
Sediment		A	"A" Maximum ADMI
pH		6.8	6.5 - 7.0
Appearance/Color		Normal	Normal
Flavor and Aroma		Normal	Normal
Standard Plate Count	cfu/g	110	No 2 > 1000 cfu/g, no 1 > 5000 cfu/g, from 5 individual containers
<i>E. coli</i>	/11 g	Negative	Negative in 11 g
<i>Salmonella</i>	/1500 g	Negative	Negative in 1500 g
<i>S. aureus</i>	/11 g	Negative	Negative in 11 g
<i>B. cereus</i>	cfu/g	<10	100 cfu/g maximum
Enterobacteriaceae	/100 g	Negative	Negative in 100 g (5 samples)
Comments: N/A			
18 Dec 2018 <i>Masyuk</i> Date Prepared by ANI QA 21 Dec 2018 <i>[Signature]</i> Date Approved by ANI QA			

