

FORMULARUL OFERTEI (F3.1)

Data: **15.09.2023**

Licitația nr.: **ocds-b3wdp1-MD-1693583910690**

Invitație la licitația nr.:

Alternativa nr.:

Către: **Primaria Cimisia**

SA „EXIMOTOR” declară că:

a) Au fost examinate și nu există rezervări față de documentele de licitație, inclusiv modificările nr. _____.

b) **SA „EXIMOTOR”** se angajează să furnizeze, în conformitate cu documentele de licitație și condițiile stipulate în specificațiile tehnice și de formare a prețurilor, următoarele bunuri: **2 autobuze pentru transportul pasageri**


c) Prețul total al ofertei constituie: **1 676 000.00 (un milion sase sute saptezeci si sase mii) lei fără TVA**

d) Prezenta ofertă va rămâne valabilă pentru perioada de timp specificată în instrucțiunile pentru ofertanți, punctul IPO17.1, începînd cu data-limită pentru depunerea ofertei, în conformitate cu punctul IPO22.1, va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;

e) În cazul acceptării prezentei oferte, SA „EXIMOTOR” se angajează să obțină o Garanție de bună execuție în conformitate cu punctul IPO42, pentru executarea corespunzătoare a contractului de achiziție publică.

f) Nu sîntem în nici un conflict de interese, în conformitate cu punctul IPO4.4.

g) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice, în conformitate cu punctul IPO4.5.

Semnat:  **Gonceariuc Ghenadii**

În calitate de: **manager în vânzări**

Ofertantul: **SA „Eximotor”** Adresa: **mun. Chișinău, str. Aerodromului 15/6**

Data: **13.09.2023**

SPECIFICAȚII TEHNICE (F4.1)

Numărul licitației: <u>ocds-b3wdp1-MD-1693583910690</u>					Data: <u>15.09.2023</u>		
Denumirea licitației: Procurarea a 2 autobuze pentru transportul pasageri							
Co-dul CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată	Specificarea tehnică deplină propusă de către ofertant	Standarde de Referință
34121000-1		Higer KLQ67511(H7V)	China	Higer	Tip caroserie pentru transport public, urban, dotat cu sistem de aer condiționat, echipament de siguranță Dimensiuni exterioare - Lungimea totală - între 5000 – 8000 mm; - Lățimea fără oglinzile exterioare - max 2500 mm; - Înălțimea - maxim 3500 mm; Dimensiuni interioare. - Înălțimea în interior - min 1900 - 2800 mm; - Lățimea în interior - min 1900 – 2600 mm; - Înălțimea platformei acces în salon – max. 370 mm; Lățimea spațiului pe ușa de acces – min 600 mm, Masa totală autorizată max - 6500 kg Motor, min 4 cilindri Capacitatea cilindrică - min 2900cm3 Control emisie Standard ecologic-minim EURO 5 Numărul de uși min 1 Ușa de acces călători cu deschidere controlată de la șofer Numărul de locuri max 30 locuri Dotări adiționale de securitate transport: dotarea salonului cu bare/mânere de sprijin pentru transport pasageri în picioare Tip transmisie Cutie mecanică min 5 trepte de viteză Direcție Asistată Frâna Discuri ventilate față servosistat cu ABS, EBD,ESP Sarcina utilă minimă 1200 kg Roată de rezervă - 1buc Volumul rezervorului 70-90 litri Combustibil - Motorină Consumul Max - 13 l/100 km Anul fabricării începînd cu anul 2021 Parcurs 0 km Putere min - 130 CP Oglinzi retrovizoare electrice cu eliminarea unghiului mort Climatizare interior Sistem de aer condiționat si sistem alternativ de aerisire (geamuri, trap) Încălzirea interior Instalație de încălzire Iluminarea interior Sistem de iluminat interior Capitonaje și tapițerii Capitonaje și tapițerii rezistente, ușor de întreținut și de curățat	Tip caroserie pentru transport public, urban, dotat cu sistem de aer condiționat, echipament de siguranță Dimensiuni exterioare - Lungimea totală - 7480 mm; - Lățimea fără oglinzile exterioare - 2000 mm; - Înălțimea - 2910 mm; Dimensiuni interioare. - Înălțimea în interior - 1900 mm; - Lățimea în interior - 1930 mm; - Înălțimea platformei acces în salon –185 mm; Lățimea spațiului pe ușa de acces –650 mm, Masa totală autorizată - 5500 kg Motor SC25R143Q5 cu 4 cilindri, capacitatea cilindrică – 2949 cm3 Standard ecologic EURO 5 Numărul de uși - 1 pentru pasageri si 2 din spate pentru bagaj Ușa de acces p/u călători cu deschidere controlată de șofer Numărul de locuri 21 scaune + 1 loc șofer Dotări adiționale de securitate transport: dotarea salonului cu bare/mânere de sprijin pentru transport pasageri în picioare Transmisie - cutie mecanică sincronizata cu 6 trepte Direcție Asistată Frâna discuri ventilate față servosistat cu ABS, EBD, ESP Sarcina utilă - 1670 kg Roată de rezervă - 1 buc Volumul rezervorului 80 litri-combustibilului/13 lit - Adblue Combustibil - Motorină Consumul - 12.2 lit/100 km Anul fabricării - 2023 Parcurs pina la 0 km Putere - 143 CP Oglinzi retrovizoare manuale cu eliminarea unghiului mort Climatizare interior Sistem de aer condiționat si sistem alternativ de aerisire (geamuri, trap) Încălzirea interior Instalație de încălzire Iluminarea interior Sistem de iluminat interior Capitonaje și tapițerii rezistente, ușor de întreținut și de curățat	

				Cric canal cu proprietă Un cric cu capacitate de ridicare min. 2500 kg Înălțimea de ridicare minim 600 mm Standarde - Să corespundă standardelor UE Certificat de calitate Să dispună de certificat de calitate de la furnizor Tahograf dispozitiv care înregistrează viteza autovehiculului, permițând verificarea respectării, de către conducătorul auto, a timpului de odihnă și de lucru și a restricțiilor de viteză. Devamarea Adeverință pentru mijlocul de transport devamat sau certificat privind înmatricularea transportului Sistem audio Emitător, doua boxe, cablu etc Trusa sanitara auto - 1 Trusa scule si accesorii specifice autosasiu - 1 Cric care v-a permite înlocuirea unei roti - 1 Triunghiuri reflectorizante omologate - 2 Stingator auto P6 montat in cabina - 1 Pompa electrica cu furtun cu manometru pentru umflat pneuri care se poate conecta la o priza de 12v pe autospeciala, cu cablu suficient de lung pentru a ajunge la oricare roata - 1 Vesta reflectorizanta – 1	Un cric special cu capacitate de ridicare si înălțimea de ridicare autobuzului respectiv Standarde - corespunde standardelor UE certificat Auto Service TÜV SÜD si dispune de certificat de calitate de la furnizor Treker GPS - dispozitiv care înregistrează toate miscarile inclusiv si viteza autovehiculului, permițând verificarea respectării, de către conducătorul auto, a timpului de odihnă și de lucru și a restricțiilor de viteză. Adeverință pentru mijlocul de transport devamat Sistem audio - Emitător, doua boxe, cablu Trusa sanitara auto - 1 buc Trusa scule si accesorii specifice autosasiu - 1 buc Cric care permite înlocuirea unei roti - 1 buc Triunghiuri reflectorizante omologate - 2 buc Stingator auto P6 montat in cabina - 1 buc Pompa electrica cu furtun cu manometru pentru umflat pneuri care se conecteaza la priza de 12v pe autospeciala, cu cablu suficient de lung pentru a ajunge la oricare roata - 1 buc Vesta reflectorizanta – 1	
--	--	--	--	--	---	--

Semnat: _____ Gonceariuc Ghenadii În calitate de: manager

Ofertantul: SA "Eximotor"

Adresa: mun. Chișinău, str. Aerodromului 15/6



SPECIFICAȚII DE FORMARE A PREȚULUI

Numărul licitației: <u>ocds-b3wdp1-MD-1693583910690</u>									Data: <u>15.09.2023</u>	
Denumirea licitației: <i>Procurarea a 2 autobuze pentru transportul pasageri</i>										
Co-dul CPV	Denumirea bunurilor	Unitatea de măsură	Canti-tatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termen de livrare		
34121000-1	Autobuz Higer KLQ67511(H7V)	buc	2	838 000.00	1 005 600.00	1 676 000.00	2 011 200.00	90 zile din data semnarii contractului		

Semnat:  Gonceariuc Ghenadii În calitate de: manager


Ofertantul: SA "Eximotor"

Adresa: mun. Chișinău, str. Aerodromului 15/6





EXIMBANK



BC „EXIMBANK” SA

Anexa nr. 9
la Documentația standard din
Ordinul Ministrului Finanțelor
nr. 115 din 15 septembrie 2021

SCRISOARE DE GARANȚIE BANCARĂ nr. 10609/141
pentru participare cu ofertă la procedura de atribuire a contractului de achiziție publică

Către **Primăria Cimișlia**, or. Cimișlia, bd. Ștefan cel Mare, nr. 14, cu privire la procedura de atribuire a contractului, pentru **achiziționarea a 2 autobuze pentru transportul pasagerilor în spațiul urban al orașului Cimișlia și 3 sate din componența Primăriei Cimișlia**, conform LP nr. **ocds-b3wdp1-MD-1693583910690** din **14.09.2023**, subsemnații **B.C. "Eximbank" S.A.**, înregistrat la MD2004, Republica Moldova, mun. Chișinău, bd. Ștefan cel Mare și Sfânt, 171/1, ne obligăm față de **Primăria Cimișlia** să plătim suma de **33 520-00 (treizeci și trei mii cinci sute douăzeci) lei 00 bani**, la prima sa cerere scrisă și fără ca acesta să aibă obligația de a-și motiva cererea respectivă, cu condiția, ca în cererea sa autoritatea contractantă să specifice că suma cerută de ea și datorată ei este din cauza existenței uneia sau mai multora dintre situațiile următoare:

1. Ofertantul „**Eximotor**” SA își retrage sau modifică oferta în perioada de valabilitate a acesteia.
2. Oferta sa fiind stabilită câștigătoare, ofertantul „**Eximotor**” SA nu a constituit garanția de bună execuție.
3. Oferta sa fiind stabilită câștigătoare, ofertantul „**Eximotor**” SA a refuzat să semneze contractul de achiziție publică de bunuri/servicii;
4. Nu se execută vreo condiție, specificată în documentația de atribuire înainte de semnarea contractului de achiziție publică de bunuri/servicii.

Prezenta garanție este valabilă din data de **14.09.2023** până la data de **20.11.2023**.

Parafată de Banca

Galina Merzleacova
Director-adjunct, Sucursala Nr 20

Data 13.09.2023



Test Report

No.: 15-00458-CC-SHA-12

Test of a type of vehicle
with regard to Regulation (EC/EU) No.
2007/46/EC
including all amendments up to
(EU) 2019/543

Approval subject:
motor vehicles and their trailers
Stage of completion:
complete vehicle

Approval status	
☐	Granting of a type approval
☒	Extension/ correction to type approval no. : e4*2007/46*1097*11

I. General

- 0.1. Make (trade name of manufacturer) : HIGER
- 0.2. Type : KLQ67511
Variant(s) : ?A1??
Version(s) : 1????DA8E
- 0.2.1. Commercial name(s) (if applicable) : N/A
- 0.3. Means of identification of type, if marked on the vehicle: : Type description and type approval NO.
- 0.3.1. Location of that marking: : On or near the manufacturer's plate.
- 0.4. Category of vehicle : M3
- 0.5. Name and address of manufacturer : Higer Bus Company Limited
No.288, East Suhong Road
Suzhou Industrial Park, Suzhou City
215026 Jiangsu Province
China (PRC)
- 0.8. Name and address(es) of assembly plant(s) : Higer Bus Company Limited
No.288, East Suhong Road
Suzhou Industrial Park, Suzhou City
215026 Jiangsu Province
China (PRC)
- 0.9. Name and address of manufacturer's representative (if applicable) : CHARIOT MOTORS Company Limited
5 Hristo Belchev Str., fl. 3, Sofia 1000;
Bulgaria
- 0.10. Location of affixing of the approval mark : On the type plate near the front door step well.

II. Test results

Refer to the Annex II

III. Enclosures

Information folder No. KLQ67511-2007/46-12 dated 2023-01-05 (yyyy-mm-dd)

IV. Statement of conformity

The mentioned information folder and the type described therein are in accordance with the test basis mentioned above. Sampling plan or method result from the requirements of the test basis. The worst-case configuration was selected in accordance with process description "Requirements for Test Reports (AS-PB-T-02)". Valid decision rule in accordance with ILAC G8:2019, 4.2.1: in question of meeting the limits the measurement uncertainty was ignored.

The manufacturer is responsible for the information (III.) and the test specimens provided by him. The test results relate only to the test specimens as received and mentioned (II.). The test specimens are representative for the type described (III.).

The test report may be reproduced and published in full and by the client only. It can be reproduced partially with the written permission of the test laboratory only.

TÜV SÜD Auto Service GmbH is designated as Technical Service by:

Approval authority	Country	Registration number
Kraftfahrt-Bundesamt (KBA)	Germany	KBA-P 00100-10
Vehicle Certification Agency (VCA)	United Kingdom	VCA-TS-006
Approval Authority of the Netherlands (RDW)	The Netherlands	RDWT-082-xx
National Standards Authority of Ireland (NSAI)	Ireland	Technical Service Number: 49
Société Nationale de Certification et d'Homologation (SNCH)	Luxembourg	13/B(g)
Swedish Transport Agency (STA)	Sweden	TT 0024

München, 30.01.2023 (dd.mm.yyyy)



Keda Zhu

Annex I Reason of Extension

Correction of : --

Modification of : Description of item 0.3 and 0.3.1 manufacturer's representative;

Addition of : The type of gearbox and ratio, hand brake valve, combustion heater, new optional electronic components;

Deletion of : The engine except Euro VI E.

Annex II Test results

1. Test conditions

- 1.1. Type of the test sample : Whole vehicle
- 1.2. Test procedures used : Verifications according to Annex V of the framework directive.
- 1.3. Form of application : step-by-step type approval

2. Test results

2.1. In case of receiving an application for vehicle type-approval

- 2.1.1. Verifications according to Annex V, No.1. (a) : Confirmed, All separate directive test reports/approvals issued and specified in the applicant's information document pursuant to the regulatory acts which are applicable for vehicle type-approval cover the vehicle type and correspond to the prescribed requirements.
- 2.1.2. Verifications according to Annex V, No. 1. (b) : Confirmed, the vehicle specification(s) and data contained in Part I of the vehicle information document correspond to those included in the information packages / approval certificates in respect of the relevant regulatory acts.
- 2.1.3. Verifications according to Annex V, No. 1. (c) : Not applicable
- 2.1.4. Verifications according to Annex V, No. 1. (d) : Confirmed, the selected vehicle is built in accordance with the relevant data contained in the authenticated information package in respect of the relevant EC type-approval certificates.
- 2.1.5. Verifications according to Annex V, No. 1. (e) : Installation checks in respect of separate technical units have been carried out.
- 2.1.6. Verifications according to Annex V, No. 1. (f) (Categories M2, M3, N1, N2, N3 only) : Not applicable
- 2.1.7. Verifications according to Annex V, No. 1. (g) (in case of LPG or CNG vehicles) : Not applicable
- 2.2. Verifications according to Annex V, No.2 : Confirmed

Inspection have been carried out to ensure the proper control of the various combinations of engines, gearboxes, powered axles, steered axles, body styles, number of doors, hand of drive, number of seats and level of equipment to be approved.

- 2.3. Verifications according to Annex V, No.3, in case of no approval certificates for any of the relevant regulatory acts are available : Not applicable
- 2.3.1. Verifications according to Annex V, No. 3. (a) : Not applicable
- 2.3.2. Verifications according to Annex V, No. 3. (b) : Not applicable
- 2.3.3. Verifications according to Annex V, No. 3. (c) : Not applicable
- 2.3.4. Verifications according to Annex V, No. 3. (d) : Not applicable
- 2.3.5. Verifications according to Annex V, No. 3. (e) : Not applicable
3. **Place and date of the test** : TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch, Shanghai, P.R. China
2015-11-25 (yyyy-mm-dd)
2016-01-28 (yyyy-mm-dd)
2017-08-09 (yyyy-mm-dd)
2018-01-15 (yyyy-mm-dd)
2018-03-26 (yyyy-mm-dd)
2018-05-20 (yyyy-mm-dd)
2019-01-03 (yyyy-mm-dd)
2019-03-15 (yyyy-mm-dd)
2019-07-24 (yyyy-mm-dd)
2020-01-16 (yyyy-mm-dd)
2020-08-31 (yyyy-mm-dd)
2021-12-15 (yyyy-mm-dd)
2023-01-30 (yyyy-mm-dd)

Statement manufacturer and authorization regarding application

This statement must only be sent with new "00" applications. This applies to both the statements that the application has not been submitted to another authority and the authorization of the applicant. If the authorized party is changed in the meantime (i.e. in case of an extension or correction request), this declaration must be filled in again.

1 **EC & UNECE type-approval number** : e4*2007/46*1097*12

2 ☒ **Manufacturer/** ☐ **Manufacturer's representative** ⁽¹⁾

3 Company name : Higer Bus Company Limited
4 Name authorized person : Debai Liu
5 Job title : Manager of Homologation Department
6 E-mail address : liudb@higer.com
7 Address manufacturer : No.288, East Suhong Road, Suzhou Industrial Park, Suzhou City, 215026
Jiangsu Province
8 Country : China (PRC)

9 Statement

10 Hereby : Debai Liu ,
11 declares on behalf of the ,
12 manufacturer : Higer Bus Company Limited ,
13 for the application with type- ,
14 approval number : e4*2007/46*1097*12 ,
15 the following:
16 a) the manufacturer has not applied for an EC & UNECE type-approval for the same type to any other
17 approval authority, and no other approval authority granted the manufacturer such an approval;
18 b) no approval authority has refused to grant type-approval of that type;
19 c) no approval authority has withdrawn type-approval of that type;
20 d) the manufacturer has not revoked an application for a type-approval of that type.

21 Authorization regarding handling of this application (if applicable) ⁽²⁾

22 Company name : TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
23 E-mail address : Shihao.Bai@tuvsud.com
24 Address : 3-13, No.151 Heng Tong Road, 200070, Shanghai
25 Country : China

26 Authorization

27 By means of this declaration, I : Debai Liu ,
28 on behalf of : Higer Bus Company Limited ,
29 authorizes : TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch ,
30 to respectively apply for a type-approval with type-approval number:
e4*2007/46*1097*12 ,
31 handle all communication concerning this application and receive the type-approval certificate.

32 Date	Place	Name:
January 17, 2023	Suzhou City, China	Higer Bus Company Limited

On their behalf, signature :



Name : Debai Liu

⁽¹⁾ Mark the specific checkbox.

⁽²⁾ This authorization only concerns the application procedure and all activities that are directly or indirectly related to this procedure. If and insofar as other procedures, including the lodging of objections, are deemed necessary, a new authorization must be submitted in respect of that specific procedure.

THE NETHERLANDS
(N E D E R L A N D)EC TYPE-APPROVAL CERTIFICATE
(for a vehicle)

Communication concerning:

- ~~EC type-approval~~⁽¹⁾
- extension of EC type-approval⁽¹⁾
- ~~refusal of EC type-approval~~⁽¹⁾
- ~~withdrawal of EC type-approval~~⁽¹⁾

Of a type of:

- complete vehicle⁽¹⁾
- ~~completed vehicle~~⁽¹⁾
- ~~incomplete vehicle~~⁽¹⁾
- ~~vehicle with complete and incomplete variants~~⁽¹⁾
- ~~vehicle with completed and incomplete variants~~⁽¹⁾

with regard to Directive 2007/46/EC as last amended.

EC type-approval number

: e4*2007/46*1097*12

Reason for extension

: Modification of description of item 0.3 and 0.3.1
manufacturer's representative;
Addition of the type of gearbox and ratio, hand
brake valve, combustion heater, new optional
electronic components;
Deletion of the engine except Euro VI E.

SECTION I

- 0.1. Make (trade name of manufacturer) : HIGER
- 0.2. Type : KLQ67511
- 0.2.1. Commercial name(s)⁽²⁾ : N/A
- 0.3. Means of identification of type, if marked on the vehicle : Type description and type approval NO.
- 0.3.1. Location of that marking : On or near the manufacturer's plate.
- 0.4. Category of vehicle⁽³⁾ : M3



- 0.5. Name and address of manufacturer of the complete/completed vehicle ⁽¹⁾ : Higer Bus Company Limited
No.288, East Suhong Road
Suzhou Industrial Park, Suzhou City
215026 Jiangsu Province
China (PRC)
- 0.5.1. For multi-stage approved vehicles, company name and address of the manufacturer of the base/previous stage(s) vehicle : N/A
- 0.8. Name(s) and address(es) of assembly plant(s) : Higer Bus Company Limited
No.288, East Suhong Road
Suzhou Industrial Park, Suzhou City
215026 Jiangsu Province
China (PRC)
- 0.9. Name and address of the manufacturer's representative (if any) : CHARIOT MOTORS Company Limited
5 Hristo Belchev Str., fl. 3, Sofia 1000; Bulgaria

SECTION II


The undersigned hereby certifies the accuracy of the manufacturer's description in the attached information document of the vehicle(s) described above ((a) sample(s) having been selected by the EC type-approval authority and submitted by the manufacturer as prototype(s) of the vehicle type) and that the attached test results are applicable to the vehicle type.

1. For complete and ~~completed~~ vehicles/variants ⁽¹⁾:
The vehicle type meets/~~does not meet~~ ⁽¹⁾ the technical requirements of all the relevant regulatory acts as prescribed in Annex IV and ~~Annex XI~~ ^{(1) (4)} to Directive 2007/46/EC.
2. For incomplete vehicles/variants ⁽¹⁾: N/A
~~The vehicle type meets/does not meet~~ ⁽¹⁾ ~~the technical requirements of the regulatory acts listed in the table on side 2.~~
3. The approval is granted/~~refused/withdrawn~~ ⁽¹⁾.
4. ~~The approval is granted in accordance with Article 20 and the validity of the approval is thus limited to dd/mm/yy.~~



EC type-approval number: e4*2007/46*1097*12

Place : Zoetermeer
Date : 23 March 2023
Signature :


S. Nazarian



Attachments: - Information package.
- Test results (see Annex VIII).
- Name(s) and specimen(s) of the signature(s) of the person(s) authorised to sign certificates of conformity and a statement of their position in the company.

NB: If this model is used for type-approval pursuant to Articles 20, 22 or 23, it may not bear the heading 'EC Vehicle Type-Approval Certificate' except:

- In the case mentioned in Article 20 where the Commission has decided to allow a Member State to grant a type-approval in accordance with this Directive,
- In the case of vehicles of the category M1, type-approved according to the procedure in Article 22.

⁽¹⁾ Delete where not applicable.

⁽²⁾ If not available at the time of granting the type-approval, this item shall be completed at the latest when the vehicle is introduced on the market.

⁽³⁾ As defined in Annex II.A.

EC VEHICLE TYPE-APPROVAL CERTIFICATE

Side 2

This EC type-approval is, where incomplete and completed vehicles, variants or versions are concerned, based on the approval(s) for incomplete vehicles listed below:

Stage 1: Manufacturer of the base vehicle : N/A

EC type-approval number : N/A

Dated : N/A

Applicable to variants or versions
(as appropriate) : N/A

Stage 2: Manufacturer : N/A

EC type-approval number : N/A

Dated : N/A

Applicable to variants or versions
(as appropriate) : N/A

Stage 3: Manufacturer : N/A

EC type-approval number : N/A

Dated : N/A

Applicable to variants or versions
(as appropriate) : N/A

In the case where the approval includes one or more incomplete variants or versions (as appropriate), list those variants or versions (as appropriate) which are complete or completed.

Complete/completed variant(s) : N/A


List of requirements applicable to the approved incomplete vehicle type, variant or version (as appropriate, taking account of the scope and latest amendment to each of the regulatory acts listed below):

Item	Subject	Regulatory act reference	Last amended	Applicable to variant or, if need be, to version
N/A	N/A	N/A	N/A	N/A

(List only subjects for which an EC type-approval exists.)

In the case of special purpose vehicles, exemptions granted or special provisions applied pursuant to Annex XI and exemptions granted pursuant to Article 20:

Regulatory act reference	Item number	Kind of approval and nature of exemption	Applicable to variant or, if need be, to version
N/A	N/A	N/A	N/A



ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ МИКРОАВТОБУСА HIGER KLQ67511(H7V) С КОНДИЦИОНЕРОМ



Базовая комплектация	
Габаритные размеры, мм	7480x2000x2910 (с кондиционером)
Колесная база, мм	4330
Пассажировместимость, чел Количество мест для сидения	21/21+1 водитель
Максимальная полная масса , кг	5500
Снаряженная масса , кг	3830
Характеристики двигателя	SC25R143Q5, Евро 5 расположение переднее продольное однорядное Тип топлива - дизель Объем - 2949 см3 Номин мощность (л.с./об/мин)- 143л.с Максим крутящий момент (Н.м/об/мин) - 350
колея передних/задних колёс (мм)	1706/1520
колёсная формула	4×2
ведущие колёса	задний привод, спаренные задние колеса
Максимальная скорость, км/ч	120
Объём топливного бака	Бак топливный 80л / Бак мочевины 13л
Спецификация шасси	
КПП	Механическая , 6-ступенчатая синхронизированная
Рулевое управление	Гидравлический усилитель рулевого управления
Подвеска	передняя независимая подвеска/Листовая рессора задней подвески

Тормозная система	ESC (включая ABS+EBD+TCS); моторный тормоз ;
Тормозные механизмы	Передние/задние дисковые тормоза;
Шины	215/75R16LT , всесезонная шина M+S
Прочие характеристики	
Пассажирские двери	Двери-передняя распашная дверь ;
Система отопления и Кондиционер	Отопление штатное жидкостное радиаторное вдоль стены; автономный воздушный подогреватель "сухого" типа 4kw; Верхний кондиционер (модель FVX), двухкомпрессорный
Зеркала заднего вида	Наружное зеркало заднего вида с электроприводом и электрическим подогревом
Сидение для пассажиров	JLZY-FHA комфортабельные сидения; Трехточечный ремень безопасности;
Сидение для водителя	8-позиционное регулируемое водительское сиденье
Оснащение салона	Крыша из нетканого материала, роскошная приборная панель, роскошный интерьер, две полки для багажа; Аварийный люк - Вентиляционный аварийный люк в крыше; Освещение – галогеновые лампы по всему салону
Прочие	Центральный замок управления, Складной ключ с дистанционным управлением - 1 + Стандартный ключ - 1 Стереосистема CD-ПЛЕР, MP5, USB, Bluetooth, 10-дюймовый сенсорный центральный экран управления

