

1640 Protector Transport Case

★★★★★ 24 Reviews

MADE IN
USA



Color: **Black**

Configuration: **With Foam**

- No Foam
- Foam



Free Ground Shipping



Limited Lifetime Warranty



Free Returns

SKU: 1640-000-110

GET QUOTE > (/us/en/professional/quote/cases/1640/)

[What's Included?](#)

OVERVIEW

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived. Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- 4 strong polyurethane wheels with stainless steel bearings
 - Retractable extension trolley handle
 - Fold down handles
 - Watertight, crushproof, and dustproof
 - Open cell core with solid wall design – strong, light weight
 - 3 level Pick N Pluck™ with convoluted lid foam
- Easy open double-throw latches
 - Stainless steel padlock protectors
 - Automatic pressure equalization valve – balances interior pressure, keeps water out
 - O-ring seal
 - Personalized nameplate service available (/nameplate)



ACCSSORIES

<div>Desig Your Own Foam (h tps //fom .pelican.com)</div>	<div>1641 5 pc. Replacement Foam Set</div>	<div>1642 Pick N Pluck™ Sections Only (set of 3)</div>	<div>0379 Lid Organizer</div>

	196	\$159.95	
(/us/en/Accessory/cases/5-pc--replacement-foam-set/1641)		(/us/en/Accessory/cases/pick-n-bluck-sections-ONLY--set-of-3-/1642)	
		(/us/en/Access organizer/0379)	

SPECS

[Download Spec Sheet \(/us/en/product-pdf/?product=cases&item=40&source=web\)](#)

DIMENSIONS	
Interior (L×W×D)	23.70 x 24.00 x 13.90 in (60.2 x 61 x 35.3 cm)
Exterior (L×W×D)	27.20 x 27.50 x 16.30 in (69.1 x 69.9 x 41.4 cm)
MEASUREMENTS	
Lid Depth	2.00" (5.1 cm)
Bottom Depth	11.90" (30.2 cm)
Total Depth	13.9" (35.3 cm)
Int Volume	4.58 ft³ (0.13 m³)
Padlock Hole Diameter	0.31" (0.8 cm)
WEIGHTS	
Weight With Foam	38.00 lbs (17.2 kg)
Weight Empty	34.00 lbs (15.4 kg)
Buoyancy	365.00 lbs (165.6 kg)
MATERIALS	
Body Material	Polypropylene
Latch Material	ABS
O-Ring Material	Polymer
Pins Material	Stainless Steel
Foam Material	1.3 lb Polyurethane
Purge Body Material	ABS
Purge Vent Material	3 Micron Hydrophobic Non-Woven
TEMPERATURES	
Minimum Temperature	-40° F (-40 ° C)
Maximum Temperature	210° F (99 ° C)