

Test Verification of Conformity

Verification Number: 200601010SHA-V2

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant **CE** mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	Zhongke Meiling Cryogenics Company Limited No. 1862 Zishi Road, Economic & Technological Development Zone, Hefei 230601, P. R. China
Product Description:	Ultra-low Temperature Freezer
Ratings & Principle Characteristics:	220-230V~, 50Hz, Climate Class: 4, Class I, Blowing agent: cyclopentane: i) Refrigerant: R14, 40% + R245fa, 30% + R170, 11% + R290, 10% + N2, 9%; ii) Refrigerant: R601, 20% + R600a, 26% + R290, 23% + R170, 12% + R1150, 11% + R50, 8%;
Models/Type References:	i) DW-HL*S and ii) DW-HL*HC (Remark: "*" denote 398, 528, 678, 778, 858 or 1008)
Brand Name(s):	MELING BIOLOGY & MEDICAL
Standard(s)/Directive(s):	EN 55014-1: 2017+A11:2020 EN 55014-2: 2015 EN IEC 61000-3-2:2019 EN 61000-3-3: 2013+A1:2019 The EMC Directive 2014/30/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North), Caohejing Development Zone, Shanghai 200233, China
Test Report Number(s):	200601010SHA-002
Date of Tests:	2020-7-20 to 2020-7-30



Signature

Name: Jonny Jing

Position: Operation Director

Date: January 18, 2021

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.