

EC DECLARATION OF CONFORMITY

RF18-0147, Rev. B

We, MicroVention, Inc., located in Tustin, California, USA declare according to Directive 93/42/EEC Annex II (incl. section 4.) under our sole responsibility that the products to which this declaration relates are in conformity with Directive 93/42/EEC and fulfill the Essential Requirements as described in Directive 93/42/EEC Annex I.

Directives: 93/42/EEC Council Directive Concerning Medical Devices
Conformity Assessment Route:
EC Design Examination: 535858 MRA (Section 4)
Full Quality Assurance: 411133 MR2 (Excluding Section 4)

Product	Model Number(s)	Class-Rule	Effectivity Date	GMDN Code
WEB Detachment Controller	WDC-1, WDC-2	Ila – Annex IX, Rule 9	2019-04-04	43978

Legal Manufacturer:
 MicroVention, Inc.
 1311 Valencia Avenue
 Tustin, California 92780

Notified Body:
 DQS Medizinprodukte GmbH
 D-60433 Frankfurt am Main, Germany
 Notified Body Number: 0297

European Representative:
 MicroVention Europe, S.A.R.L.
 30 bis, rue du Vieil Abreuvoir
 78100 Saint-Germain-en-Laye
 France

Production Site:
 Sequent Medical, Inc.
 11A Columbia
 Aliso Viejo, California 92656

MicroVention, Inc.
 35 Enterprise
 Aliso Viejo, California 92656

Intended Use: The WEB Aneurysm Embolization System is intended for the endovascular embolization of ruptured and unruptured intracranial aneurysms and other neurovascular abnormalities such as arteriovenous fistulae (AVF). The WEB Aneurysm Embolization System is also intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation.

We herewith declare that the above-mentioned products meet the provisions of the council directive 93/42/EEC for medical devices. All supporting documentation is retained under the premises of the manufacturer.

J. Kulinets

Irina Kulinets
 Sr. VP RA/QA & Clinical Research
 MicroVention, Inc

Tustin, CA 92780, USA

Place of Issue

4/30/2019

Date of Issue

Expiry Date: 2022-11-02



CERTIFICATE



This is to certify that the company

MicroVention, Inc.

1311 Valencia Ave.
Tustin, CA, 92780
United States of America

with the organizational units/sites as listed in the annex

has implemented and maintains a **Quality Management System**.

Scope:

Design, Development, Manufacturing and Distribution of Embolization Prostheses and Accessories, Intravascular Access Devices (Occlusion Balloon Catheters, Guiding and Aspiration Catheters, Microcatheters and Guidewires), Stents, Clot and Foreign Body Retrieval Devices, Liquid Embolic System, Embolic Protection System, Aneurysm Embolization Device, Microspheres, Aspiration Devices and Detachment Controller Units.

Through an audit, documented in a report, performed by DQS Medizinprodukte GmbH, it was verified that the management system fulfills the requirements of the following standard:

DIN EN ISO 13485 : 2016 + AC : 2017-07
EN ISO 13485 : 2016 + AC : 2016
ISO 13485 : 2016

Certificate registration no. 411133 MP2016
Certificate unique ID 170758666
Effective date 2019-11-17
Expiry date 2022-11-16
Frankfurt am Main 2019-11-17



DQS Medizinprodukte GmbH

Sigrid Uhlemann
Managing Director

Dr. Thomas Feldmann
Head of Certification Body

August-Schanz-Straße 21, 60433 Frankfurt am Main,
Tel. +49 (0) 69 95427-300, medical.devices@dqs-med.de





Annex to certificate
Certificate registration No.: 411133 MP2016
Certificate unique ID: 170758666
Effective date: 2019-11-17



MicroVention, Inc.

1311 Valencia Ave.
Tustin, CA, 92780
United States of America

Location

Scope

MicroVention, Inc.
Production Site
35 Enterprise
Aliso Viejo, CA, 92656
United States of America

Design, Development, Manufacturing and Distribution of Embolization Prostheses and Accessories, Intravascular Access Devices (Occlusion Balloon Catheters, Guiding and Aspiration Catheters, Microcatheters and Guidewires), Stents, Clot and Foreign Body Retrieval Devices, Liquid Embolic System, Embolic Protection System, Aneurysm Embolization Device, Microspheres, Aspiration Devices and Detachment Controller Units.

MicroVention, Inc.
Production Site
1311 Valencia Ave.
Tustin, CA, 92780
United States of America

Design, Development, Manufacturing and Distribution of Embolization Prostheses and Accessories, Intravascular Access Devices (Occlusion Balloon Catheters, Guiding and Aspiration Catheters, Microcatheters and Guidewires), Stents, Clot and Foreign Body Retrieval Devices, Liquid Embolic System, Embolic Protection System, Aneurysm Embolization Device, Microspheres, Aspiration Devices and Detachment Controller Units.

MicroVention Costa Rica, S.R.L.
Production Site
Zona Franca Coyol
Alajuela
Costa Rica

Manufacturing of Embolization Prostheses and Accessories, Intravascular Access Devices (Occlusion Balloon Catheter, Guiding and Aspiration Catheters, and Microcatheters), Stents, Clot and Foreign Body Retrieval Devices, Embolic Protection System, and Aspiration Devices.



EC-CERTIFICATE

(Full quality assurance system)



This is to certify that the company

Sequent Medical Inc.

11A Columbia
Aliso Viejo, CA 92656
United States of America

has implemented and maintains a full quality assurance system which applies to the products at every stage from design to final controls.

Through an audit, documented in a report, performed by DQS Medizinprodukte GmbH, it was verified that the management system fulfills the requirements of

Annex II – excluding Section 4 of Council Directive 93/42/EEC concerning medical devices

with respect to the following medical devices:

Medical devices for the treatment of intravascular diseases according to annex.

The manufacturer is subject to surveillance according to Annex II, Section 5. The CE marking with the Notified Body Identification Number (0297) may be affixed on the devices listed in the certificate. An EC Design Examination Certificate according to Annex II, Section 4 is required for class III devices covered by this certificate. The certificate is in the case of class I(s) devices (I(s) = class I products placed on the market in sterile conditions) limited to the aspects of manufacture concerned with securing and maintaining sterile conditions. The certificate is in the case of class I(m) devices (I(m) = class I devices with a measuring function) limited to the aspects of manufacture concerned with the conformity of the products with the metrological requirements.

Certificate registration no.	456350 MR2
Certificate unique ID	170705029
Effective date	2018-03-01
Expiry date	2023-02-28
Frankfurt am Main	2018-02-02

DQS Medizinprodukte GmbH

Sigrid Uhlemann
Managing Director

Dr. Thomas Feldmann
Head of Certification Body

August-Schanz-Straße 21, 60433 Frankfurt am Main,
Tel. +49 (0) 69 95427-300, medical.devices@dqs-med.de

DQS Medizinprodukte GmbH is a Notified Body according to Council Directive 93/42/EEC concerning medical devices with the Identification Number 0297.





Annex to certificate
Certificate registration No.: 456350 MR2
Certificate unique ID: 170705029
Effective date: 2018-03-01



Sequent Medical Inc.

11A Columbia
Aliso Viejo, CA, 92656
United States of America

Device family	Device	Class
Aneurysm Embolization Device	WEB™ Aneurysmen Embolization System Detachment Control Device	III IIa
Microcatheter	VIA™ Microcatheter	III



EC DECLARATION OF CONFORMITY

Sequent Medical Inc.
11A Columbia
Aliso Viejo, California 92656 USA

Sequent Medical Inc. declares that according to Directive 93/42/EEC Annex II under our sole responsibility that the products to which this declaration relates are in conformity with 93/42/EEC and fulfill the Essential Requirements as described in Directive 93/42/EEC Annex I.

Conformity Assessment Route: Annex II, Section 3 – Full Quality Assurance System
Annex II, Section 4 – EC Design Examination
Annex II, Section 5 – Surveillance

Product Category and Name	Product Part Number – FG17154-01, FG21154-01, FG27154-01, FG33133-01	MDD Class, Annex and Rule
VIA™ Microcatheter	VIA™ Microcatheter Model Numbers	Class III, Annex 9, Rule 7
	VIA-17-154-01 (154cm in length, 0.0175" lumen Diameter)	
	VIA-21-154-01 (154cm in length, 0.021" lumen Diameter)	
	VIA-27-154-01 (154cm in length, 0.027" lumen Diameter)	
	VIA-33-133-01 (133 cm in length, 0.033" lumen diameter)	

Manufacturer Name and Address:

Sequent Medical, Inc.
11A Columbia
Aliso Viejo, CA 92656

Notified Body

Design Certificate #: 507073 MRA:

DQS Medizinprodukte GmbH
D-60433 Frankfurt am Main,
Germany
Notified Body Number: 0297

European Representative:

MediMark Europe SARL
11, rue Emile Zola – BP 2332,
38033 Grenoble Cedex 2 -
France

Curtis Hanson
Director Quality Assurance

Aliso Viejo, CA 92656; USA

Place of Issue

November 10, 2017

Date of Issue

November 6, 2022

Expiration Date



EC-CERTIFICATE

(Full quality assurance system)



This is to certify that the company

MicroVention, Inc.

1311 Valencia Ave.
Tustin, CA, 92780
United States of America

has implemented and maintains a full quality assurance system which applies to the products at every stage from design to final controls.

Through an audit, documented in a report, performed by DQS Medizinprodukte GmbH, it was verified that the management system fulfills the requirements of

Annex II – excluding Section 4 of Council Directive 93/42/EEC concerning medical devices

with respect to the following medical devices:

Embolization Prostheses and Accessories, Intravascular Access Devices (Occlusion Balloon Catheters, Guiding and Aspiration Catheters, Microcatheters and Guidewires) and Accessories, Stents, Clot and Foreign Body Retrieval Devices, Liquid Embolic System, Embolic Protection System, Aneurysm Embolization Device, Microspheres and Detachment Controller Units as listed in Annex.

The manufacturer is subject to surveillance according to Annex II, Section 5. The CE marking with the Notified Body Identification Number (0297) may be affixed on the devices listed in the certificate. An EC Design Examination Certificate according to Annex II, Section 4 is required for class III devices covered by this certificate. The certificate is in the case of class I(s) devices (I(s) = class I products placed on the market in sterile conditions) limited to the aspects of manufacture concerned with securing and maintaining sterile conditions. The certificate is in the case of class I(m) devices (I(m) = class I devices with a measuring function) limited to the aspects of manufacture concerned with the conformity of the products with the metrological requirements.

Certificate registration no.	411133 MR2
Certificate unique ID	170752398
Effective date	2019-10-07
Expiry date	2022-11-02
Frankfurt am Main	2019-10-07

DQS Medizinprodukte GmbH

Sigrid Uhlemann
Managing Director

Dr. Thomas Feldmann
Head of Certification Body

August-Schanz-Straße 21, 60433 Frankfurt am Main,
Tel. +49 (0) 69 95427-300, medical.devices@dqs-med.de

DQS Medizinprodukte GmbH is a Notified Body according to Council Directive 93/42/EEC concerning medical devices with the Identification Number 0297.





Annex to certificate
Certificate registration No.: 411133 MR2
Certificate unique ID: 170752398
Effective date: 2019-10-07



MicroVention, Inc.

1311 Valencia Ave.
Tustin, CA, 92780
United States of America

Production Sites:

1.
MicroVention, Inc.
35 Enterprise,
Aliso Viejo, CA 92656
United States of America
2.
MicroVention, Inc.
1311 Valencia Ave.
Tustin, CA 92780
United States of America
3.
MicroVention Costa Rica, S.R.L.
Zona Franca Coyol
Alajuela,
Costa Rica



Annex to certificate
Certificate registration No.: 411133 MR2
Certificate unique ID: 170752398
Effective date: 2019-10-07

MicroVention, Inc.

1311 Valencia Ave.
 Tustin, CA, 92780
 United States of America

Device Groups:	Device Family:	Devices:	Risk Class	Production Site
Embolization Prothese	V-Trak® Detachable Embolization Coils System	MicroPlex® Platinum Detachable Embolization Coils - Helical – Standard Helical-Reg. and Soft 10 & 18, - HyperSoft® 10 & 3D - Complex 10 & 18 - Compass 10 & 18, - COSMOS® 10 & 18 - VFC™	III	1,2,3
		HydroCoil® Platinum/Hydrogel Detachable Embolization Coils - HydroCoil® 10 & 14 & 18, - HydroSoft® 10 - HydroFill® - HydroFrame® 10 & 18 - HydroSoft 3D	III	1,2,3
	AZUR® Peripheral Coil System	AZUR® HydroCoil Detachable Embolization Coils 18 & 35 AZUR® HydroCoil Pushable Embolization Coils 18 & 35 AZUR® Framing Detachable Coils 18 & 35 AZUR® Injectable Coil System 18 & 35 AZUR Detachable 18 AZUR PURE Pushable Coil System 18 & 35 AZUR CX Detachable 18 & 35	IIb	1,2,3
Detachment Controller Units		V-Grip® Detachment Controller	IIa	1,2
		V-Grip® PLUS Detachment Controller	IIa	1,2
		WEB Detachment Controller	IIa	1,2
		AZUR® Detachment Controller	IIa	1,2
Intravascular Access Devices		Traxcess® 14 Guidewire	III	2
		Traxcess® 14 EX Guidewire		
		Traxcess® 14 SELECT Guidewire		
		Traxcess® 7 Mini Guidewire		
		Traxcess® 7 Mini XSoft Guidewire		
		Traxcess® Docking Wire	IIa	2

This annex is only valid in connection with the above-mentioned certificate.



Annex to certificate
Certificate registration No.: 411133 MR2
Certificate unique ID: 170752398
Effective date: 2019-10-07



MicroVention, Inc.

1311 Valencia Ave.
 Tustin, CA, 92780
 United States of America

Device Groups:	Device Family:	Devices:	Risk Class	Production Site
Catheters		Chaperon® Guiding Catheter System	III	2
		Headway® 17 Advanced Soft Microcatheter		2,3
		Headway® 17 Advanced Microcatheter		2,3
		Headway® 21 Microcatheter		2,3
		Headway® 27 Microcatheter		2,3
		Headway Duo Microcatheter		2,3
		Scepter C™ Occlusion Balloon Catheter		1,2,3
		Scepter XC™ Occlusion Balloon Catheter		1,2,3
		Scepter Mini™ Occlusion Balloon Catheter		1,2
		SOFIA™ Distal Access Catheter		1,2,3
		SOFIA™ Select Catheter		1,2,3
		SOFIA™ PLUS Catheter		1,2,3
		SOFIA™ Flow PLUS Catheter		1,2,3
		SOFIA™ Guiding Catheter		1,2,3
		SOFIA™ Flow Catheter		1,2,3
		SOFIA® EX Catheter		1,2,3
		KANSHAS Drug Coated Balloon		1
		VIA™ 17 Microcatheter		2
		VIA™ 21 Microcatheter		2
		VIA™ 27 Microcatheter		2
		VIA™ 33 Microcatheter		2
		Wedge Microcatheter		2,3
		Stents		
LVIS Jr.™ Intraluminal Support Device				
LVIS™ EVO Intraluminal Support Device				
FRED® Flow Re-Direction Endoluminal Device	III		1,2,3	
FRED Jr.® Flow Re-Direction Endoluminal Device				
CASPER™ RX Carotid Artery Stent System	1,2,3			
Roadsaver Carotid Artery Stent System				





Annex to certificate
Certificate registration No.: 411133 MR2
Certificate unique ID: 170752398
Effective date: 2019-10-07



MicroVention, Inc.

1311 Valencia Ave.
 Tustin, CA, 92780
 United States of America

Device Groups:	Device Family:	Devices:	Risk Class	Production Site
Peripheral Vascular Stent System		CASPER™ Peripheral Vascular Stent System	IIb	1,2,3
		RENZAN™ Peripheral Vascular Stent System	IIb	1,2,3
Clot Retriever		ERIC™ Retrieval Device	III	1,2,3
Liquid Embolic System		PHIL™ Liquid Embolic System	III	1,2
Microspheres		HydroPearl Microspheres	IIb	1,2
		LifePearl Microspheres	III	1,2
		BioPearl® Microspheres	III	1,2
Embolic Protection Device (EPS)		Empro Embolic Protection System	III	1,2,3
		Nanoparasol Embolic Protection System		
Aneurysm Embolization Device		WEB™ Aneurysm Embolization System	III	1,2
Aspiration Tubing Kit		Aspiration Tubing Kit	Is	2
Aspiration Syringe Kit		Aspiration Syringe Kit	Is	2
AZUR Vascular Plug		AZUR Vascular Plug	IIb	1,2
PG Pro Microcatheter		PG Pro Microcatheter	IIa	1,2




VIA™

Microcatheter

OUS

Control VIA Stability



VIA 17 Microcatheter available in Pre-Shapes





VIA Microcatheter

Product Name	Tip Shape	Product Code	Inner Diameter			Distal Outer Length			Proximal Outer Length			Usable Length (cm)
			(F)	(in)	(mm)	(F)	(in)	(mm)	(F)	(in)	(mm)	
VIA 17	Straight	VIA-17-154-01	1.3	0.0175	0.44	2.2	0.029	0.74	2.5	0.032	0.81	154
VIA 17	45° Pre-Shape	VIA-17-154-45	1.3	0.0175	0.44	2.2	0.029	0.74	2.5	0.032	0.81	154
VIA 17	90° Pre-Shape	VIA-17-154-90	1.3	0.0175	0.44	2.2	0.029	0.74	2.5	0.032	0.81	154
VIA 21	Straight	VIA-21-154-01	1.6	0.021	0.53	2.5	0.033	0.84	2.8	0.036	0.91	154
VIA 27	Straight	VIA-27-154-01	2.1	0.027	0.69	3.0	0.039	0.99	3.2	0.042	1.07	154
VIA 33	Straight	VIA-33-133-01	2.5	0.033	0.84	3.4	0.045	1.14	3.8	0.050	1.27	133

Packed 1 per box; includes shaping mandrel

INDICATIONS FOR USE

VIA 21, 27, 33 - The VIA Microcatheter is intended for the introduction of non-liquid interventional devices (such as aneurysm embolization devices (e.g. WEB device / stents / flow diverters) and infusion of diagnostic (such as contrast media) or non-liquid therapeutic agents into the neuro, peripheral, and coronary vasculature.

VIA 17, 17 Preshaped 45°, 17 Preshaped 90° - The VIA Microcatheter is intended for the introduction of non-liquid interventional devices (such as aneurysm embolization devices (e.g. WEB device / coils / stents) and infusion of diagnostic (such as contrast media) or non-liquid therapeutic agents into the neuro, peripheral, and coronary vasculature.

CONTRAINDICATIONS

The VIA Microcatheter is contraindicated for use with liquid embolic materials, such as n-butyl 2-cyanoacrylate or ethylene vinyl alcohol & DMSO (dimethyl sulfoxide).

Intended for Healthcare professional use only

MICROVENTION is a registered trademark of MicroVention, Inc. in the United States and other jurisdictions. VIA is a registered trademark of Sequent Medical, Inc.
© 2020 MicroVention, Inc. MM911(i) OUS 04.20

MicroVention Worldwide Innovation Center

35 Enterprise

Aliso Viejo, CA 92656 USA

MicroVention UK Limited

MicroVention Europe, S.A.R.L.

MicroVention Deutschland GmbH

Web

PH +1.714.247.8000


PH +44 (0) 191 258 6777

PH +33 (1) 39 21 77 46

PH +49 211 210 798-0

microvention.com








WEB™
Aneurysm
Embolization
System



Innovative Therapy for Aneurysm Treatment

EMEA






Device Selection Tables


WEB™ SL Device Selection Table

Treat Aneurysms Between 2mm and 10mm



WEB™ SLS Device Selection Table

Treat Aneurysms Between 3mm and 10mm



WEB™ Device Part Numbers

WEB™ SL

Name	Ref No.	Diameter (mm)	Height (mm)	Recommended Catheter
WEB SL 3×2	W5-3-2	3	2	VIA 17
WEB SL 3.5×2	W5-3.5-2	3.5	2	
WEB SL 4×2	W5-4-2	4	2	
WEB SL 4×3	W5-4-3	4	3	
WEB SL 4.5×2	W5-4.5-2	4.5	2	
WEB SL 4.5×3	W5-4.5-3	4.5	3	
WEB SL 5×2	W5-5-2	5	2	
WEB SL 5×3	W5-5-3	5	3	
WEB SL 6×3	W5-6-3	6	3	
WEB SL 6×4	W5-6-4	6	4	
WEB SL 7×3	W5-7-3	7	3	
WEB SL 7×4	W5-7-4	7	4	
WEB SL 7×5	W5-7-5	7	5	
WEB SL 6×3	W4-6-3	6	3	VIA 21
WEB SL 6×4	W4-6-4	6	4	
WEB SL 7×3	W4-7-3	7	3	
WEB SL 7×4	W4-7-4	7	4	
WEB SL 7×5	W4-7-5	7	5	
WEB SL 8×3	W2-8-3	8	3	VIA 27
WEB SL 8×4	W2-8-4	8	4	
WEB SL 8×5	W2-8-5	8	5	
WEB SL 8×6	W2-8-6	8	6	
WEB SL 9×4	W2-9-4	9	4	
WEB SL 9×5	W2-9-5	9	5	
WEB SL 9×6	W2-9-6	9	6	
WEB SL 9×7	W2-9-7	9	7	
WEB SL 10×5	W2-10-5	10	5	VIA 33
WEB SL 10×6	W2-10-6	10	6	
WEB SL 10×7	W2-10-7	10	7	
WEB SL 10×8	W2-10-8	10	8	
WEB SL 11×6	W2-11-6	11	6	
WEB SL 11×7	W2-11-7	11	7	
WEB SL 11×8	W2-11-8	11	8	
WEB SL 11×9	W2-11-9	11	9	

WEB™ SLS

Name	Ref No.	Diameter (mm)	Height (mm)	Recommended Catheter
WEB SLS 4	W5-4-S	4	2.6	VIA 17
WEB SLS 5	W5-5-S	5	3.6	
WEB SLS 6	W5-6-S	6	4.6	
WEB SLS 7	W5-7-S	7	5.6	
WEB SLS 6	W4-6-S	6	4.6	VIA 21
WEB SLS 7	W4-7-S	7	5.6	
WEB SLS 8	W2-8-S	8	6.6	VIA 27
WEB SLS 9	W2-9-S	9	7.6	
WEB SLS 10	W2-10-S	10	8.6	VIA 33
WEB SLS 11	W2-11-S	11	9.6	

WEB™ Accessories Part Numbers

VIA™ Microcatheter



Name	Ref No.	(A)	(B)	(C)	(D)	Tip Markers
		ID (inch)	Distal OD (French)	Proximal OD (French)	Working Length (cm)	
VIA 17	VIA-17-154-01	0.0175"	2.2F	2.5F	154 cm	2
VIA 21	VIA-21-154-01	0.021"	2.5F	2.8F	154 cm	1
VIA 27	VIA-27-154-01	0.027"	3.0F	3.2F	154 cm	1
VIA 33	VIA-33-133-01	0.033"	3.4F	3.8F	133 cm	1




WEB™ Detachment Controller

Name	Ref No.
WDC: WEB™ Detachment Controller	WDC-1




Access Technique & Compatibility


Triaxial Technique for Stable Distal Access



Access Devices Compatibility

WEB™ SL / SLS Device Width (mm)	VIA™ Microcatheter (Delivery Catheter)	Guiding Catheter / Intracranial Catheter	Guiding Sheath / Long Sheath
3 – 7	VIA 17 ID: 0.0175" / 1.3F / 0.44 mm Distal OD: 2.2F/0.029" / 0.74 mm Proximal OD: 2.5F/0.032" / 0.81 mm Length: 154 cm	5F, 0.056" ID or larger, 90 – 125 cm long	6F: 80/90 cm long
6 – 7	VIA 21 ID: 0.021" / 1.6F / 0.53 mm Distal OD: 2.5F/0.033" / 0.84 mm Proximal OD: 2.8F/0.036" / 0.91 mm Length: 154 cm	5F, 0.056" ID or larger, 90 – 125 cm long	6F: 80/90 cm long
8 – 9	VIA 27 ID: 0.027" / 2.1F / 0.69 mm Distal OD: 3.0F/0.039" / 0.99 mm Proximal OD: 3.2 F/0.042" / 1.07 mm Length: 154 cm	6F, 0.070" ID or larger, 90 – 125 cm long	6F: 80/90 cm long
10 – 11	VIA 33 ID: 0.033" / 2.5F / 0.84 mm Distal OD: 3.4F/0.045" / 1.14 mm Proximal OD: 3.8F/0.050" / 1.27 mm Length: 133 cm	6F, 0.070" ID or larger, 90 – 115 cm long	6F: 80/90 cm long





WEB™
Aneurysm
Embolization
System

Global Headquarters / Manufacturer
Sequent Medical, Inc.,

11 Columbia, Aliso Viejo, CA 92656 | USA
Office: +1-949 830 9600

Authorized European Representative
MediMark® Europe SARL

11 rue Emile Zola – PB 2332, 38033 Grenoble Cedex 2 | France
Office +33-4 7686-4322

www.sequentmedical.com

The WEB™ Aneurysm Embolization System and VIA™ Microcatheter have both received the CE mark. The WEB™ Aneurysm Embolization System is not approved or available for sale or use in the United States.

INDICATIONS FOR USE:

The WEB™ Aneurysm Embolization System is a class III device intended for the endovascular embolization of ruptured and unruptured intracranial aneurysms. For complete indications, potential complications, warnings and instructions, see instructions for use (IFU provided in the device). The WEB™ device is not currently listed in the LPPR (List des Produits et Prestations Remboursables).

The VIA™ Catheter is intended for the introduction of non-liquid interventional devices (such as coils/stents/flow diverters) and infusion of diagnostic (such as contrast media) or non-liquid therapeutic agents into the neuro, peripheral, and coronary vasculature.

MICROVENTION is a registered trademark of MicroVention, Inc.
WEB and VIA are trademarks of Sequent Medical, Inc.
©2017 MicroVention, Inc. MM594(i) Rev.A EMEA 11/17
LB0119 A (Apr 2016)



0297