



PROGRESS
SINCE 1913

HOLDING
ZAGORA

DESCRIEREA TEHNICĂ

bancă cu spătar

Bancă cu spătar (LxIxH) = 2000x600x800 mm

Bancă cu spătar (LxIxH: 2000x600x800 mm) compusă din:

1) *Picioare de fontă* (conform fig.1) - 2 buc.

Dimensiuni: Lățime – 600 mm, H (până la șezut) – 450 mm, H (inclusiv spătar) – 800 mm. Fonta va fi vopsită în câmp electrostatic (RAL 9005)

2) *Plăcuțe din lemn impregnat în masă prin autoclavare și vopsit, cu muchiile rotunjite (culoare stejar)* – 15 buc.

Dimensiuni: Lungime – 2000 mm, lățime – 45 mm, grosime – 40 mm. Plăcuțele vor fi fixate pe picioarele din fontă cu buloane și piulițe.

Banca va fi fixată cu buloane în beton.

Fig.1





PROGRESS
SINCE 1913

EA HOLDING
ZAGORA

TECHNICAL DESCRIPTION

bench with backrest

Bench with backrest (LxWxH) = 2000x600x800 mm.

Bench with backrest (LxWxH: 2000x600x800 mm) consisting of:

1) *Cast iron legs* (according to fig.1) - 2 pcs.

Dimensions: Width - 600 mm, H (up to the seat) - 450 mm, H (including backrest) - 800 mm.

The cast iron will be painted in an electrostatic field (RAL 9005)

2) *Wooden plates* impregnated in mass by autoclaving and painted, with rounded edges (oak color) - 15 pcs.

Dimensions: Length - 2000 mm, width - 45 mm, thickness - 40 mm.

The plates will be fixed to the cast iron legs with bolts and nuts.

The bench will be fixed with bolts into the concrete.

Fig.1



Bancă cu spătar

