

TravelMate P216-5	FravelMate P216-51 Specifications (v5-0-5)	
Category	Description	Footnotes
Operating 1 system	Windows 11 Pro (Acer recommends Windows 11 Pro for business.) Windows 11 Home	
CPU and chipset 1	Intel <sup>®</sup> Core <sup>™</sup> i7-1365U processor (12 MB Smart Cache, 1.8 GHz Performance-core with Intel <sup>®</sup> Turbo Boost Technology 2.0 up to 5.2 GHz, Intel <sup>®</sup> vPro <sup>™</sup> Eligibility), supporting hybrid core architecture with Performance-core and Efficient-core Intel <sup>®</sup> Core <sup>™</sup> i7-1355U processor (12 MB Smart Cache, 1.7 GHz Performance-core with Intel <sup>®</sup> Turbo Boost Technology 2.0 up to 5.0 GHz), supporting hybrid core architecture with Performance-core and Efficient- core Intel <sup>®</sup> Core <sup>™</sup> i5-1345U processor (12 MB Smart Cache, 1.6 GHz Performance-core with Intel <sup>®</sup> Turbo Boost Technology 2.0 up to 4.7 GHz, Intel <sup>®</sup> vPro <sup>™</sup> Eligibility), supporting hybrid core architecture with Performance-core and Efficient-core	
	<ul> <li>Intel<sup>®</sup> Core<sup>™</sup> i5-1335U processor (12 MB Smart Cache, 1.3 GHz</li> <li>Performance-core with Intel<sup>®</sup> Turbo Boost Technology 2.0 up to 4.6 GHz), supporting hybrid core architecture with Performance-core and Efficient-core</li> <li>Intel<sup>®</sup> Core<sup>™</sup> i3-1315U processor (10 MB Smart Cache, 1.2 GHz</li> <li>Performance-core with Intel<sup>®</sup> Turbo Boost Technology 2.0 up to 4.5 GHz), supporting hybrid core architecture with Performance-core and Efficient-core</li> </ul>	
<b>Memory</b> 1, 2, 3	<ul> <li>Dual-channel DDR4 SDRAM support:</li> <li>Up to 16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules</li> <li>Memory Frequency : Up to 3200 MT/s</li> </ul>	3, 4
Display	<ul> <li>16.0" display with IPS (In-Plane Switching) technology, WUXGA 1920 x</li> <li>1200, Acer ComfyView<sup>™</sup> LED-backlit TFT LCD</li> <li>16:10 aspect ratio, color gamut NTSC 45%</li> <li>Wide viewing angle up to 170 degrees</li> <li>Mercury free, environment friendly</li> </ul>	5
Graphics	<ul> <li>Intel<sup>®</sup> Iris<sup>®</sup> X<sup>e</sup> Graphics eligible</li> <li>Graphics Special Technology#</li> <li>AVC/H.264, HEVC/H.265, VP8, VP9, AV1, MPEG-2, JPEG HW Accelerated Video Decode</li> <li>AVC/H.264, HEVC/H.265, VP9, MPEG-2, JPEG HW Accelerated Video Encode</li> </ul>	6

TravelMate P216-	-51 Specifications (v5-0-5)	
	OpenGL ES 3.2	
	WebGL & HTML5	
	• Vulkan	
	Intel <sup>®</sup> UHD Graphics	6
	Graphics Special Technology#	
	<ul> <li>AVC/H.264, HEVC/H.265, VP8, VP9, AV1, MPEG-2, JPEG HW</li> </ul>	
	Accelerated Video Decode	
	<ul> <li>AVC/H.264, HEVC/H.265, VP9, MPEG-2, JPEG HW Accelerated</li> </ul>	
	Video Encode	
	OpenGL ES 3.2	
	WebGL & HTML5	
	Vulkan	
Audio		
	<ul> <li>DTS<sup>®</sup> Audio, featuring optimized bass response and micro-speaker distortion provention</li> </ul>	
	distortion prevention	
	Acer Purified.Voice technology with AI noise reduction in dual built- in microphonos. Features include far field pickup, dynamic poice	
	in microphones. Features include far-field pickup, dynamic noise	
	reduction through neural network, adaptive beam forming, and pre-	
	defined personal and conference call modes.	
	Acer TrueHarmony technology for lower distortion, wider frequency	
<u>Storogo</u>	range, headphone-like audio and powerful sound	
Storage	Solid state drive	
	• SSD slot: 2	1, 7
	• 256 GB / 512 GB / 1 TB, PCIe Gen4, 16 Gb/s, NVMe	1, 7
	Hard disk drive	
	Optional 2 <sup>nd</sup> HDD 1 TB, 2.5-inch 5400 RPM	_
Webcam 1	Video conferencing	
	• T-Type USB FHD camera + IR camera	
	Compatible with Windows	
	• 1920 x 1080 resolution	
	1080p HD video at 60 fps with Temporal Noise Reduction	
	• Dual Mic (33 mm + 33 mm)	
	• 78 x 3.2 (5.2) x 3 mm	
	UFC with	
	T-Type HD camera	
	Compatible with Windows	
	• 1280 x 720 resolution	
	720p HD video at 30 fps with Temporal Noise Reduction	
	Blue Glass lens	
	• Knowles Dual Mic (33 mm + 33 mm)	
<u> </u>	• 78 x 3.2 (5.2) x 3 mm	
Wireless and 1	WLAN	
networking	<ul> <li>Intel<sup>®</sup> Wireless Wi-Fi 6E AX211</li> </ul>	
	<ul> <li>802.11 a/b/g/n/ac/ax wireless LAN</li> </ul>	

TravelMate P216-	51 Specifications (v5-0-5)	
	Band: 2.4 GHz, 5 GHz and 6 GHz	
	2x2 MU-MIMO technology	
	<ul> <li>Support Bluetooth<sup>®</sup> 5.1 or above</li> </ul>	
	Support vPro	
	<ul> <li>Intel<sup>®</sup> Wireless Wi-Fi 6E AX211</li> </ul>	
	802.11 a/b/g/n/ac/ax wireless LAN	
	Band: 2.4 GHz, 5 GHz, and 6 GHz	
	2x2 MU-MIMO technology	
	<ul> <li>Support Bluetooth<sup>®</sup> 5.1 or above</li> </ul>	
	Support CNVi interface	
	WWAN	
	<ul> <li>LTE FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B14/B17/B18/B19/B20/ B25/B26/B28/B29/B30/B32/B66/B71</li> </ul>	
	• LTE TDD: B34/B38/B39/B40/B41/B42/B43/B46/B48	
	• WCDMA/HSPA+: B1/B2/B3/B4/B5/B6/B8/B19	
	Support up to LTE Cat.6	
	LTE Data Rate: Maximum download 300 Mbps, upload 50 Mbps	
	WCDMA Data Rate: Maximum download 384 kbps, upload 385 kbps	
	DC-HSPA+: Maximum download 42 Mbps	
	eSIM is included	
	LAN	
	Gigabit Ethernet	
Security	Acer ProShield Plus security manager includes:	
	Data Protection: File & Folder Encryption and Decryption, Personal	
	Security Drive	
	Data Removal: File Shredding	
	<ul> <li>Security Alert: Invalid Access Alert, Security Report</li> </ul>	
	Acer Bio-Protection fingerprint solution, featuring computer protection and	
	Windows Hello Certification	
	Discrete Trusted Platform Module (TPM) solution	
	BIOS user, supervisor, HDD passwords	
	Kensington lock slot	
Dimensions and 1, 8		
weight	• 358.5 (W) x 260 (D) x 19.9/22.9 (H) mm (14.11 x 10.24 x 0.78/0.9	
	inches) with Plastic A Cover	
	Weight	
	1.87 kg (4.12 lbs.) with 3-cell battery pack, one SSD	
Power adapter 1	Battery	
and battery	65 Wh 4-cell Li-ion battery	
	Supports Fast Charging technology	
	(for models with Full HD Panel + SSD)	
	65 Wh 3-cell Li-ion battery	
	Supports Fast Charging technology	
	(for models with Full HD Panel + SSD)	

TravelMate P216	-51 Specifications (v5-0-5)	
	50 Wh 3-cell Li-ion battery	10
	(for models with Full HD Panel + SSD)	
	Power adapter	
	USB Type-C 65 W PD AC adapter:	
	• 108 (W) x 46 (D) x 29.5 (H) mm (4.25 x 1.81 x 1.16 inches)	
	• 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as	
	output power	
	• 250 g with 150 cm DC cable	
	3-pin 65 W AC adapter	
	• 107.0 (W) x 47.0 (D) x 30.0 (H) mm (4.21 (W) x 1.85 (D) x 1.18 (H)	
	inches)	
	• 243 g with 180 cm DC cable	
Input and control	Keyboard	
	99-/100-/103-key Acer keyboard layout with international language support	t
	including indicators of CapsLock and F4/Microphone mute	
	99-/100-/103-key Acer backlit keyboard with international language	
	support, with indicators of CapsLock and F4/Microphone mute	
	TouchPad	
	Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to	
	open Cortana, Action Center, multitasking; application commands	
	Microsoft Precision Touchpad certification	
	Moisture resistant	
	• OceanGlass <sup>™</sup> Touchpad	
	Multi-gesture secure touchpad, supporting two-finger scroll; pinch;	
	gestures to open Cortana, Action Center, multitasking; Fingerprint	
	application commands	
	Windows Hello Certification	
	Microsoft Precision Touchpad certification	
	(Notes: Spill Resistant Keyboard based on MIL-STD-810H Method 506.6	
	Procedure III Drip test)	
Input and output	USB Type-C	
	USB Type-C <sup>™</sup> port supporting:	
	USB4 <sup>®</sup> 40Gbps	
	<ul> <li>Thunderbolt<sup>™</sup> 4</li> </ul>	
	USB charging 5 V; 3 A	
	• DC-in port 19 V; 65 W	
	USB Standard A	
	Two USB Standard-A ports, supporting:	
	One port for USB 3.2 Gen 1	
	<ul> <li>One port for USB 3.2 Gen 1 featuring power off USB charging</li> </ul>	
	Nano SIM slot (optional)	
	HDMI <sup>®</sup> 2.0 port with HDCP support	
	DC-in jack for AC adapter	
	microSD <sup>™</sup> Card reader	

	SmartCard reader slot
	Ethernet (RJ-45) port
Windows 1	1 In-House
Desktop Apps	Acer Control Center
	Acer Product Registration
	Quick Access
Options and	Accessory
accessories	SIM Card Tray Ejector Pin
System	ENERGY STAR <sup>®</sup>
compliance	Wi-Fi <sup>®</sup>
	EPEAT <sup>®</sup> Gold
Warranty	One-year International Travelers Warranty (ITW)
Quality and	Temperature and humidity
reliability tests	Hinge life
	Weight and pressure
	Acoustics
	Spillage
	Free drop
	Shock and vibration
	Electrostatic discharge immunity
	Keyboard-switch life
	MTBF (mean time between failures)
	Military Reliability Test: Mechanical Shock (Packaged), Transit Drop 122
	cm (MIL-STD 810H)
	Military Reliability Test: Mechanical Shock (Unpackaged), Transit Drop
	122 cm (MIL-STD 810H)
	Military Reliability Test: Vibration (MIL-STD 810H)
	Military Reliability Test: Sand and Dust (MIL-STD 810F)
	Military Reliability Test: Humidity (MIL-STD 810H)
	Military Reliability Test: Rain (MIL-STD 810H)
	Military Reliability Test: Low Temperature (MIL-STD 810H)
	Military Reliability Test: High Temperature (MIL-STD 810H)
Others	Reset hole
	Power LED indicator
1. Specifications var	y depending on model.
2. Shared system me	emory may be allocated to support graphics, depending on system memory siz
	al system memory available to the operating system will be reduced by any me
	ics solution and resources required by the operating environment.
•••	ay vary, depending on the CPU, chipset or memory fitted.
4. A 64-bit operating	system is required to enjoy the ultimate performance of 4 GB or higher memor

- 5. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products.
- 6. Not all features indicated are supported on all SKUs

## TravelMate P216-51 Specifications (v5-0-5)

- 7. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 8. Minor variations in system dimensions are possible due to the manufacturing process.
- 9. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 10. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.
- 11. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2023. All rights reserved.


Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

## About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.





## Appendix

v5-0-5 (Ver. 2) About Wireless and networking Software Input and control Quality and reliability tests Graphics Dimensions and weight