



DR. BRILL + DR. STEINMANN
INSTITUTE FOR HYGIENE AND MICROBIOLOGY

Dr. Brill + Partner GmbH, Norderoog 2, DE - 28259 Bremen

Tel: +49 (40) 557631-0
Fax: +49 (40) 557631-11
E-mail: jochen.steinmann@brillhygiene.com
<http://www.brillhygiene.com>

Chemi-Pharm AS
Pollu 132
EST – TALLINN 10917

Bremen, 20/02/2018

Summary: Virus-inactivating properties of Chemisept med of Chemi-Pharm AS according to EN 14476:2013+A1:2015 under clean conditions

This summary is based on the following test report of Dr. Brill + Partner GmbH for the hand disinfectant Chemisept med produced by Chemi-Pharm AS for hand hygiene in human medicine:

modified vaccinia virus Ankara test report L17/0629cMV.1 dating 20/02/2018

The following concentration and exposure time are necessary for the inactivation of the test virus:

undiluted 15 seconds

in order to achieve a 4 log₁₀ reduction (inactivation ≥ 99.99 %) under clean conditions in a quantitative suspension test according to EN 14476:2013+A1:2015.

After evaluation with modified vaccinia virus Ankara the hand disinfectant Chemisept med can be declared as having **"virucidal activity against all enveloped viruses"** according to EN 14476:2013+A1:2015.

The declaration **"virucidal activity against all enveloped viruses"** covers all enveloped humanpathogenic viruses like HBV, HCV, HIV and Ebola virus.

Dr. Jochen Steinmann

From Annex A in EN 14476

Examples of viruses which may contaminate human medical instruments, hands, surfaces (*Enveloped viruses are in bold*)

NOTE This list is not exhaustive.

Blood

Enterovirus

Filoviridae

Flavivirus

Herpesviridae

Hepatitis A Virus (HAV)

Hepatitis B virus (HBV)

Hepatitis C virus (HCV)

Hepatitis Delta virus (HDV)

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Parvovirus B 19

Respiratory tract

Adenovirus (Mast-)

Coronavirus

Enterovirus

Herpesviridae

Influenza Virus

Paramyxoviridae

Rhinovirus

Rubella Virus

Neural tissue, ear & nose, eye

Adenovirus (Mast-)

Enterovirus

Herpesviridae

Measles Virus

Human Immunodeficiency Virus (HIV)

Polyomavirus

Rabies Virus

Rubella Virus

Gastro-intestinal

Adenovirus (Mast-)

Caliciviridae

Coronavirus

Astrovirus

Enterovirus

Hepatitis A Virus (HAV)

Hepatitis E Virus (HEV)

Rotavirus

Skin, breast and/or milk

Enterovirus

Herpesviridae

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Papillomavirus

Poxviridae

Spleen and lymph nodes (see also „Blood“)

Human T Cell Leukemia Virus (HTLV)

Human Immunodeficiency Virus (HIV)

Dental procedure

Adenovirus (Mast-)

Enterovirus

Herpesviridae

Hepatitis C Virus (HCV)

Hepatitis Delta Virus (HDV)

Human Immunodeficiency Virus (HIV)

Hepatitis B virus (HBV)

Urogenital tract

Hepatitis B Virus (HBV)

Herpesviridae

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Papillomavirus

Polyomavirus

Reference:

Van Regenmortel MHV et al., Eds.: Virus Taxonomy, Classification and Nomenclature of Viruses, seventh report of the international committee on taxonomy of viruses.

Academic Press, San Diego, 2000



DR. BRILL + DR. STEINMANN
INSTITUTE FOR HYGIENE AND MICROBIOLOGY

Dr. Brill + Partner GmbH, Norderoog 2, DE - 28259 Bremen

Tel: +49 (40) 557631-0

Fax: +49 (40) 557631-11

E-mail: jochen.steinmann@brillhygiene.com

<http://www.brillhygiene.com>

Chemi-Pharm AS
Pollu 132
EST – TALLINN 10917

Bremen, 20/02/2018

Summary: Virus-inactivating properties of Chemisept med of Chemi-Pharm AS according to EN 14476:2013+A1:2015 under clean conditions

This summary is based on the following test report of Dr. Brill + Partner GmbH for the hand disinfectant Chemisept med produced by Chemi-Pharm AS for hand hygiene in human medicine:

modified vaccinia virus Ankara test report L17/0629cMV.1 dating 20/02/2018

The following concentration and exposure time are necessary for the inactivation of the test virus:

undiluted 15 seconds

in order to achieve a 4 log₁₀ reduction (inactivation ≥ 99.99 %) under clean conditions in a quantitative suspension test according to EN 14476:2013+A1:2015.

After evaluation with modified vaccinia virus Ankara the hand disinfectant Chemisept med can be declared as having **"virucidal activity against all enveloped viruses"** according to EN 14476:2013+A1:2015.

The declaration **"virucidal activity against all enveloped viruses"** covers all enveloped humanpathogenic viruses like HBV, HCV, HIV and Ebola virus.

Dr. Jochen Steinmann

From Annex A in EN 14476

Examples of viruses which may contaminate human medical instruments, hands, surfaces (*Enveloped viruses are in bold*)

NOTE This list is not exhaustive.

Blood

Enterovirus
Filoviridae
Flavivirus
Herpesviridae
Hepatitis A Virus (HAV)
Hepatitis B virus (HBV)

Hepatitis C virus (HCV)
Hepatitis Delta virus (HDV)
Human Immunodeficiency Virus (HIV)
Human T Cell Leukemia Virus (HTLV)
Parvovirus B 19

Respiratory tract

Adenovirus (Mast-)
Coronavirus
Enterovirus
Herpesviridae

Influenza Virus
Paramyxoviridae
Rhinovirus
Rubella Virus

Neural tissue, ear & nose, eye

Adenovirus (Mast-)
Enterovirus
Herpesviridae
Measles Virus

Human Immunodeficiency Virus (HIV)
Polyomavirus
Rabies Virus
Rubella Virus

Gastro-intestinal

Adenovirus (Mast-)
Caliciviridae
Coronavirus
Astrovirus

Enterovirus
Hepatitis A Virus (HAV)
Hepatitis E Virus (HEV)
Rotavirus

Skin, breast and/or milk

Enterovirus
Herpesviridae
Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)
Papillomavirus
Poxviridae

Spleen and lymph nodes (see also „Blood“)

Human T Cell Leukemia Virus (HTLV)
Human Immunodeficiency Virus (HIV)

Dental procedure

Adenovirus (Mast-)
Enterovirus
Herpesviridae

Hepatitis C Virus (HCV)
Hepatitis Delta Virus (HDV)
Human Immunodeficiency Virus (HIV)

Hepatitis B virus (HBV)

Urogenital tract

Hepatitis B Virus (HBV)

Herpesviridae

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Papillomavirus

Polyomavirus

Reference:

Van Regenmortel MHV et al., Eds.: Virus Taxonomy, Classification and Nomenclature of Viruses, seventh report of the international committee on taxonomy of viruses.

Academic Press, San Diego, 2000