

Test Verification of Conformity

Verification Number: 211201643SHA-V1

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant  mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	HIMEL HONG KONG LIMITED 11/F Kerry Ctr 683 King's Rd Quarry Bay Hong Kong
Manufacturing site Name & Address:	DELIXI ELECTRIC LTD Delixi High Tech Industrial Park, Liushi Town, Yueqing City, Zhejiang Province, China 325604 DELIXI ELECTRIC (WUHU) LTD Wuhu Machinery Industrial Park, Wuhu City, Anhui Province, China 241100
Product Description:	Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs)
Ratings & Principle Characteristics:	$U_n = 230V\sim$ or $240V$ for 2P(1P+N), $400V\sim$ or $415V\sim$ for 3P, 4P(3P+N), $I_n = 6, 10, 16, 20, 25, 32, 40, 50, 63A$; B- & C- & D- type; 50/60Hz $I_{\Delta n} = 10mA$ (only for 2P), 30mA, 50mA, 75mA, 100mA, 300mA; Type-A & -AC $I_{cn} = I_{cs} = 6000A$, $I_{\Delta m} = 2000A$
Models/Type References:	HDB3LE, HDB3LEG
Brand Name(s):	
Standard(s)/Directive(s):	EN 61009-1:2012 + A1:2014 + A2:2014 + A11:2015 + A12:2016 Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China
Date of Tests:	2021-10-08 to 2021-12-03
Test Report Number(s):	211201643SHA-001, 211201643SHA-002


Signature

Name: Oliver Wei
Position: Manager
Date: 13 January 2022

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.