



INTERNATIONAL FIRST CERTIFICATION

CERTIFICATE

Anka Toprak Ürünleri Sanayi ve Ticaret Anonim
Şirketi

Çiftçi Mahallesi Eskişehir Caddesi No:109/A, Eskişehir

IFC Global Certification confirms that the above-named organization's
management system has been assessed and complies with the
requirements of the following standard.

Standard:

ISO 9001:2015

Scope:

Design and production of floor tiles, wall tiles, porcelain tiles, glazed
porcelain

Initial Date	: 19.06.2021
Issue Date	: 13.06.2023
Date of Validity	: 12.06.2024
Expiry Date	: 18.06.2024
Certificate No	: IFC-Q-6-21-1703



TÜRKAK BDS NO
YS-AA6C-C728

M. İsmail



IFC GLOBAL SERTİFİKASYON MUAYENE VE EĞİTİM HİZMETLERİ ANONİM ŞİRKETİ

Adalet Mah. 2132/2 Sokak No:3 Trend Office D:45 Bayraklı İZMİR TÜRKİYE T: +90 850 304 35 00 F: +90 850 304 35 00
Bu belge, müşterinin IFC'nin kurallarına ve sözleşme şartlarına uyduğu sürece geçerlidir. Sertifika geçerlilik durumu IFC internet sitesinden takip edilebilir.

www.ifcglobal.com.tr info@ifcglobal.com.tr



INTERNATIONAL FIRST CERTIFICATION

CERTIFICATE

Anka Toprak Ürünleri Sanayi ve Ticaret Anonim
Şirketi

Çiftçi Mahallesi Eskişehir Caddesi No:109/A, Eskişehir

IFC Global Certification confirms that the above-named organization's
management system has been assessed and complies with the
requirements of the following standard.

Standard:

ISO 45001:2018

Scope:

Design and production of floor tiles, wall tiles, porcelain tiles,
glazed porcelain

Initial Date : 19.06.2021
Issue Date : 13.06.2023
Date of Validity : 12.06.2024
Expiry Date : 18.06.2024
Certificate No : IFC-O-6-71-1703



Approval

DECLARATION OF PERFORMANCE

No : PB-DK-01

1. Unique identification code of product type : Dry Pressed Interior Glazed Wall Covering Ceramic Tile

Group BIII (Eb>10%) Annex L (GL)

2. Type, batch or serial number or any other element allowing identification of the construction product:

Identification code of product type, barcode label, dispatch date

3. Intended use of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer : For internal walls

4. Name, registered trade mark and address of the manufacturer :

ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET A.Ş.
ANKA SERAMİK
ÇİFTÇİ MAH. ESKİŞEHİR CAD. NO:109/A ÇİFTELER 26700 ESKİŞEHİR/TÜRKİYE
Tel: +90 222 542 29 62 Fax: +90 222 542 29 65
Mail: info@ankaseramik.com.tr
Web Sitesi: www.ankaseramik.com.tr

5. System of assessment and verification of constancy of performance of the construction product:

System 4

6. Declared Performance :

CHARACTERISTICS	PERFORMACE	HARMONIZED TECHNICAL SPECIFICATION
Reaction to fire	A1	EN 14411:2016
Breaking Strength, thickness $\geq 7,5$	Not less than 600 N	EN 14411:2016
Breaking Strength, thickness $\geq 7,5$	Not less than 200 N	EN 14411:2016
Thermal Shock Resistance	Pass	EN 14411:2016
Release of dangerous substances :		
-Lead	< 0,2 mg/dm ²	EN 14411:2016
-Cadmium	< 0,03 mg/dm ²	EN 14411:2016
Durability for :		
-Internal uses	Pass	EN 14411:2016
Bond strength/adhesion :		
-Cementitious adhesives	$\geq 0,5$ N/mm ²	EN 14411:2016
-Dispersion adhesives	NPD	EN 14411:2016
-Reaction resin adhesives	NPD	EN 14411:2016

The performance of the product identified in points 1 and 2 is conformity with the declared performance in 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Ahmet Levent ÇINARBAŞ –Director of Financial And Administrative Services

Çifteler/ESKİŞEHİR/TURKEY – 11.06.2018

ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET A.Ş.
Man. N. Sığore Cad. No: 109/A
Eskişehir/Türkiye
Tel: (0312) 441 07 26 Fax: 441 07 29
E-posta: info@ankaseramik.com.tr
Pargi Numarası: 047 4136

PERFORMANS BEYANI

No : PB-DK-01

1. Ürün tipi kimlik kodu : Kuru Preslenmiş İç Mekan Sırlı Duvar Kaplama Seramik Karo,
Grup BIII (Eb>10%) Ek L (GL)

2. Yapı Malzemesinin tip, parti veya seri numarası ya da tanımlanmasını sağlayacak diğer unsurlar :

Ürün tipi kimlik kodu, barkod etiketi, sevki tarihi

3. Yapı Malzemesinin ilgili uyumlaştırılmış teknik şartnamesine göre imalatçı tarafından öngörülen kullanım amacı : İç mekan duvar kaplama

4. İmalatçının adı, tescilli markası, adresi :

ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET A.Ş.
ANKA SERAMİK
ÇİFTÇİ MAH. ESKİŞEHİR CAD. NO:109/A ÇİFTELER 26700 ESKİŞEHİR/TÜRKİYE
Tel: +90 222 542 29 62 Fax: +90 222 542 29 65
Mail: info@ankaseramik.com.tr
Web Sitesi: www.ankaseramik.com.tr

5. Yapı malzemesinin performansının değişmezliğinin değerlendirilmesi ve doğrulanması sistemi :

Sistem 4

6. Beyan edilen performans :

TEMEL KARAKTERİSTİKLER	PERFORMANS	UYUMLAŞTIRILMIŞ TEKNİK ŞARTNAME
Yangına Tepki	A1	EN 14411:2016
Kırılma Dayanımı, kalınlık $\geq 7,5$	En az 600 N	EN 14411:2016
Kırılma Dayanımı, kalınlık $< 7,5$	En az 200 N	EN 14411:2016
Isıl Şok Direnci	Geçer	EN 14411:2016
Tehlikeli Maddelerin Salınımı :		
-Kurşun	$< 0,2$ mg/dm ²	EN 14411:2016
-Kadmiyum	$< 0,03$ mg/dm ²	EN 14411:2016
Dayanıklılık :		
-İç mekanda kullanım	Geçer	EN 14411:2016
Bağlanma Kuvveti/ Yapışma :		
-Çimentolu yapıştırıcılar	$\geq 0,5$ N/mm ²	EN 14411:2016
-Dispersiyon yapıştırıcılar	NPD	EN 14411:2016
-Reaksiyon reçine esaslı yapıştırıcı	NPD	EN 14411:2016

Bu dökümanın 1. ve 2. maddelerinde tanımlanan yapı malzemesi, 6. maddede beyan edilen performansa sahiptir. Bu performans beyanına ilişkin tüm sorumluluk yalnızca bu dökümanın 4. maddesinde tanımlanan imalatçıya aittir.

İmalatçı adına imzalayan :

Ahmet Levent ÇINARBAŞ – Mali ve İdari İşler Yöneticisi

Çifteler/ESKİŞEHİR/TÜRKİYE – 11.06.2018

ANKA TOPRAK ÜRÜNLERİ
SANAYİ VE TİCARET A.Ş.
Yatırım, Mali ve İdari İşler Yöneticisi
Tel: (0312) 441 07 26 Fax: 441 07 26 ANKASERAMİK
Seraimeler Yürürlüğü No: 11.06.2018

DECLARATION OF PERFORMANCE

No : PB-SP-01

1. Unique identification code of product type : Low Water Absorbed Dry Pressed Interior and Exterior Glazed Floor and Wall Covering Ceramic Tile

Group BIa (Eb ≤ % 0,5) Annex G (GL)

2. Type, batch or serial number or any other element allowing identification of the construction product:

Identification code of product type, barcode label, dispatch date

3. Intended use of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer : For internal and external walls and floorings

4. Name, registered trade mark and address of the manufacturer :

ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET A.Ş.
ANKA SERAMİK
ÇİFTÇİ MAH. ESKİŞEHİR CAD. NO:109/A ÇİFTELER 26700 ESKİŞEHİR/TÜRKİYE
Tel: +90 222 542 29 62 Fax: +90 222 542 29 65
Mail: info@ankaseramik.com.tr
Web Sitesi: www.ankaseramik.com.tr

5. System of assessment and verification of constancy of performance of the construction product:

System 4

6. Declared Performance :

CHARACTERISTICS	PERFORMANCE	HARMONIZED TECHNICAL SPECIFICATION
Reaction to fire	A1/A1 _{FL}	EN 14411:2016
Breaking Strength, thickness ≥ 7,5	Not less than 1300 N	EN 14411:2016
Breaking Strength, thickness ≥ 7,5	Not less than 700 N	EN 14411:2016
Thermal Shock Resistance	Pass	EN 14411:2016
Release of dangerous substances :		
-Lead	< 0,2 mg/dm ²	EN 14411:2016
-Cadmium	< 0,03 mg/dm ²	EN 14411:2016
Durability for :		
-Internal uses	Pass	EN 14411:2016
-External uses :	Pass	EN 14411:2016
Freeze-thaw resistance		
Bond strength/adhesion :		
-Cementitious adhesives	≥ 0,5 N/mm ²	EN 14411:2016
-Dispersion adhesives	NPD	EN 14411:2016
-Reaction resin adhesives	NPD	EN 14411:2016
Slipperiness :	See catalog	EN 14411:2016

The performance of the product identified in points 1 and 2 is conformity with the declared performance in 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Ahmet Levent ÇINARBAŞ –Director of Financial And Administrative Services

Çifteler/ESKİŞEHİR/TURKEY – 11.06.2018

ANKA TOPRAK ÜRÜNLERİ
SANAYİ VE TİCARET A.Ş.
Tel: (0312) 441 07 26 Fax: 441 07 28
Coşmanlar Yolu No: 109/A Çifteler/26700 Eskişehir/Türkiye



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/for  veya/for T S E

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	014883-TSE-01/03
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	23.08.2007
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	23.08.2024
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	GÜVENEVLER MAHALLESİ FARABI SK. NO:43 ÇANKAYA ANKARA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	ANKA TOPRAK ÜRÜNLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ / ESKİŞEHİR ŞUBESİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	ÇİFTÇİ MAHALLESİ ESKİŞEHİR CADDESİ NO:109/A ÇİFTELER ESKİŞEHİR / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	014883-TSE-01/02
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	ANKA SERAMİK
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 14411 / 09.12.2016

BELGE KAPSAMI
SCOPE OF LICENCE

SERAMİK KAROLAR

İÇ VE DIŞ MEKÂNLARDA YER VE DUVAR KAPLAMASI OLARAK KULLANILAN, DÜŞÜK SU EMMELİ KURU PRESLENMİŞ Grup Bla Eb ≤ % 0,5 (Ek G), SIRLI SERAMİK KAROLAR

İÇ VE DIŞ MEKÂNLARDA YER VE DUVAR KAPLAMASI OLARAK KULLANILAN, DÜŞÜK SU EMMELİ KURU PRESLENMİŞ Grup B1b % 0,5 < Eb ≤ % 3 (Ek H), SIRLI SERAMİK KAROLAR

İÇ MEKÂNLARDA DUVAR KAPLAMASI OLARAK KULLANILAN, KURU PRESLENMİŞ Grup B111 Eb > % 10 (Ek L), SIRLI SERAMİK KAROLAR

e-imzalı/e-signed

18.08.2023

Belgelendirme Merkezi Başkanı Adına
İsmail KAYNARCA

Eskişehir Belgelendirme Müdürü

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.
*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.
*TSE ESKİŞEHİR BELGELENDİRME MÜDÜRLÜĞÜ * Adres: Yenibağlar Mahallesi Üniversite Caddesi Fidan Sokak No:25 Tepebaşı /ESKİŞEHİR * Telefon: Direkt Tel:0-222-220 17 44
Santral:0-222/322 80 00* Faks: 0-222-220 58 60
*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta
:bmb@tse.org.tr , web : www.tse.org.tr

