



CERTIFICATE OF ANALYSIS

PRODUCT NAME: CARAMEL LIQUID E150D

DOUBLE STRENGTH (COLOURANT BROWN LIQUID)

BATCH NO

: MDC/211/20-21

MFG. DATE

: JUNE - 2020

QUANTITY

: 3000 KGS

EXPIRY. DATE

: MAY - 2022

INVOICE NO.: MDC/109/20-21

PO DATE.: 17.06.2020

DATE	:	08.07.2020
------	---	------------

TEST DESCRIPTION LIMIT SPECIFIED		ACTUAL OBSERVATION	
SOLUBILITY	MISCIBLE WITH WATER IN ALL PROPORTIONS	COMPLETELY SOLUBLE WITH NO SEDIMENTATION	
IDENFICATION OF COLOURING MATTER	PASSES TEST	PASSES TEST	
CLASSIFICATION	TYPE IV	TYPE IV	
SOLID CONTENTS	40-75% AT 20°C	54.8% AT 20°C SPECIFIC GRAVITY 1.275 AT 30°C	
COLOUR INTENSITY OF 0.1 % W/W @610NM. (ON 1.5NM BANDWIDTH)	0.10-0.60	0.267	
TOTAL NITROGEN	0.5-7.5%	3.6 % ON EQUIVALENT COLOUR BASIS	
TOTAL SULFUR	1.4-10.00%	5.15%	
SULFUR DIOXIDE	MAX.0.5%	LESS THAN 0.1%	
AMMONIACAL NITROGEN	MAX.0.5%	LESS THAN 0.05 % ON EQUIVALENT COLOUR BASIS	
4-METHYL IMMIDAZOLE	MAX.1000 MG / KG	LESS THAN 200 PPM ON EQUIVALENT COLOUR BASIS	
4-THI	NOT SPECIFIED	NOT TESTED	
ARSENIC	Less Than 1.0 mg /kg	TESTED BY COMPARISON TEST FOUND LESS THAN 0.5 PPM	
LEAD	Less than 2 mg /kg	LESS THAN 1.0 PPM	
PH	3.00 ± 0.5 at 20°C	3.45 AT 27°C	
ACID STABILITY TEST AS PER B.P.C.	NO PPT AFTER 24 HR.S	NO PPT AFTER 24 HOURS	
NEUTRAL TÄNNIN TEST AS PER U.S.P.	NO PPT AFTER 24 HR.S	NO PPT AFTER 24 HOURS	
RESINIFICATION POINT	NOT LESS THAN 40 HOURS	MORE THAN 50 HOURS	
TASTE OF 2% SOLUTION	SHOULD BE NEUTRAL	NO TASTE- NEUTRAL	
VISCOSITY	LESS THAN 200 CPS	LESS THAN 100 CPS	

PREPARED BY

EXAMINED BY

"CAVERIS PLUS"

APPROVED BY