

Zhengzhou Honghui Water Supply Equipment Co., Ltd.

SN	Product Specification	Photo	Qty	
	Water pump(300m3, 40m)		10	
	Pump model			HHSC300-40
	Liquid			Water
	Ambient temperature			-40°C to +40°C
	Casing			Cast iron
	Impeller			Cast iron
	Shaft			45 # steel
	Flow rate			300 m3/h
	Head pressure			40 m
	Suction head			3.5 m
	Inlet			DN200(8 inch)
	Outlet			DN125(5 inch)
	Engine			
	Type			Diesel four cylinders
	Power			56kw
	RPM			3000 r/min
	Starter			Electric starter
	Cooling	Water cooling and fan cooling		
	Others			
	Four wheels, including the cover, oil tank, and control panel Inlet side: Vacuum gauge / Negative pressure gauge Outlet side: Pressure gauge / Pressure-vacuum gauge			
1	Accessories			
	Type: Suction pipeline, Length: 8 m, Diameter: DN200 Material: Rubber steel wire hose with flanges		10	
	Type: Bottom filter screen Diameter: DN200		10	

<p>Type: Quick joint for delivery hose Diameter: DN200</p>		<p>10</p>
<p>Type: Discharge hose Length: 20m/roll Diameter: DN200 Material: Plastic-coated water hose</p>		<p>150</p>
<p>Type: Delivery Clamp Diameter: DN200</p>		<p>320</p>
<p>Type: Joints Diameter: DN200</p>		<p>150</p>
<p>Water pump(80m3, 40m)</p>		 <p>20</p>
<p>Pump model</p>	<p>HHIS80-40</p>	
<p>Liquid</p>	<p>Water with solids</p>	
<p>Ambient temperature</p>	<p>-40°C - +40°C</p>	
<p>Casing</p>	<p>Cast iron</p>	
<p>Impeller</p>	<p>Cast iron</p>	
<p>Shaft</p>	<p>45 # steel</p>	
<p>Flow rate</p>	<p>80 m3/h</p>	
<p>Head pressure</p>	<p>40 m</p>	
<p>Suction head</p>	<p>7.5m</p>	
<p>Inlet</p>	<p>DN100(4 inch)</p>	
<p>Outlet</p>	<p>DN65(2.5 inch) Adapter flange DN65-DN80</p>	
<p>Engine</p>		
<p>Type</p>	<p>Diesel single cylinder</p>	
<p>Power</p>	<p>32hp</p>	
<p>RPM</p>	<p>3000 r/min</p>	
<p>Starter</p>	<p>Electric starter</p>	
<p>Cooling</p>	<p>Water cooling</p>	
<p>Others</p>		

<p>Two wheels, including the cover, and oil tank Inlet side: Vacuum gauge / Negative pressure gauge Outlet side: Pressure gauge / Pressure-vacuum gauge</p>		
Accessories		
<p>2 Type: Suction pipeline, Length: 8 m, Diameter: DN80 Material: Rubber steel wire hose with flanges</p>		20
<p>Type: Bottom filter screen Diameter: DN80</p>		20
<p>Type: Quick joint for delivery hose Diameter: DN80</p>		20
<p>Type: Discharge hose Length: 20m/roll Diameter: DN200 Material: Plastic-coated water hose</p>		100
<p>Type: Delivery Clamp Diameter: DN80</p>		200
<p>Type: Joints Diameter: DN200</p>		100