

026 Ø3.5mm CORTICAL SCREW

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	026.010	026.010.Ti
12	026.012	026.012.Ti
14	026.014	026.014.Ti
16	026.016	026.016.Ti
18	026.018	026.018.Ti
20	026.020	026.020.Ti
22	026.022	026.022.Ti
24	026.024	026.024.Ti
26	026.026	026.026.Ti
28	026.028	026.028.Ti
30	026.030	026.030.Ti
32	026.032	026.032.Ti
34	026.034	026.034.Ti
36	026.036	026.036.Ti
38	026.038	026.038.Ti
40	026.040	026.040.Ti
42	026.042	026.042.Ti
44	026.044	026.044.Ti
46	026.046	026.046.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
48	026.048	026.048.Ti
50	026.050	026.050.Ti
52	026.052	026.052.Ti
54	026.054	026.054.Ti
56	026.056	026.056.Ti
58	026.058	026.058.Ti
60	026.060	026.060.Ti
62	026.062	026.062.Ti
64	026.064	026.064.Ti
66	026.066	026.066.Ti
68	026.068	026.068.Ti
70	026.070	026.070.Ti
72	026.072	026.072.Ti
74	026.074	026.074.Ti
76	026.076	026.076.Ti
78	026.078	026.078.Ti
80	026.080	026.080.Ti



Code No: 026

032 Ø3.5mm CORTICAL SCREW, SELF TAPPING

Lot 1.1

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	032.010	032.010.Ti
12	032.012	032.012.Ti
14	032.014	032.014.Ti
16	032.016	032.016.Ti
18	032.018	032.018.Ti
20	032.020	032.020.Ti
22	032.022	032.022.Ti
24	032.024	032.024.Ti
26	032.026	032.026.Ti
28	032.028	032.028.Ti
30	032.030	032.030.Ti
32	032.032	032.032.Ti
34	032.034	032.034.Ti
36	032.036	032.036.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
38	032.038	032.038.Ti
40	032.040	032.040.Ti
42	032.042	032.042.Ti
44	032.044	032.044.Ti
46	032.046	032.046.Ti
48	032.048	032.048.Ti
50	032.050	032.050.Ti
52	032.052	032.052.Ti
54	032.054	032.054.Ti
56	032.056	032.056.Ti
58	032.058	032.058.Ti
60	032.060	032.060.Ti
62	032.062	032.062.Ti
64	032.064	032.064.Ti



Code No: 032

032 Ø3.5mm CORTICAL SCREW, SELF TAPPING (CONTD....)

Lot 1.1

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
66	032.066	032.066.Ti
68	032.068	032.068.Ti
70	032.070	032.070.Ti
72	032.072	032.072.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
74	032.074	032.074.Ti
76	032.076	032.076.Ti
78	032.078	032.078.Ti
80	032.080	032.080.Ti

051 Ø3.5mm CANCELLOUS SCREW, FULL THREAD

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	051.010	051.010.Ti
12	051.012	051.012.Ti
14	051.014	051.014.Ti
16	051.016	051.016.Ti
18	051.018	051.018.Ti
20	051.020	051.020.Ti
22	051.022	051.022.Ti
24	051.024	051.024.Ti
26	051.026	051.026.Ti
28	051.028	051.028.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
30	051.030	051.030.Ti
35	051.035	051.035.Ti
40	051.040	051.040.Ti
45	051.045	051.045.Ti
50	051.050	051.050.Ti
55	051.055	051.055.Ti
60	051.060	051.060.Ti



Code No: 051

052 3.5mm CANCELLOUS CANNULATED SCREW, FULL THREAD

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	052.010	052.010.Ti
12	052.012	052.012.Ti
14	052.014	052.014.Ti
16	052.016	052.016.Ti
18	052.018	052.018.Ti
20	052.020	052.020.Ti
22	052.022	052.022.Ti
24	052.024	052.024.Ti
26	052.026	052.026.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
28	052.028	052.028.Ti
30	052.030	052.030.Ti
35	052.035	052.035.Ti
40	052.040	052.040.Ti
45	052.045	052.045.Ti
50	052.050	052.050.Ti
55	052.055	052.055.Ti
60	052.060	052.060.Ti

NEW



Code No: 052

053 Ø4.0mm CANCELLOUS SCREW, SHORT THREAD

Lot 1.2

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	053.010	053.010.Ti
12	053.012	053.012.Ti
14	053.014	053.014.Ti
16	053.016	053.016.Ti
18	053.018	053.018.Ti
20	053.020	053.020.Ti
22	053.022	053.022.Ti
24	053.024	053.024.Ti
26	053.026	053.026.Ti
28	053.028	053.028.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
30	053.030	053.030.Ti
35	053.035	053.035.Ti
40	053.040	053.040.Ti
45	053.045	053.045.Ti
50	053.050	053.050.Ti
55	053.055	053.055.Ti
60	053.060	053.060.Ti
65	053.065	053.065.Ti
70	053.070	053.070.Ti



Code No: 053

054 Ø4.0mm CANCELLOUS SCREW, FULL THREAD

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
10	054.010	054.010.Ti
12	054.012	054.012.Ti
14	054.014	054.014.Ti
16	054.016	054.016.Ti
18	054.018	054.018.Ti
20	054.020	054.020.Ti
22	054.022	054.022.Ti
24	054.024	054.024.Ti
26	054.026	054.026.Ti
28	054.028	054.028.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
30	054.030	054.030.Ti
35	054.035	054.035.Ti
40	054.040	054.040.Ti
45	054.045	054.045.Ti
50	054.050	054.050.Ti
55	054.055	054.055.Ti
60	054.060	054.060.Ti
65	054.065	054.065.Ti
70	054.070	054.070.Ti



Code No: 054

097.001 WASHER FOR SMALL SCREW



Code No: 097.001

368 ONE THIRD TUBULAR PLATE *Lot 1.3*

NO. OF HOLES	LENGTH (mm)	CODE	
		STAINLESS STEEL	TITANIUM
4	52	368.004	368.004.Ti
5	64	368.005	368.005.Ti
6	76	368.006	368.006.Ti
7	88	368.007	368.007.Ti
8	100	368.008	368.008.Ti
9	112	368.009	368.009.Ti
10	124	368.010	368.010.Ti
11	136	368.011	368.011.Ti
12	148	368.012	368.012.Ti



Code No: 368

369 ONE THIRD TUBULAR PLATE WITH COLLAR

NO. OF HOLES	LENGTH (mm)	CODE	
		STAINLESS STEEL	TITANIUM
4	52	369.004	369.004.Ti
5	64	369.005	369.005.Ti
6	76	369.006	369.006.Ti
7	88	369.007	369.007.Ti
8	100	369.008	369.008.Ti
9	112	369.009	369.009.Ti
10	124	369.010	369.010.Ti
11	136	369.011	369.011.Ti
12	148	369.012	369.012.Ti



Code No: 369

370 HOOK PLATE FOR Ø3.5mm SCREW

NO. OF HOLES	CODE	
	STAINLESS STEEL	TITANIUM
4	370.004	370.004.Ti
5	370.005	370.005.Ti
6	370.006	370.006.Ti
7	370.007	370.007.Ti
8	370.008	370.008.Ti
10	370.010	370.010.Ti



Code No: 370

361 EPICONDYLAR PLATE

SHAFT HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
5	361.05L	361.05L.Ti	361.05R	361.05R.Ti
7	361.07L	361.07L.Ti	361.07R	361.07R.Ti
9	361.09L	361.09L.Ti	361.09R	361.09R.Ti
11	361.11L	361.11L.Ti	361.11R	361.11R.Ti
13	361.13L	361.13L.Ti	361.13R	361.13R.Ti



Code No: 361

376 3.5mm LECESTRE PLATE

SHAFT HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
5	376.05L	376.05LTi	376.05R	376.05RTi
6	376.06L	376.06LTi	376.06R	376.06RTi
7	376.07L	376.07LTi	376.07R	376.07RTi
8	376.08L	376.08LTi	376.08R	376.08RTi
9	376.09L	376.09LTi	376.09R	376.09RTi
10	376.10L	376.10LTi	376.10R	376.10RTi
11	376.11L	376.11LTi	376.11R	376.11RTi
12	376.12L	376.12LTi	376.12R	376.12RTi
13	376.13L	376.13LTi	376.13R	376.13RTi



Code No: 376

NEW

362 3.5mm RECONSTRUCTION PLATE, STRAIGHT

Lot 1.4

NO. OF HOLES	LENGTH	CODE	
		STAINLESS STEEL	TITANIUM
5	58	362.005	362.005.Ti
6	70	362.006	362.006.Ti
7	82	362.007	362.007.Ti
8	94	362.008	362.008.Ti
9	106	362.009	362.009.Ti
10	118	362.010	362.010.Ti
11	130	362.011	362.011.Ti
12	142	362.012	362.012.Ti
13	154	362.013	362.013.Ti
14	166	362.014	362.014.Ti
15	178	362.015	362.015.Ti



Code No: 362



Members

308

KIRSCHNER WIRE WITH TROCAR TIP BOTH ENDS S.S.

DIAMETER (mm)	CODE						
	LENGTH						
	70mm	100mm	150mm	225mm	250mm	300mm	400mm
0.8	308.070.08	308.100.08	308.150.08	308.225.08	308.250.08	308.300.08	
0.9	308.070.09	308.100.09	308.150.09	308.225.09	308.250.09	308.300.09	
1.0	Lot 1.6	308.100.10	308.150.10	308.225.10	308.250.10	308.300.10	
1.1		308.100.11	308.150.11	308.225.11	308.250.11	308.300.11	
1.2		308.100.12	308.150.12	308.225.12	308.250.12	308.300.12	
1.4		308.100.14	308.150.14	308.225.14	308.250.14	308.300.14	
1.5	Lot 1.5		308.150.15	308.225.15	308.250.15	308.300.15	
1.6			308.150.16	308.225.16	308.250.16	308.300.16	
1.8			308.150.18	308.225.18	308.250.18	308.300.18	308.400.18
2.0			308.150.20	308.225.20	308.250.20	308.300.20	308.400.20
2.2			308.150.22	308.225.22	308.250.22	308.300.22	308.400.22
2.3			308.150.23	308.225.23	308.250.23	308.300.23	308.400.23
2.5			308.150.25	308.225.25	308.250.25	308.300.25	308.400.25
3.0			308.150.30	308.225.30	308.250.30	308.300.30	308.400.30

Code No: 308

309

KIRSCHNER WIRE, FULLY THREADED S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309.150.15	1.5	150
309.200.15	1.5	200
309.250.15	1.5	250
309.150.18	1.8	150
309.200.18	1.8	200
309.250.18	1.8	250
309.300.18	1.8	300
309.150.20	2.0	150
309.200.20	2.0	200
309.250.20	2.0	250
309.300.20	2.0	300

309A

KIRSCHNER WIRE, THREADED TIP BOTH ENDS S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309A.150.15	1.5	150
309A.200.15	1.5	200
309A.250.15	1.5	250
309A.150.18	1.8	150
309A.200.18	1.8	200
309A.250.18	1.8	250
309A.300.18	1.8	300
309A.150.20	2.0	150
309A.200.20	2.0	200
309A.250.20	2.0	250
309A.300.20	2.0	300

HEMC House:


D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

IS-07-02**Instrument Set for Small Fragments**

Code	Description	Quantity
Box	Empty Container	1
661.002	Small Plate Bender (pair)	1 pair
741.060	Farabeuf retractor (small & large)	2
705.012	Periosteal elevator, Straight, 12mm Wide	1
706.012	Periosteal elevator, Curved, 12mm Wide	1
602.125.30	Drill Bit dia. 3.0mm	1
602.125.25	Drill Bit dia. 2.5mm	1
602.250.28	Drill Bit dia. 2.8mm, L-250mm	1
626.200.25	Drill Bit dia. 2.5mm, cannulated	1
606.035A	Cannulated Bone Tap for 3.5mm screws, with T-Handle	1
739.192	Self Centering Bone Holding Forceps, 190mm	1
739.131	Hollow Reamer for Screws 3.5mm	1
619.001	Extraction Screw for Screws 3.5mm, Conical	1
905.019	Reduction Forceps, Pointed, 140mm	1
614.025	Hexagonal Screw Driver with 2.5mm Tip	1
385.01.011C	Bending Template for Straight Reconstruction Plates 3.5mm	1
385.01.012C	Bending Template for DCP 3.5 & LC-DCP 3.5	1
653.002	Screw Holding Forceps	1
606.040	Bone Tap for 4.0mm Cancellous Screws, with T-Handle	1
605.035	Bone Tap for 3.5mm Cortex Screws, with T-Handle	1
656.002	Depth Gauge Small	1
648.025	Small Neutral & Loaded Drill Guide (for DCP 2.5mm)	1
385.01.025C	Double Drill Sleeve 2.5/3.0mm (non-standard)	1
647.001	Double Drill Sleeve 2.5/3.5mm	1
801.035	Drill Sleeve 2.8mm for Safety Lock Plates	1

HEMC House:


D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com


Exhibitor's at:



Members



Box (empty container)



Small Plate Bender (pair)




Code: 661.002

Farabeuf retractor




Code: 741.060

Periosteal elevator, straight, wide 12mm



Code: 705.012

Periosteal elevator, curved, wide 12mm



Code: 706.012

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:





Members

602

DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
602.100.20	2.0	100
602.125.25	2.5	125
602.200.25	2.5	200
602.250.25	2.5	250
602.300.25	2.5	300
602.125.27	2.7	125
602.200.27	2.7	200
602.250.27	2.7	250
602.300.27	2.7	300
602.125.28	2.8	125
602.200.28	2.8	200
602.250.28	2.8	250
602.300.28	2.8	300
602.125.30	3.0	125
602.200.30	3.0	200
602.125.32	3.2	125
602.200.32	3.2	200
602.125.35	3.5	125
602.200.35	3.5	200
602.250.35	3.5	250
602.125.40	4.0	125
602.195.40	4.0	195
602.125.45	4.5	125
602.200.45	4.5	200
602.250.45	4.5	250
602.300.45	4.5	300
602.200.50	5.0	200
602.250.50	5.0	250
602.200.60	6.0	200
602.250.60	6.0	250

Code No: 602

626

CANNULATED DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
626.125.25	2.5	125
626.200.25	2.5	200
626.250.25	2.5	250
626.300.25	2.5	300
626.125.28	2.8	125
626.200.28	2.8	200
626.250.28	2.8	250
626.300.28	2.8	300
626.125.32	3.2	125
626.200.32	3.2	200
626.250.32	3.2	250
626.300.32	3.2	300
626.125.35	3.5	125
626.200.35	3.5	200
626.250.35	3.5	250
626.300.35	3.5	300
626.125.45	4.5	125
626.200.45	4.5	200
626.250.45	4.5	250
626.300.45	4.5	300
626.200.50	5.0	200
626.250.50	5.0	250
626.200.60	6.0	200
626.250.60	6.0	250

Code No: 626

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

Cannulated Bone Tap for 3.5mm screws, with T-Handle



Code: 606.035A

Self Centering Bone Holding Forceps, 190mm



Code: 739.192

Hollow Reamer for Screws 3.5mm



Code: 739.131

Extraction Screw for screws 3.5mm, Conical



Code: 619.001

Reduction Forceps, Pointed, 140mm



Code: 905.019

Hexagonal Screw Driver with 2.5mm Tip



Code: 614.025

Bending Template for Straight Reconstruction Plates 3.5mm



Code: 385.01.011C

Bending Template for DCP 3.5 & LC-DCP 3.5



Code: 385.01.012C

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

Screw Holding Forceps



Code: 653.002

**Bone Tap for 4.0mm Cancellous Screws,
with T-Handle**



Code: 606.040

**Bone Tap for 3.5mm Cortex Screws,
with T-Handle**



Code: 605.035

Depth Gauge Small



Code: 656.002

**Small Neutral & Loaded Drill Guide
(for DCP 2.5mm)**



Code: 648.025

Double Drill Sleeve 2.5/3.0mm



Code: 385.01.025C

Double Drill Sleeve 2.5/3.5mm



Code: 647.001

**Drill Sleeve 2.8mm for Safety Lock
Plates**



Code: 801.035

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:

