i-SENSYS MF112 / MF113w

MULTIFUNCTION MONO PRINT SERIES FEATURING ADVANCED SCANNER AND COPIER FACILITIES



A versatile multifunction printer, scanner and copier series with a compact and stylish design that is ideal for home offices. The MF110 series has fast and accurate printing facilities and an advanced scanner



MF112



The MF110 series has all the specifications and flexibility of a traditional office printer, copier and scanner yet it is housed in a stylish and robust unit unobtrusive enough for even the most compact home offices.

- Compact design optimised for small or home offices
- Print speeds of up to 22 pages per minute. first print out time of less than 7 seconds
- Includes Canon's most advanced Genuine Cartridge that can print up to 1,600 pages before requiring replacement
- MS (Magnetic Sphere) Toner delivers faster prints and decreases energy consumption
- Input paper capacity of up to 150 sheets
- Features a 5-line touch panel control and a Device Utility setting that makes connecting with wired and wireless networks simple
- Includes AirPrint support to enable simple printing from a range of Apple devices (MF113w only)
- Easy to digitise paper documents via tablets and smartphones. Advanced scanning editing facilities as well as option of scanning to the cloud (MF113w only)
- The Canon PRINT Business app includes intelligent whiteboard mode that automatically corrects images from the camera (MF113w only)





-





LCD Display LCD easy user interface



Copy Quick and easy document copying



Connectivity Wireless direct connection (LBP113w)



Ethernet connectivity Easily connect to a network (MF113W)



Network scanning User friendly network scanning



TECHNICAL SPECIFICATIONS

i-SENSYS MF112/MF113w

Machine type Available functions

PRINTER

Print speed Printing method Print quality Print resolution Warm-up time First Print Out Time Printer languages

Fonts Print margins

Toner saver mode Advanced printing features

COPIER

Copy speed First Copy Output Time (FCOT) Copy resolution Copy modes Double sided copying Multiple copy Reduction / Enlargement Other features

SCANNER Type Scan resolution

Scan speed Colour scanning depth Greyscales Compatibility Max. scan width Scan to E-mail Scan to FC Scan to USB memory key Scan to FTP Scan to Cloud

MEDIA HANDLING Scanner type Paper input (Standard) Paper input (Option) Paper output Media types

Media sizes

Media weights Double sided printing Mono Laser All-In-One Print, Copy and Scan

Single sided: Up to 22 ppm (A4) Monochrome laser beam printing Up to 2400 equivalent x 600 dpi 600 x 600 dpi Approx. 15 seconds or less from power on Approx: 6.5 seconds or less UFRII-LT

5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope) Yes MF113w only Google Cloud Print Ready IOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

Single sided: Up to 22 ppm (A4) Approx. 9.3 seconds or less

Up to 600 x 600 dpi Text/Photo, Text/Photo (High speed), Photo, Text

Up to 999 copies 25-400% in 1% increments Collate Copies, 2 on 1, 4 on 1, ID card copy

Colour Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Single sided mono: 2.4 sec/page (300x600dpi) 24 bit/24 bit (input/output) 256 levels TWAIN , WIA, ICA 215.9mm

TIFF/JPEG/PDF/Compact PDF/Searchable PDF¹

TIFF/JPEG/PDF/ PNG²

Flatbed 150-sheet cassette

50-sheet Plain paper, Recycled paper, Heavy Paper, Bond paper, Label, Envelope Cassette : A4, A5, B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COMIO, Monarch, DL, C5), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm. Cassette: 60 to 163 g/m² INTERFACE & SOFTWARE Interface type

Operating System compatibility

Network Protocol

Software and printer management Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2008 / Mac OS X version 10.8.5 & up / Mac OS 10.13 & up Linux³ MF113w only Print: LPD, RAW, WSD-Print (IPv4,IPv6), IPP, IPPS Scan: WSD-Scan(IPv4, IPv6) TCP/IP Application Services: Bonjour(mDNS),DHCP, Auto IP (IPv4), DHCPv6 (IPv6), BOOTP, RAPP Management: SNMPv1, SNMPv3 (IPv4,IPv6) HTTP, HTTPS, SNTP Security (wireds): IP/Mac address filtering, IEEE802.1X, SNMPV3, SSL (HTTPS/IPPS) Security (wireless): WEP(64/28 bit), WPA-PSK(TKIP/ AES), WPA2-PSK(AES) MF112: MF Scan Utility, Tomer Status Taol

MF112: USB 2.0 Hi-Speed MF113w: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection

AES), WHAP JUGES, MF112: MF Scan Utility, Toner Status Tool MF113w: MF Scan Utility, Remote User Interface (RUI), Toner Status Tool



TECHNICAL SPECIFICATIONS

i-SENSYS MF112/MF113w

GENERAL FEATURES

Recommended Monthly Print Volume Duty cycle Processor Speed

Memory

Control panel "Dimensions with trays (W x D x H)" "Installation space (W x D x H)" Weight Operating environment

Power Source

Power Consumption

150 - 1,500 pages per month

Max. 10,000 pages per month⁴ MF112: 175MHz MF113w: 400MHz MF112: 128MB MF113w: 256MB 5 lines B&W LCD 372 mm x 320 mm x 255 mm

372 mm x 531 mm x 504 mm

Approx, 8,9 Ka Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)

220-240V(±10%) 50/60Hz (±2Hz)

Maximum: Approx. 910 W Standby: Approx. 4.3 W Sleep mode: Approx. MF112: N/A MF113w: 0.8 W Power switch off: 0.5 W or less Typical Electricity Consumption (TEC): MF112: 0.5 kWh/week MF113w: 0.6 kWh/week

Idle time required to enter sleep mode: 1-30 min (default: 1 min) Idle time required to enter Auto Shutdown: 4 hours (default) Lot 26 http://www.canon-europe.com/For_Work/Lot26/index.aspx

Noise Levels

CONSUMABLES Cartridges

Sound Pressure⁵ : Active: 47 dB in B/W printing Standby: Inaudible

Sound Power ⁵: Active: 69.6 dB or less in B/W printing Standby: N/A

Cartridge 047 (1,600 pages ⁶)⁷ Drum Cartridge 049 (12,000 pages)

Notes: ^[1]Scan by MF Scan Utility

^[2]Scan by MF Scan Utility or Canon PRINT Business

^[3]Linux support both printing and scanning Available from December 2018.

⁽⁴⁾Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

(iii) haudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

^[6]Based on ISO/IEC 19752

^[7]Printer ships with Starter Cartridge (700 pages), Drum Cartridge 049 (12,000 pages)

Canon Ireland

3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie

Canon (UK) Ltd Woodhatch Reigate Surrey RH2 8BF Telephone No: 01737 220000 Facsimile No: 01737 220022 canon.co.uk

Canon Inc. canon.com Canon Europe canon-europe.com English edition © Canon Europa N.V.,2018



MULTIFUNCTION MONO PRINT SERIES FEATURING ADVANCED SCANNER AND COPIER FACILITIES

A versatile multifunction printer, scanner and copier series with a compact and stylish design that is ideal for home offices. The MF110 series has fast and accurate printing facilities and an advanced scanner

Sales Start Date: October 2018

i-SENSYS MF112 / MF113w



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF113W	2219C021AA	8714574659053
i-SENSYS MF112	2219C023AA	8714574659077

CONSUMABLES :

PRODUCT NAME	Mercury Code	EAN Code
Toner cartridge 047	2164C002AA	4549292088793
 Drum Cartridge 049	2165C001AA	4549292088816

