

SPLIT TYPE AIR CONDITIONER

MODEL INTERIOR	TGL-9000
MODEL EXTERIOR	TGL-9000
CAPACITATE RACIRE	2600(940-3300)W
CAPACITATE INCALZIRE	2680(940-3200)W
ALIMENTARE	220-240V~50Hz, 1Ph
PRESIUNE MAXIMA ADMISIBILA	4.2MPa
PRESIUNE DE OPERARE EXCESIVA	DESCARCARE 4.2MPa SUCTIONE 1.9MPa
REFRIGERANT	R32/0.49kg
CURENT NOMINAL	4.1A
INTRARE NOMINALA	851W
CLASA DE REZISTENTA UNITATII EXTERIOARE	IPX4

Contine gaze fluorurate cu efect de sera
GWP: 675; 0.331 tona CO₂ echivalent.

Importator:
Feniximpex SRL
Republica Moldova, str. Vadul lui Voda 68

Producator:
units are made by TCL Air Conditioner (Zhongshan) Co.,
Ltd., S9, Nantou Road West, Nantou, Zhongshan,
Guangdong, China

Perfetto ELITE

Dimensions: 50 (width), 54 (depth), 111 (height), 115 (total height)

J0206-125163 改图纸

	C	M	Y	K
	100	0	0	0
	100	80	0	0
	100	0	100	0
	70	0	100	0
	30	0	100	0
	0	0	100	0

ENERG
енергия · ενεργεια

Perfetto ELITE TGL-9000

SEER

kw **2,6**

SEER **6,1**

kWh/annum **150**

SCOP

kw X **2,0** X

SCOP X **4,0** X

kWh/annum X **700** X

52dB

62dB

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIA · ENERGY · ENERGIE · ENERGI
626/2011

Dimensions: 120 (width), 210 (height), 5 (margin)

SPLIT TYPE AIR CONDITIONER		
MODEL INTERIOR	TGL-12000	
MODEL EXTERIOR	TGL-12000	
CAPACITATE RACIRE	3400/1000-3770/W	
CAPACITATE INCALZIRE	3420/1000-3810/W	
ALIMENTARE	220-240V~50Hz 1Ph	
PRESIUNE MAXIMA ADMISIBILA	4.2MPa	
PRESIUNE DE OPERARE EXCESIVA	DESCARCARE 4.2MPa	
	SOCTIUNE 1.96MPa	
REFRIGERANT	R32/0.52kg	
CURENT NOMINAL	5.5A	
INTRARE NOMINAL	17300W	
CLASA DE REZISTENTA UNITATI EXTERIOARE	IP24	
Contine gaze fluorurate cu efect de sera GWP: 675, 0.351 tone CO ₂ echivalent.		
<small>Importat de:</small> <small>Familipac SRL</small> <small>Republica Moldova, str. Yakuliv Voboi</small> <small>Producator:</small> <small>UNITS ARE MADE BY TCL Air Conditioner (Dongguan) Co., Ltd., 55, Nantou Road West, Nanhai, Zhongshan, Guangdong, China</small>		
Perfetto ELITE		

111
115

50
54

J0206-125164 改图纸

ENERG

енергия · ενεργεια

Y

IJA

IE

IA

Perfetto ELITE
TGL-12000

SEER

A++

kW 3,4
SEER 6,1
kWh/annum 196

SCOP

A+

kW X 2,2 X
SCOP X 4,0 X
kWh/annum X 770 X

53dB

62dB

ENERGIA · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGIJA · ENERGY · ENERGIE · ENERGI
 626/2011

210

120

Activati Windows
 Accesati Setari pentru a activa Win

SPLIT TYPE AIR CONDITIONER

MODEL INTERIOR	TGL-18000
MODEL EXTERIOR	TGL-18000
CAPACITATE RACIRE	5140(1250-5910)W
CAPACITATE INCALZIRE	5210(1250-6070)W
ALIMENTARE	220-240V~50Hz 1Ph
PRESIUNE MAXIMA ADMISIBILA	4.2MPa
PRESIUNE DE OPERARE EXCESIVA	DEBARCARE 4.2MPa SUCTIONE 1.9MPa
REFRIGERANT	R32/0.96kg
CURENT NOMINAL	6.9A
INTRARE NOMINALA	1567W
CLASA DE REZISTENTA UNITATI EXTERIOARE	IPX4

Contine gaze fluorurate cu efect de sera
GWP: 675, 0.648 tona CO₂ echivalent.

Importator:
Feniximpex SRL
Republica Moldova, str. Vadul lui Vodă 68
Produsator:
Units are made by TCL Air Conditioner (Zhongshan) Co.,
Ltd., 50, Mantou Road West, Nanhai, Zhongshan,
Guangdong, China

Perfetto ELITE

Dimensions: 50x54 (main), 111x115 (total)

ENERGY LABEL Y IJA IE IA
енергия · ενεργεια

Perfetto ELITE TGL-18000

SEER

kw **5,1**
SEER **6,5**
kWh/annum **275**

SCOP

kw **3,9**
SCOP **4,0**
kWh/annum **1365**

56dB

65dB

ENERGIA - ЕНЕРГИЯ - ΕΝΕΡΓΕΙΑ · ENERGIA · ENERGY · ENERGIE · ENERGI
626/2011

Dimensions: 120x210 (main), 5x5 (corners)