AE001-1	Adult ear dip sensor , DBS Wale, L=1M
AE001-3D	Adult ear clip sensor , DB9 Male, L=3M
AT001-1	Animal tongue clip sensor , DB9 Male,L=1M
AT001-3D	Animal tongue clip sensor , DB9 Male,L=3M
NW001-3D- Y	NW001-3D- Y Multi-site Y cable with separate wrap , L=3m ,DB9 , Wrap Detachable
NW 001-3D- F	NW 001-3D-F Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap tape, DB9 , L=3m

Compatibilities: Compatible with BCI 3300, 3301, 3302,3303, 3304, 3401



<u>`</u>
ၓ
ĕ
€
Ϊ́
\sim
O
Q
S
ø
3
⋾
ā
2
Ε
0
00
~
a) Co
<u>ა</u>
orea) co
rea) co
(orea) ca
s (Korea) ca
ys (Korea) co
sys (Korea) co
iosys (Korea) co
sys (Korea) co
iosys (Korea) co

	Biosys (Korea)	<u>Biosys (Korea) compatible spo2 sensor</u>	ensor			
Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Biosys		AF002	Adult finger clip sensor , MD6M , L=3m			
		PF002	Pediatric finger clip sensor , MD6M , L=3m			
		AS002	Adult silicone soft tip sensor , MD6M , L=3m			
		PS002	Pediatric silicone soft tip sensor , MD6M , L=3m			
		NW002	Neonate silicone wrap sensor , MD6M , L=3m ,Non-detachable			
		AE002	Adult ear clip sensor , MD6M , L=3m			
		AT002	Animal tongue clip sensor , MD6M , L=3m			
		NW 002 Y	Multi-site Y cable with separate wrap ,MD6M, Wrap Detachable, L=3M			
		NW 002 F	Adult multi-site spo2 sensor ,with FOAM wrap tape,MD6M, L=3m			

compatible with Biosys BPM-300





sale@greatmade.com

	above 20 PCS									
	6-19 pcs									
	1-5 pcs									
sale(@greatmade.com <u>(Lemo 5pin.)</u>	Description(Connector, Length)	Adult finger clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	pediatric finger dip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	Adult silicone soft clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	silicone soft-tip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	neonate silicone wrap sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M , Wrap Non-detachable	Adult ear clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	Animal tongue clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M	Multi-site Y cable with separate wrap , L=3m ,lemo 5pin , Wrap Detachable	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap, lemo 5pin .L=3m
sable spo2 sensor	Greatmade P/N	AF004-3	PF004-3	AS004-3	PS004-3	NW004-3	AE004-3	AT004-3	NW004-3 Y	NW 004-3 F
CSI Compatible reusable spo2 sensor (Lemo 5pin	OEM P/N	511-10/934-10L		1	000					
	Compatible Brand	CSI	501,503. 504,507	508, 581, 1100,	Poet(602-3A),	8100 Poni, Scholar				









1	•	1
NW004-3	19	
MN		

AT004-3	
ATO	

CSI Compatible reus	

	CSI Compatible reu	CSI Compatible reusable spo2 sensor			
Compatible Brand	OEM Part No.	Greatmade P/N	Description(Connector, Length)	6-19 pcs	above 20 PCS
CSI	511SD	AF005-1	Adult finger clip sensor, DB9 Male ,L=1M		
CSI 503SPOT		PF005-1	pediatric finger clip sensor, DB9 Male ,L=1M		
504 plus, 504dx		AS 005-1	Adult silicone soft clip sensor, DB9 Male ,L=1M		
504DXN,		PS005-1	silicone soft-tip sensor,DB9 Male ,L=1M		
	THE PARTY OF THE P	NW005-1	neonate silicone wrap sensor, DB9 Male ,L=1M ,Non-detachable		
	No.	AF005-3	Adult finger clip sensor, DB9 Male ,L=3M		
		PF005-3	pediatric finger dip sensor, DB9 Male ,L=3M		
		AS 005-3	Adult silicone soft clip sensor, DB9 Male ,L=3M		
		PS005-3	silicone soft-tip sensor,DB9 Male ,L=3M		
		NW005-3	neonate silicone wrap sensor, DB9 Male ,L=3M ,Non-detachable		
		AE005-1	Adult ear clip sensor, DB9 Male ,L=1M		
		AT005-1	Animal tongue clip sensor, DB9 Male ,L=1M		
		NW005-3 Y	Multi-site Y cable with separate wrap , CSI DB9 , Wrap Detachable		
		NW 005-3 F	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap, DB9 6pin .		


eatmade.com
isable spo2 self@gr
Compatible reu
Datex-Ohmeda

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda	OXY-F-UN	AF051	Adult finger clip sensor , 8pin Male , L=1M			
See below compatibilities		PF051	pediatric finger clip sensor , <u>8pin Male</u> , L=1M.			
		AS051	Adult silicone soft tip sensor , 8pin , Male , L=1M			
		PS051	Pediatric silicone soft tip sensor ,8pin Male, L=1M			
	OXY-W-UN	NW051	neonate silicone wrap sensor , 8pin Male , L=1M , Non-detachable			
	OXY-E-UN	AE051	Adult ear clip sensor , 8pin Male, L=1M			
		AT051	Animal tongue clip sensor , 8 pin Male, L=1M			
		NW051-Y	Multi-site Y cable with separate wrap,8pin male, Wrap Detachable			
		NW051- F	Adult/ Neonate multi-site spo2 sensor,8pin male,with FOAM wrap			

Use with Handheld pulse oximeters (Tuffsat, 3775) Compatibilities: Stand Alone pulse oximeter (37** series, 3800, 3900.3900P),respiratory gas monitors (4700, 5259RGM)

M-OSAT module , N-XOSAT option for Cardiocap.5 ; OEM patnering monitors ;

All S/5 monitors, all AS/3,CS/3 Monitors , Cardiocap , Capnomac Utima and Satlite



ဗ္ဟ	
sens	
ē	
Ο̈́	
2	
Ö	
ð	
S	
৩	
5	
ā	
reusable	
ž	
۳	
ø	
Š	
≅	
at	
Q	
Ε	
0	
Ö	
_	
Œ	
8	
ž	
Ħ	
ᅕ	
Y	
×	
æ	
ā	
9	
	•

	Datex-Ohmeda (Datex-Ohmeda Compatible reusable spo2 sensor	ble spo2 sensor			
Compatible Brand	┌─	Greatmade P/N	ctor, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda	OXY-F4-MC	AF063	Adult finger clip sensor , DB9 Male , L=3M			
Trusat Pulse		PF063	pediatric finger clip sensor , DB9 Male , L=3M			
Oximeter		AS063	Adult silicone soft tip sensor , <u>DB9 Male</u> , L=3M			
		PS063	Pediatric silicone soft tip sensor <u>DB9 Male</u> , L=3M			
	OXY-W4-MC	NW063	neonate silicone wrap sensor , <u>DB9 Male</u> , L=3M , Non-detachable			
	OXY-E4-MC	AE063	Adult ear clip sensor DB9 Male L=3M			
		AT063	Animal tongue clip sensor, <u>DB9 Male,</u> L=3M			
		NW063-Y	Multi-site Y cable with separate wrap, DB9 male, Wrap Detachable			
		NW063- F	Adult/ Neonate multi-site spo2 sensor,DB9 male,with FOAM wrap			





a
₹
C
3
7
đ
ñ
_
2
2
2.
Ξ

Limb Electrode					
OEM P/N	Greatmade No.		1-5 sets	6-19 sets	6-19 sets Above 20sets
	EC012	Limb Electrode (4pcs/set) Perfect for 3.0 plug. IEC ,(RED ,Yellow , Green , Black)			
	EC012B	Limb Electrode (4pcs/set) Perfect for 4.0 Banana IEC ,(RED ,Yellow , Green , Black)			
	EC012C	Multi-use Limb Electrode for all types of ECG electrode, Metal plating AgCI (Dark), IEC			
	EC012C-S	${ m EC012C-S}$ Multi-use Limb Electrode for all types of ECG electrode ,Metal plating Nickel (Shine), IEC			
	EC012-A	${ m EC012-A}$ Limb Electrode (4pcs/set) Perfect for <u>3.0 D/N</u> .AHA,(RED,Green,White,Black)			
	EC012B/A	${ m EC012B/A}$ Limb Electrode (4pcs/set) Perfect for <u>4.0 Banana</u> ,AHA,(RED,Green,White,Black)			
	EC012C/A	${ m EC012C/A}$ Multi-use Limb Electrode for all types of ECG electrode , Metal plating AgCI (Dark), AHA			
	EC012C-SA	${ m EC012C ext{-}SA}$ Multi-use Limb Electrode for all types of ECG electrode , Metal plating Nickel (Shine), AHA			










EC012A Suitable for all 3.0 Din Plug of EKG Cable
EC012B Suitable for All 4.0 Banana Plug of EKG Cable.
EC012C Suitable for All 4.0 Banana, 3.0DIN, Snap, Grabber electrode
Limb Electrode.

2000					
OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-5pcs	6-19pcs	6-19pcs Above 20pcs
	EC012A-HP	${ m EC012A ext{-}HP}$ Limb Electrode (4pcs/set) Perfect for $ extbf{3.0 DI/N}$, ${ m IEC}$,(Red,Green,Yellow,Black)			
	EC012B-HP	$ m EC012B ext{-}HP$ Limb Electrode (4pcs/set) Perfect for <u>4.0 Banana</u> JEC,(Red,Green,Yellow,Black)			
	EC012C-HP	${ m EC012C ext{-}HP}$ Multi-use Limb Electrode for all types of ECG electrode,Metal plating AgCI (Dark), IEC			
	EC012D-HP	EC012D-HP] Multi-use Limb Electrode for all type錢的 BQG 碍 ectrobbe. Metaliplating Nickel(Shine),IEC			

Suction Electrode

OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-5pcs	6-19pcs	6-19pcs Above 20pcs
	EC013A	Adult Suction Electrodes (6 pcs/Set), perfect for 3.0 DIN , Silicone			
	EC013B	Adult Suction Electrodes (6 pcs/ Set), perfect for 4.0 Banana ,silicone			
	EC013A/B	${ m EC013A/B}$ Adult Suction electrodes (6 pcs/ set) , for both 3.0 and 4.0, silicone			
	EC013C	Adult Multi use electrode,3.0, 4.0 ,Snap,grabber ,Metal PLATING AgCI (Dark)			
	EC013C-S	${ m EC013C ext{-}S}$ Adult multi use electrode,3.0,4.0,Snap,grabber,Metal PLATING Nickel(Shine)			
	EC013D	Pediatric Suction Electrode (6pcs/set), suitable for 3.0 DIN plug			
	EC013E	Pediatric Suction Electrode (6pcs/set), suitable for 4.0 banana			
	EC013F	Pediatric Multi-use Electrode(6 pcs/set),for 3.0 , 4.0 , Snap , Grabber ,Plating AgCl(Dark)			
	EC013F-S	EC013F-S Pediatric Multi-use Electrode(6 pcs/set),for 3.0,4.0,Snap,Grabber,plating Nickel(Shine)			
	EC013G	Pediatric suction Electordes (6pcs/set), suitable for both 3.0 and 4.0			



EC013A Suitable for all 3.0mm DIN plug for EKG cable

EC013B Suitable for All 4.0 Banana Plug of EKG Cable.

EC013C For Multi-use, Suitable for all 3.0DIN, 4.0 Banana,

Snap and Grabber

EC013A/B is suitable forboth 3.0 and 4.0 banana plug

FC013A/B: Metal diameter : 21mm ,Ball diameter :26mm

C013C Metal diameter : 24mm, Ball diameter : 32mm

C013D/E Metal diameter :17mm, Ball diameter :23mm

EC013D



EKG Cable Electrode Adapter

OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-5pcs	6-19pcs Above 20pcs
	EC018A	Electrode Adapter , 3.0DIN-> Sn		
	EC018B	Electrode Adapter , 4.0 Banana -> Snap , L=10CM		
		Electrode Adapter , 3.0DIN->Grabber, L=10CM		
	EC018D	Electrode Adapter , 4,0 Banana-> Grabber , L=10CM		
		Eelectrode Adapter , 4.0 Banana socket ->3.0 DIN Plug, L=10CM		
	EC018F	Eelectrode Adapter , 3.0DIN socket≒≫4.0.Banana plug. L≕10CM		



OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-5pcs	6-19pcs	6-19pcs Above 20pcs
	EC036A	Snap Electrode Adapter , to connect ECG cable 3.0 plug			
	EC036B	Snap Electrode Adapter , to connect ECG cable 4.0 banana plug			
	EC037A	Grabber Electrode Adapter , to connect ECG cable 3.0 plug			
	EC037B	Grabber Electrode Adapter , to connect ECG cable 4.0 banana plug			





Esaote Archimed

OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-5pcs	6-19pcs	Above 20pcs
	EC039A	Esaote EKG cable replacement lead , AHA .			
	EC039B	Esaote EKG cable replacement lead , IEC			





Use with Esaote Archimed 4120, personal C1, personal C3.

Disposable Electrode

בֿב	Disposable Electione	cilode			
OEM P/N	Greatmade No.	Desceiption (Cable and connector)	1-1000pcs	1001-5000 At	bove 5000
	EC014A	Adult Disposable Electrodes 50pcs/ pack			
	EC014P	Pediatric Disposable Electrodes			

www.greatmade.com

HK GREATMADE TECH LTD

Keep pace with your need

Contact: Shirley Wang

E-mail: info@greatmade.com, sales@greatmade.com

Website http://www.greatmade.com , www.greatmade.diytrade.com Tel: 86-0755-28144774 , Fax : 86-0755-27185453

Hotmail: greatmade@hotmail.com

Skype: Greatmade01

Reusable/Disposable NIBP Cuff and Air Hose (Updated on April ,2012)

NIBP CUFF

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001A	Neonate Single tube NIBP cuff , 6-11cm Arm Circumference	
CF002A	Infant single tube NIBP cuff , 10-19cm Arm Circumference	
CF003A	Child single tube NIBP cuff , 18-26cm Arm Circumference	
CF004A	Adult single tube NIBP cuff , 25-35cm Arm Circumference	
CF004LA	Large Adult Single Tube Nibp Cuff, 33-47cm Arm Circumference	
CF004TA	THIGH Single Tube Nibp Cuff , 46-66cm Arm Circumference	



NIBP Cuff

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001B	Neonate Dual tube NIBP cuff , 6-11cm Arm Circumference	
CF002B	Infant dual tube NIBP cuff, 10-19cm Arm Circumference	
CF003B	Child dual tube NIBP cuff ,18-26cm Arm Circumference	
CF004B	Adult dual tube NIBP cuff , 25-35cm Arm Circumference	
CF004LB	Large Adult Dual Tube Nibp Cuff, 33-47cm Arm Circumference	
CF004TB	THIGH Dual tube NIBP Cuff,46-66cm Arm Circumference	




Adult Longer Type

CF004XL-A	Adult Long Single tube Nibp Cuff, 33-47cm Arm circumference, L 690mm*W 145mm	
CF004XL-B	Adult Long Dual tube Nibp Cuff ,33-47cm Arm Circumference .	









Greatmade P/N	Description (Cable , Connector)	Unit Price
CF004LG	Adult single tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Gray	
CF004DG	Adult single tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Dark Gray	
CF004BK	Adult single tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Black	
CF004LP	Adult single tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Purple	
CF004O	Adult single tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Orange	
CF004BS	Adult single tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Blue	
CF004SN	Adult single tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Light Blue	
CF004GR	Adult single tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Green	



The same material and color could make other size as Neonate , Infant , Child , Large Adult , THIGH.

The same material and select scala make same select as resonate, imant, sind a government, imanifer			
Greatmade P/N	Description (Cable , Connector)	Unit Price	
CF004LG-D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference , Gray		
CF004DG-D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Dark Gray		
CF004BK -D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Black		
CF004LP-D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Purple		
CF004O-D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Orange		
CF004BS-D	Adult Dual tube NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Blue		
CF004SN-D	Adult Dual tubes NIBP Cuff , 25.4 to 40.6cm Arm Circumference ,Light Blue		
CF004GR-D	Adult Dual tube NIBP Cuff, 25.4 to 40.6cm Arm Circumference, Green		

www.greatmade.com

Greatmade P/N	Greatmade P/N Description (Cable , Connector)	
CF1510C	Adult#11 Nibp Cuff, 25.3-34.3cm Arm Circumference tubes come from the bottom of cuff	
CF1512C	Large Adult#12 Nibp Cuff,32.1-43.4cm Arm Circumferencetube from the bottom of cuff	
CF1510D	Adult#11 Nibp Cuff, 25.3-34.3cm Arm Circumferencetube come from the bottom of cuff	
CF1512D	Large Adult#12 Nibp Cuff,32.1-43.4cm Arm Circumferencetubes from the bottom of cuff	





Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1501A-BK	Neonate#1 Durable Nibp Cuff, 3.3-5.6cm Arm Circumference, without gasbag. BLACK, 1 tu	
CF1502A-BK	Neonate#2 Durable Nibp Cuff ,4.2-7.1cm Arm Circumference, without gasbag . BLACK, 1 tub	
CF1503A-BK	Neonate#3 Durable Nibp Cuff ,5-10.5cm Arm Circumference , without gasbag . BLACK, 1 tub	
CF1504A-BK	Neonate#4 Durable Nibp Cuff, 6.9-11.7cm Arm Circumference, without gasbag .BLACK, 1 tu	
CF1505A-BK	Neonate#5 Durable Nibp Cuff, 8.9-15cm Arm Circumference, without gasbag ,BLACK, 1tube	
CF1506A-BK	Infant#6 Durable Nibp Cuff, 10-15cm Arm Circumference , without gasbag BLACK,1tube	
CF1508A-BK	Child#9 Durable Nibp Cuff, 14-21.5cm Arm Circumference, without gasbag ,BLACK,1 tube	
CF1509A-BK	Small Adult#10 Durable Nibp Cuff,20.5-28 Arm Circumference, without gasbag,BLACK,1 tub	
CF1510A-BK	Adult#11 Durable Nibp Cuff, 27-35cm Arm Circumference , without gasbag ,BLACK,1 tube	
CF1512A-BK	Large Adult#12 Durable Nibp Cuff,34-43cm Arm Circumference, without gasbag ,BLACK	
CF1513A-BK	THIGH #13 Durable Nibp Cuff, 42-54cm Arm Circumference, without gasbag, BLACK,1 tube	



Non-Bladder Disposable NIBP Cuffs -- Nonwovens (CF1101A-CF1112A Single Tube Series)

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1101A	Neonate#1 Diposable Nibp Cuff, 3.3-5.6cm Arm Circumference, single tube	
CF1102A	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference ,Single tube	
CF1103A	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,Single tube	
CF1104A	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,Single tube	
CF1105A	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference ,Single tube	
CF1107A	Infant#7 Diposable Nibp Cuff, 9.8-13.3cm Arm Circumference ,Single tube	
CF1108A	Small Child#8 Diposable Nibp Cuff -12.4-16.8cm Arm Circumference ,Single tube	

www.greatmade.com

	CF1109A	Child#9 Diposable Nibp Cuff, 15.8-21.3cm Arm Circumference ,Single tube	
ſ	CF1110A Small Adult#10 Diposable Nibp Cuff,20-27 Arm Circumference ,Single tube		
ſ	CF1111A	Adult#11 Diposable Nibp Cuff, 25.3-34.3cm Arm Circumference ,Single tube	
ſ	CF1112A	Large Adult#12 Diposable Nibp Cuff , 32.1-43.4cm Arm Circumference ,Single tube	
Γ	CF1113A	THIGH #13 Diposable Nibp Cuff , 46-66cm Arm Circumference ,Single tube	



Non-Bladder Disposable NIBP Cuffs-Nonwovens(CF1107B-CF1112B Dual Tube Series)

	,	
Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1101B	Neonate#1 Diposable Nibp Cuff, 3.3-5.6cm Arm Circumference, dual tubes	
CF1102B	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference , dual tubes	
CF1103B	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,dual tubes	
CF1104B	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,dual tubes	
CF1105B	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference ,dual tubes	
CF1107B	Infant#7 Diposable Nibp Cuff, 9.8-13.3cm Arm Circumference ,dual tubes	
CF1108B	Small Child#8 Diposable Nibp Cuff -12.4-16.8cm Arm Circumference ,dual tubes	
CF1109B	Child#9 Diposable Nibp Cuff, 15.8-21.3cm Arm Circumference, dual tubes	
CF1110B	Small Adult#10 Diposable Nibp Cuff,20-27 Arm Circumference ,dual tubes	
CF1111B	Adult#11Diposable Nibp Cuff, 25.3-34.3cm Arm Circumference, dual tubes	
CF1112B	Large Adult#12 Diposable Nibp Cuff , 32.1-43.4cm Arm Circumference,dual tubes	
CF1113B	THIGH #13 Diposable Nibp Cuff , 46-66cm Arm Circumference ,dual tubes	



Non-Bladder Disposable NIBP Cuffs (TPU Material)

Greatmade P/N	Greatmade P/N Description (Cable , Connector)	
CF1201A	Neonate#1 Diposable Nibp Cuff,3.3-5.6cm Arm Circumference,single tube,TPU	
CF1202A	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference,single tube, TPU	
CF1203A	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,Single tubes TPU	
CF1204A	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,Single tubes TPU	
CF1205A	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference, single tube, TPU	
CF1207A	Infant#7 Diposable Nibp Cuff, 9.8-13.3cm Arm Circumference ,single tube ,TPU	
CF1208A	Small Child#8 Diposable Nibp Cuff 12.4-16.8cm Arm Circumference,single tube, TPU	
CF1209A	Child#9 Diposable Nibp Cuff, 15.8-21.3cm Arm Circumference ,Single tube, TPU	

www.greatmade.com



NIBP Air Hose

HP/Philips

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
M1599B	CF005	HP Pressure cuff interconnect hose, single tube, L=3m	







Compatible with Philips Medical 78352A/C ,78354A/C ,M1008A/B, M3000 .

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
M1597B	CF005N	HP Pressure cuff interconnect hose for Neonate NIBP . single tube . L=3m	







Compatible with Philips Medical 78352A/C ,78354A/C ,M1008A/B, M3000 .

For Philips Neonate NIBP

M3918A CF006 Pressure cuff interconnect hose, single tube, L=3m to connect cuff end to connect monitor end CF006



.or *Philips* M3921, M3923, M3926A,M3927A, M3928A, M3929A

Spacelab 90496 (Adult); Nellcor 3100, 4000. Compact A1, Compact A3, Mindray, Schiller,

For CSI 8100, Mennen, Biosys BPM-700. Datascope, Siemens

ICE006 N

I Pressure cuff interconnect hose for Neonate NIBP, single tube, L=3m








CF006 -H Pressure cuff interconnect hose, Helical tube , single tube , L=3n



GE Medical System

OEM Part	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007L	GE-Marquette Pressure cuff interconnect hose, Dual tube, L=3m	





to connect cuff end



Use with GE Medical System , Corometrics 118, Solar,

Eagle 4000, Tram 300, Tram 200, Tram 100.

OEM Part	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007B	GE-Marquette Pressure cuff interconnect hose , Dual tube , L=3m , For Adult .	



to connect cuff end



Use with GE Medical Solar Series , Dash Series , Eagle Series

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007D	GE-Marquette Pressure cuff interconnect hose , Dual tube , L=3m , 3 holes	

Use with GE Medical with 3 holes





OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007N	GE-Marquette Pressure cuff interconnect hose, Dual tube, L=3m, for neonate	







Use with GE Medical Solar Series , Dash Series , Eagle Series For Neonate cuff .

Connectors		
BP12	HP Cuff connector(male bayonet)	
BP16	HP Air Hose connector to connect monitor plug	
BP19	HP /Spacelab monitor NIBP socket	
BP15	Female Bayonet connector	
BP15-S	Female bayonet socket of NIBP on monitor	
BP22	GE/ Ohmeda Air hose (dual tubes) connector on Equipment Side	
BP24	GE Air hose (dual tubes) connector on Equipment Side	
BP40	Drager NIBP air hose connector assemblies ,to connector equipment end	
BP17	Quick connect submin male connector	
BP18	quick connect submin female connector	

1			
BP09-MF	Female screw connector ,Metal		
BP09-MM	Male screw connector , Metal		
BP06	Male Luer (Plastic		
BP03	Female Luer Connector (Plastic)		
ВР07	Male Luer (For Nihon Kohden ,CSI , Datascope Air Hose)		
BP04	Female Luer Connector (For Nihon Kohden ,CSI , Datascope Air Hose)		
BP12-P	Bayonet male Plastic		
BP2T-PO	Disposable cuff connector, Using outer diameter	The state of the s	
ВР2Т	Adapter connector for Single tube Air Hose		

	THE CUITIN		
BP2T-P	Single tube Adapter	{ } { } { } { } {	
BP3T-P			
BP25	GE Critikon Dinamap		
	(connected to		
	monitor side)		
BP26	GE Critikon		
	Dinamap 8100 air hose connector ,	88	
	for neonate cuff		
BP27		E	
	Eagle Series (for Neonate cuff)		
BP28	Adapter connector		
	for Dual tubes Air Hose		
	nosc		
BP31	Colin male luer		
	Connector		
BP32	Colin female luer		
	Connector		





CERTIFICAT

CERTIFICADO

CEPTUФИКАТ

.

CERTIFICATE

EC Certificate

(Devices in Class IIa, IIb or III)

No. G1 17 12 02231 002

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4) (Devices in Class IIa, IIb or III)

No. G1 17 12 02231 002

Manufacturer:

Shenzhen Greatmade Tech limited

3rd Floor, Building B

Baifuli Industrial Zone, Shanghenglang Huahui Road, Dalang Street

Longhua New District

518109 Shenzhen, Guangdong Province

PEOPLE'S REPUBLIC OF CHINA

EC-Representative:

Prolinx GmbH

Brehmstr. 56 40239 Duesseldorf GERMANY

Product

Spo2 sensor

Category(ies):

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.:

GZ1728501

Valid from: Valid until:

2018-04-11 2023-04-10

Date, 2018-04-11

Stefan Preiß

TÜV SÜD Product Service GmbH · Zertifizierstelle · Ridlerstraße 65 · 80339 München · Germany

TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123

TUV®

Full Quality Assurance System Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)

Facility(ies): Shenzhen Greatmade Tech limited

> 3rd Floor, Building B, Baifuli Industrial Zone, Shanghenglang, Huahui Road, Dalang Street, Longhua New District, 518109 Shenzhen, Guangdong Province, PEOPLE'S REPUBLIC OF

CHINA



Product Service

CERTIFICAT CERTIFICATE

CERTIFICADO

•

СЕРТИФИКАТ

.

.

CERTIFICATE

ZERTIFIKAT

Holder of Certificate: Shenzhen Greatmade Tech limited

3rd Floor, Building B

Baifuli Industrial Zone, Shanghenglang Huahui Road, Dalang Street

Longhua New District

518109 Shenzhen, Guangdong Province PEOPLE'S REPUBLIC OF CHINA

Facility(ies): Shenzhen Greatmade Tech limited

3rd Floor, Building B, Baifuli Industrial Zone, Shanghenglang, Huahui Road, Dalang Street, Longhua New District, 518109 Shenzhen Guangdong Province, PEOPLE'S REPUBLIC OF

Certification Mark:

No. Q1N 17 12 02231 001



Scope of Certificate: Design and Development, Production

and Distribution of Spo2 sensor,

Patient cable and leadwire, Blood pressure cuff

Applied

EN ISO 13485:2012 + AC:2012

Medical devices - Quality management systems -Standard(s):

Requirements for regulatory purposes

(ISO 13485:2003 + Cor. 1:2009) DIN EN ISO 13485:2012

Upgrade required until 2019-03-31

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.:

Valid from:

Valid until: 2021-04-10

GZ1728501



Date. 2018-04-11 Page 1 of 1

TÜV SÜD Product Service GmbH + Zertifizierstelle - Ridlerstraße 65 - 80339 München - Germany

ZERTIFIKAT

Page 2 of 2

TÜV SÜD Product Service GmbH · Zertifizierstelle - Ridlerstraße 65 · 80339 München · Germany





