

RT[®]ED
SUTURE



山东海迪科医用制品有限公司
SHANDONG HAI DI KE MEDICAL PRODUCTS CO.,LTD.

Add: Plant No. 1, Science and Technology Enterprise Incubator Park,
Shan County, Heze City, Shandong Province, China
Tel: +86-530-4660062
Fax: +86-530-4660055
Mobile: +86-13105409308
E-mail: info@suturescn.com
Web: www.suturescn.com



SHANDONG HAI DI KE MEDICAL PRODUCTS CO.,LTD.

山东海迪科医用制品有限公司

Shandong Haidike Medical Products Co., Ltd. is a leading and world famous medical devices manufacturer with CE, ISO, FSC, CFDA and FDA certificates. RTMED has registered as Madrid trademark. We have established good cooperation with Tsinghua University and Shandong Academy of Sciences, having great R & D center and research team. Our products are sold in over 100 countries.

- Absorbable surgical sutures approved by CE certificate
- NO.1 catgut suture plant in the world
- Lifting Threads for Beauty, Cosmetic
- Orthopedic casting tapes & splints
- Medical protection products
- Electric Wheelchair & Manual Wheelchair
- Pet Food, Vet Suture



BUSINESS LICENSE



MEDICAL DEVICE PRODUCTION LICENSE



ISO AND ALIBABA JOINT CERTIFICATION



CE CERTIFICATE FOR SURGICAL SUTURE



CE CERTIFICATE FOR VARIOUS PROTECTIVE PRODUCTS



BANDAGE SPLINT MEDICAL COMPLIANCE FOR CERTIFICATE



BANDAGE SPLINT MEDICAL COMPLIANCE FOR CERTIFICATE



U.S. FOOD AND DRUG ADMINISTRATION




SURGICAL SUTURE ISO 13485 CERTIFICATE



MADRID TRADEMARK



Needle Shapes



Advantages

- 1 Strong Hardness
- 2 Outstanding Sharpness
- 3 Excellent Tenacity And Ductility

- Round bodied (heavy)
- ▲ Curved cutting (heavy)
- ▼ Reverse cutting (heavy)
- ⊖ Taper cutting
- ⊕ Microfine spatula curved
- ⊙ Start point
- ▲ Straight round bodied
- ▲ Straight curved cutting



PGA POLYGLYCOLIC ACID

Properties:

Structure: Multifilament, Braided
 Colour: Violet, Undyed
 Chemical composition: Polyglycolic acid
 Coating: Polycaprolactone + Calcium Stearate
 Sizes: USP 8/0 - USP 4
 Type of absorption: Hydrolysis
 Sterilization: Ethylene Oxide
 Absorption: 60 - 90 days

Advantages:

- High initial tensile strength
- Excellent knotting ability
- Reliable absorbability
- Easy to handle
- Outstanding holding power through the critical wound periode
- Smooth surface, slides smoothly through the tissue



PDO POLYDIOXANONE

Properties:

Structure: Monofilament
 Colour: Violet, Undyed
 Chemical composition: Poly (p-dioxanone)
 Sizes: USP 7/0 - USP 2
 Type of absorption: Hydrolysis
 Sterilization: Ethylene Oxide
 Absorption: 180 - 210 days

Advantages:

- High initial tensile strength
- Prolonged wound support
- Minimal tissue reaction
- Lower incidence of infection and trauma due to smooth surface



PGLA POLYGLACTIN 910

Properties:

Structure: Multifilament, Braided
 Colour: Violet, Undyed
 Chemical composition: Poly(glycolide-co-l-lactide 90/10)
 Coating: Poly(glycolide-co-l-lactide 30/70) + Calcium Stearate
 Sizes: USP 8/0 - USP 2
 Type of absorption: Hydrolysis
 Sterilization: Ethylene Oxide
 Absorption: 56 - 70 days

Advantages:

- High tensile strength
- Smooth tissue passage
- Easy knotting and tie down
- Excellent knot security
- Reliable absorbability



PGCL POLIGLECAPRONE 25

Properties:

Structure: Monofilament
 Colour: Violet, Undyed
 Chemical composition: Poly (glycolide-co-caprolactone)
 Sizes: USP 6/0 - USP 2
 Type of absorption: Hydrolysis
 Sterilization: Ethylene Oxide
 Absorption: 90 - 120 days

Advantages:

- High initial tensile strength
- Easy handling
- Smooth passage through tissue
- Excellent knotting ability



CHROMIC CATGUT

Properties:

Colour: Dark brown
 Composition: Purified connective tissue
 Sizes: USP 7/0 - USP 4
 Type of absorption: Proteolysis
 Sterilization: Gamma radiation
 Absorption: 90 - 100 days

Advantages:

- High tensile strength
- Excellent handling properties
- Minimal tissue reaction
- Uniform absorption



PLAIN CATGUT

Properties:

Colour: Beige
 Composition: Purified connective tissue
 Sizes: USP 7/0 - USP 4
 Type of absorption: Proteolysis
 Sterilization: Gamma radiation
 Absorption: 60 - 70 days

Advantages:

- High tensile strength
- Smooth tissue passage
- Easy knotting and tie down
- Excellent knot security
- Reliable absorbability




SILK

Properties:

Structure: Braided
 Colour: Black, White
 Composition: Natural silk filaments
 Coating: Silicon / wax
 Sizes: USP 8/0 - USP 4
 Sterilization: Ethylene Oxide

Advantages:

- Excellent handling properties
- High tensile strength
- Highly smooth and flexible
- Good knot security



POLYPROPYLENE

Properties:

Structure: Monofilament
 Colour: Blue
 Chemical composition: Polypropylene
 Sizes: USP 7/0 - USP 3
 Sterilization: Ethylene Oxide

Advantages:

- High tensile strength
- Smooth tissue passage
- Easy and secure knotting
- Minimal acute inflammatory reaction in tissues
- Excellent and permanent tissue support



NYLON

Properties:

Structure: Monofilament
 Colour: Blue, Black
 Chemical composition: polyamide 6 - 6.6
 Sizes: USP 12/0 - USP 4
 Sterilization: Ethylene Oxide



Advantages:


- High tensile strength
- Smooth tissue passage
- Easy and secure knotting
- Excellent and permanent tissue support



POLYESTER

Properties:

Structure: Braided
 Colour: Green, White
 Chemical composition: Polyethylene terephthalate
 Coating: Silicon
 Sizes: USP 6/0 - USP 4
 Sterilization: Ethylene Oxide



Advantages:

- High tensile strength
- Excellent handling properties
- Minimal tissue reaction
- Good knot security

THREADS

NEEDLES

| THREADS TYPE | THREADS | | NEEDLES |
|---------------------------------------|----------|--------|------------------------------------|
| | DIAMETER | LENGTH | |
| ABSORBABLE | | | |
| POLYGLYCOLIC ACID (size: 5-8/0) | 10/0 | 15cm | ● 1/2 circle round bodied 01 |
| POLYGLYCOLIC ACID RAPID (size: 5-8/0) | 9/0 | 30cm | ● 3/8 circle round bodied 02 |
| POLYGLYCOLIC ACID PLUS (size: 5-8/0) | 8/0 | 45cm | ▲ 1/2 circle curved cutting 03 |
| POLYLACTIN 910 (size: 2-8/0) | 7/0 | 60cm | ▲ 3/8 circle curved cutting 04 |
| POLYLACTIN 910 RAPID (size: 2-8/0) | 6/0 | 70cm | ▼ 1/2 circle reverse cutting 05 |
| POLYLACTIN 910 PLUS (size: 2-8/0) | 5/0 | 75cm | ▼ 3/8 circle reverse cutting 06 |
| POLYDIOXANONE (size: 2-7/0) | 4/0 | 90cm | ● straight round bodied 07 |
| POLYDIOXANONE RAPID (size: 2-7/0) | 3/0 | 100cm | ▲ straight curved cutting 08 |
| POLYDIOXANONE PLUS (size: 2-7/0) | 2/0 | 125cm | ⊙ 1/2 circle taper cutting 09 |
| CHROMIC CATGUT (size: 4-7/0) | 0 | 150cm | ⊙ 3/8 circle taper cutting 10 |
| PLAIN CATGUT (size: 4-7/0) | 1 | 180cm | ⊙ blunt point 11 |
| POLIGLECAPRONE 25 (size: 2-6/0) | 2 | 200cm | ▼ 1/2 circle spatula curved 12 |
| POLIGLECAPRONE 25 RAPID (size: 2-6/0) | 3 | 250cm | ▼ 3/8 circle spatula curved 13 |
| POLIGLECAPRONE 25 PLUS (size: 2-6/0) | 4 | 300cm | ● 1/4 circle round bodied 14 |
| | | 300cm | ● 1/2 circle round bodied heavy 15 |
| | | 400cm | without needle 16 |
| | | 50cm | double needle -2 |
| NON-ABSORBABLE | | | |
| SILK (size: 4-6/0) | | | |
| NYLON (size: 4-12/0) | | | |
| POLYPROPYLENE (size: 3-7/0) | | | |
| POLYESTER (size: 4-7/0) | | | |

| | | | | |
|--|----|---|----|----|
| PGA | 20 | F | 01 | -2 |
| ↓ | | | | |
| PGA20F0126-2 | | | | |
| ↓ | | | | |
| Polyglycolic Acid 2/0 75mm 1/2 circle round bodied double needles 26mm | | | | |

Lifting Threads Needle

SHARP Basic type, generally used for linear filling and simple lifting. Beginners can also operate effortlessly.

L TYPE L type blunt needle, reduce the damage of blood vessels, bruising and hematoma. The pain was significantly reduced.

W TYPE Circular head, reducing the damage to the skin tissue. After the injection, the needle can be taken out then correct the position and depth of the needle, which improves the lack of a stitch of the other types.

U-COG Double needle is used for eyebrow lifting and other parts requiring strong lifting. U-COG is a special structure line with strong lifting ability. The local lifting effect is almost as good as the little facelift.

PDO/PCL Lifting Thread

Mono
Needle Sharp Needle
Parts Face, Body
Effects Tightening, Filling, Wrinkles Removing, Whitening

Tornado Screw
Needle Sharp Needle
Parts Eye, Neck, Crow's Feet, Cheek
Effects Tightening, Filling, Whitening, Wrinkles Removing

KONK
Needle L type Blunt Needle
Parts Nasal columella, Nasal bridge
Effects Rhinoplasty, Nose Shaping

COG Lifting
Needle L/W type Blunt Needle
Parts Lifting Eyebrow, Apple Zone, Cheek, Chest
Effects Face Lifting, V Face, Chest Lifting

Multi Threads
Needle L type Blunt Needle
Parts Face, Neck, Eye Bag, Crow's Feet
Effects Tightening, Filling, Whitening, Wrinkles Removing

Molding COG
Needle W type Blunt Needle
Parts Face, Neck, Crow's Feet, Eye Bag
Effects Tightening, Filling, Whitening, Wrinkles Removing



Forehead
 Multi Threads / Tornado Screw / Mono Screw

Crow's feet / Eye bags / Eye Corner's Lifting
 Blunt Needle For Eye 30G-25mm

Apple Zone
 Multi Threads / Tornado Screw / Mono Screw

Nasolabial folds / Mouth Corner's Lifting
 Multi Threads / Tornado Screw / Mono Screw



Face Lifting
 18G-100mm / 19G-100mm

Nose Dorsum / Nose Bridge
 19G-60mm

Nose Columella
 19G-38mm

Cervical Stripe / Neck Lifting
 23G-38mm / 18G-100mm

Medical Cooling Gel Patch



Usage Method



Step one:
Thoroughly clean facial skin before using facial mask.



Step two:
Remove the facial mask, spread it on the face and adjust it to the skin.



Step three:
Apply for 15-20 minutes, so that the skin can absorb the essence of the facial mask.



Step four:
Remove the facial mask, gently massage the face with the fingers, absorb the residual essence, and clean the face.

Hyaluronic Acid Hydrating Mask



Net : 25ml
Silk membrane cloth

WWW.HDKSUTURE.COM

Peptide Repair Lyophilized Powder



- ① Peptide element repair lyophilized powder
- ② Peptide element repairing solution



Step one:
Open the aluminum cover and rub the plug.



Step two:
Pour bottle ② of liquid into bottle ①.



Step three:
Put on the dropper and shake the liquid in bottle ① evenly.



Step four:
Squeeze the dropper, take a proper amount of liquid and evenly smear it on the face.

Skin Care Products



| | |
|---|-------|
| Mid-Cleaning Foam | 150ml |
| Soothing Moisturizing Toner | 120ml |
| Moisturizing Repairing Lotion | 100ml |
| Brightening Recovery Essence | 40ml |
| Multi-effect Nourishing Repairing Cream | 50g |

WWW.SUTURESCN.COM

Hernia Repair Mesh



Large mesh aperture

Promotes liquid circulation and smoothes tissue growth.

Less micropores

Greatly reduces the possibility of bacteria hiding and is not easy to infect.


Light weight

Reduce postoperative pain and foreign body sensation.

Hernia Example



After Mesh Repair




Disposable Surgical Face Masks



3 Ply Flat type Ear Loop EN 14683:2019 Type IIR

| Name | Parameter |
|----------------------|---|
| Size | 17.5 cm x 9.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 98%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 85%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



3 Ply Flat type Ear Loop EN 14683:2019 Type IIR

| Name | Parameter |
|----------------------|---|
| Size | 14.5 cm x 9.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 98%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 85%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |

Disposable Medical Face Mask



3 Ply Flat type Ear Loop EN 14683:2019 Type I

| Name | Parameter |
|----------------------|---|
| Size | 17.5 cm x 9.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 95%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



3 Ply Flat type Ear Loop EN 14683:2019 Type IIR

| Name | Parameter |
|----------------------|---|
| Size | 17.5 cm x 9.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 98%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



3 Ply Flat type Ear Loop EN 14683:2019 Type I

| Name | Parameter |
|----------------------|---|
| Size | 14.5 cm x 9.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 95%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



5 Ply Folding type EN 14683:2019 Type IIR

| Name | Parameter |
|----------------------|---|
| Size | 11.5 cm x 15 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 98%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



3 Ply Cup type Head Loop EN14683:2019 Type IIR

| Name | Parameter |
|----------------------|---|
| Size | 13.5 cm x 13.5 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 90%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 2 years after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |



5 Ply Folding type Head Loop N95-V1

| Name | Parameter |
|----------------------|---|
| Size | 11.5 cm x 15 cm |
| Material | Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, nose clip, polyester/nylon spandex blend ear loops |
| Product performance: | The bacterial filtration efficiency of the mask should be not less than 95%. |
| Application | It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc. |
| Expiration date | 11 months after production |
| Storage | Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources. |

Medical Goggle



| | |
|----------------------|---|
| Model specifications | <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Transparent <input type="checkbox"/> Large <input type="checkbox"/> Medium <input type="checkbox"/> Small |
| Product description | It is composed of a protective cover made of polymer material, a foam strip and a fixing device. Non-sterile, single use. |
| Expiration date | 3 years after production |
| Storage | This product should be stored in a dry, ventilated, non-corrosive gas warehouse. |

Medical Isolation Mask



Model: Ear hook type / Headband type

EN166:2001
EN167:2002



| | |
|---------------------|---|
| Product description | It is composed of a protective cover made of polymer material, a foam strip and a fixing device. Non-sterile, single use. |
| Expiration date | 3 years after production |
| Storage | This product should be stored in a dry, ventilated, non-corrosive gas warehouse. |

Isolation Gown



Measurement deviation ±2cm

Isolation Gown - TYPE A



Isolation gowns - type A Specifications: 120cm×120cm

Material 100% Non-woven fabric

Product description Non-woven fabrics are usually used as the main raw materials, which are made by cutting and sewing. Non-sterile, single-use.

Expiration date 3 years after production

Storage This product should be stored in a dry, ventilated, non-corrosive gas warehouse.

Isolation Gown



Isolation Gown - TYPE B



Isolation gowns - type B Specifications: One-size-fits-all


Material 100% Non-woven fabric

Product description Non-woven fabrics are usually used as the main raw materials, which are made by cutting and sewing. Non-sterile, single-use.

Expiration date 3 years after production

Storage This product should be stored in a dry, ventilated, non-corrosive gas warehouse.

Medical Disposable Protective Clothing



Executive Standard: GB 19082-2009 EN 14126:2003



Specifications: One-piece Sizes: □ 160 □ 165 □ 170 □ 175 □ 180 □ 185

Raw materials of Components:

| Items No. | Components | Raw materials |
|-----------|--------------|---|
| 1 | Fabrics | PP+PE (Polypropylene + polyethylene breathable membrane) composite material |
| 2 | Rubber strip | EVA low temperature glue, polymer basic cloth |

Intended use: It is used to provide barrier and protection for the potentially infectious patients' blood, body fluids, secretions, etc. that clinical medical personnel come into contact with at work. It cannot be used to isolate places with strict microbiological index control requirements such as intensive care unit (room).

Expiration date 2 years after production

Storage: Store at room temperature, in non-corrosive gas, dry, avoid the sunlight, good ventilation, clean environment, away from fire.

WWW.HDKSUTURE.COM

Surgical Gowns



CE BS EN 13795-1:2019



Model: □S □M □L □XL □XXL □XXXL □XXXXL Specifications: □High performance type □Standard type

Material 100% Non-woven fabric

Intended use For the surgical staff to wear, reduce the source of infection to the patient's surgical wound to prevent postoperative wound infection.

Expiration date 3 years after production

Storage Store in an environment with relative humidity not exceeding 80%, no corrosive gas, cool, dry, well ventilated and clean.

WWW.SUTURESCN.COM

Medical Isolation Shoe Cover



size: Long Short Style: Non-woven fabric PVC PP+PE

| | |
|------------------------------|---|
| Product description | Made of suitable materials, with sufficient strength and barrier properties. Non sterile. |
| Expiration date | 3 years after production |
| Storage | Store in an environment with relative humidity not exceeding 80%, no corrosive gas, cool, dry, well ventilated and clean. |
| Medical isolation shoe cover | Long-style / Short-style Blue / White FZ/T64005-2011 |

Medical Cap

Model specifications Round cap. φ25.5cm FZ/T64005-2011

Product description Non-woven fabric is usually used as the main raw material, which is made by cutting and sewing. Non-sterile, single-use.

Material Non-woven fabric PP+PE

Colour Blue

Storage This product should be stored in a dry, ventilated, non-corrosive gas warehouse.



Medical Scrubs Uniforms



Model: type A: split type; type B: gown type.



Specifications S M L XL XXL

Product Description Usually made of cotton fiber or non-woven fabric. The medical scrubs uniforms is short-sleeve or long-sleeve style that have the function of blocking dandruff, and do not have liquid barrier properties. It is non-sterile supply and can be reused. It should be sterilized before using.

Expiration date 3 years after production

Storage The product should be stored in a clean warehouse without corrosive gas, well ventilated, cool and dry.

Medical Bed Sheet



Materials: 70% Polypropylene, 30% Polyethylene non-woven fabric

| | |
|----------------------------|---|
| Product description | It is made by compounding or sewing non-woven fabric and plastic film. Non-sterile, single use. |
| Expiration date | 3 years after production |
| Storage | This product should be stored in a dry, ventilated, non-corrosive gas warehouse. |



Disposable Virus Specimen Collection Tube



Model: Inactivated and non-inactivated



| | |
|----------------------------|---|
| Product description | Disposable virus specimen collection tube is composed of swabs and/or collection cups and tubes containing storage solution. Non-sterile. |
| Expiration date | 12 months |
| Storage | The product should be stored in a non-corrosive gas and well-ventilated warehouse at room temperature. |

Medical examination gloves



Model/Specification: According to the different materials used, it is divided into: polyvinyl chloride, butyronitrile; according to the size, it is divided into: XS, S, M, L, XL.

Product Description: Usually made of materials such as polyvinyl chloride. Have sufficient strength and barrier properties. Non-sterile supply, single use.

Intended use: It will be wore by doctor to do checking for the patients or lab testing.

Medical rubber gloves



Model/Specification: XS, S, M, L, XL.

Product Description: Usually made of materials such as polyvinyl chloride and rubber. Have sufficient strength and barrier properties. Non-sterile supply, single use.

Intended use: It will be wore by doctor to do checking for the patients or lab testing.

Orthopedic Casting Tape



USE INSTRUCTION

- Apply 1-2 layers stockinet over the affected body part;
- Wear surgical gloves;
- Choose proper size orthopedic casting tape, then open the package;
- Immerse the casting tape in normal temperature(20℃~30℃) water for 5~6 seconds and squeeze 2~3 times. Then remove from the water and squeeze out the excess water. The curing time of orthopedic casting tape is directly related to the temperature of water. The curing time is shorter in high temperature water than in low temperature water. If the water temperature is over 27℃, the curing time is too short to increase the difficulty of the operation.
- Wrap the casting tape spirally around the affected body part, overlapping the previous layer by one-half or two-thirds the width of the tape. The tension is moderate. If it is too loose, it will weaken the adhesion of the orthopedic casting tape. If it is too tight, it will affect the blood circulation.
- The intensity of the casting tape is related to the number of overlapped layers. Overlap 3-4 layers for the non-weight bearing parts, while overlap 5-6 layers for the weight bearing parts. If more layers are needed, please ensure the adhesivity between the layers.
- To increase the adhesion between layers, the casting tape will be shaped after wrapped. The operating time should be in 3-5 minutes. The adhesion and shaping effect cannot reach the best if the operating time is longer or the immersed time is too long. The patients do not allow to move freely in 10 minutes before the orthopedic casting tape are completely hardened.
- The electric plaster saw is needed if the affected parts need to open a window or remove the orthopedic casting tape.

| Orthopedic Casting Tape | | | | |
|------------------------------------|-------|--------------------|----------------------------|------------------|
| Product Description | Sizes | Specification(W×L) | Packaging | Operating Part |
| Fiberglass Orthopedic Casting Tape | RT002 | 5.0cm × 360cm | 10bags/box 12boxes/cart | Wrists/Childrens |
| Fiberglass Orthopedic Casting Tape | RT003 | 7.5cm × 360cm | 10bags/box 12boxes/cart | Arms |
| Fiberglass Orthopedic Casting Tape | RT004 | 10.0cm × 360cm | 10bags/box 12boxes/cart | Arms / Legs |
| Fiberglass Orthopedic Casting Tape | RT005 | 12.5cm × 360cm | 10bags/box 9boxes/cart | Legs |
| Fiberglass Orthopedic Casting Tape | RT006 | 15.0cm × 360cm | 10bags/box 9boxes/cart | Legs |

Polymer Splint




Wrist Fixation
Recommended sizes:
312 (7.5cmX30cm)
415 (10cmX40cm)

Thumb Fixation
Recommended sizes:
312 (7.5cmX30cm)
415 (10cmX40cm)

The fourth and Fifth Finger Fixation
Recommended sizes:
312 (7.5cmX30cm)
415 (10cmX40cm)

Elbow Fixation
Recommended sizes:
312 (7.5cmX30cm)
415 (10cmX40cm)



Forearm Fixation
Recommended sizes:
335 (7.5cmX90cm)
430 (10cmX75cm)

Horseshoe Fixation
Recommended sizes:
335 (7.5cmX90cm)
430 (10cmX75cm)

Ankle Fixation
Recommended sizes:
430 (10cmX75cm)
530 (12.5cmX75cm)

Legs Fixation
Recommended sizes:
335 (7.5cmX90cm)
545 (12.5cmX115cm)

Polymer splint

| Product Description | Sizes | Specification(WxL) | Packaging | Operating part |
|------------------------|-------|--------------------|---------------------------|------------------|
| Medical Polymer Splint | 312 | 7.50cmX30cm | 20bags/box 8boxes/cart | wrists/Childrens |
| Medical Polymer Splint | 335 | 7.50cmX90cm | 12bags/box 8boxes/cart | arms/legs |
| Medical Polymer Splint | 415 | 10.0cmX40cm | 15bags/box 8boxes/cart | arms/legs |
| Medical Polymer Splint | 430 | 10.0cmX75cm | 10bags/box 8boxes/cart | legs |
| Medical Polymer Splint | 530 | 12.5cmX75cm | 10bags/box 6boxes/cart | legs |
| Medical Polymer Splint | 545 | 12.5cmX115cm | 5bags/box 6boxes/cart | legs |
| Medical Polymer Splint | 630 | 15.0cmX75cm | 10bags/box 8boxes/cart | legs |
| Medical Polymer Splint | 645 | 15.0cmX115cm | 5bags/box 6boxes/cart | legs |



Tissue Scissors



Stitch Scissors



Umbilical Scissors



Hemostatic Forceps



Tissue Forceps



Needle Forceps



Edison Forceps



Dissecting Forceps



Dressing Forceps



Surgical Blade



Scalpel 3#



Scalpel 4#



Scalpel 7#



Bone Hook





Skin Retractor



Surgery Suction Pipe

Electric Wheelchair

| | |
|------------------------------|-------------------------------------|
| Front wheel size: 10 inches | Net weight: 47kg (actually prevail) |
| Rear wheel size: 16 inches | Maximum speed: 6km/h |
| Dimensions: 1180×630×1360mm | Theoretical travel: 15km |
| Safe load: 100kg | Motor (motor): DC24V250W*2pcs |
| Frame material: Carbon steel | Gradeability (gradient): 6 degrees |
| Battery: Standard | |




| | |
|------------------------------------|---------------------------------------|
| Front wheel size: 8 inches | Net weight: 21.5kg (actually prevail) |
| Rear wheel size: 12 inches | Maximum speed: 6km/h |
| Dimensions: 990×590×950mm | Theoretical travel: 15km |
| Safe load: 100kg | Motor (motor): DC24V250W*2pcs |
| Frame material: Aluminum alloy | Gradeability (gradient): 6 degrees |
| Battery: 12AH/20AH lithium battery | Folding size: 765×590×350mm |

Manual Wheelchair




| | |
|--------------------------------|-------------------------------------|
| Front wheel size: 7 inches | Net weight: 18kg (actually prevail) |
| Rear wheel size: 24 inches | Armrest: blow molding/leather |
| Dimensions: 950×680×900mm | Seat width: 460mm |
| Safe load: 100kg | Seat height: 520mm |
| Frame material: Aluminum alloy | |
| Tire: solid tire | |




| | |
|--------------------------------|--------------------------------------|
| Front wheel size: 6 inches | Net weight: 7.2kg (actually prevail) |
| Rear wheel size: 8 inches | Armrest: blow molding/leather |
| Dimensions: 1000×500×910mm | Seat width: 340mm |
| Safe load: 100kg | Seat height: 490mm |
| Frame material: Aluminum alloy | Backrest height: 410mm |
| Folding size: 220×500×700mm | |

Seniors Shopping Cart

A good helper for parents in life



Tie-rod brake design



Comfortable seat



Wear-resistant reinforced brake rear wheel



New Generation Multi-claw Crutches

Material upgrade



Smooth all the way

- Anti-stumbling design
- Steady walk without hindrance
- The inside and outside width design is balanced and stable



Feel comfortable

- High wear-resistant handrail
- Surface cracked anti-skid treatment, anti-skid and wear-resistant. Ergonomic design. Fits to the hand without getting tired from holding for a long time.



Firmer and stronger

- 1.2mm wall thickness Thicken reinforcement
- Lightweight and load-bearing




Firm and convenient

- Annular clasp clamp
- Fixed main pole Three simple steps



Medical Grade Crutches

Stable and non-slip height adjustable



PE environmentally friendly foam material arm rest

Thick PE foam material, high resilience, non-slip, soft and comfortable, strong abrasion resistance, not tired after long-term use.



Leg height adjustment in 9 positions

The height of 9 levels is adjustable to meet the needs of people of different heights. Strengthen the aluminum alloy to provide super good support.



Grip three-position adjustment

The grip has three gears adjustment, the adjustment part is locked firmly and stably, and it is convenient to use and feel comfortable and soft.



Non-slip durable rubber pad

The rubber pad is made of rubber, which is thicker, stable and non-slip, and the built-in metal gasket is wear-resistant and durable.



Nursing Bed

Bent leg angle: -45-25°

Back angle: 0-80°

Rollover angle: 0-55°

Toilet hole size: 200×215mm


Product Size: 2100×900×660mm

Bed size: 1970×900mm

Bed material: Thickened steel pipe

For people: Elderly, paralyzed patients, etc

Product accessories: Wash basin, infusion stand, mattress, dining table, guardrail, castor, bedpan





Cassette Sutures

| | |
|----------------|--|
| Length | 25m 50m 75m 100m |
| Absorbable | Chromic catgut, Plain catgut PGA, PGLA, PDO |
| Non-absorbable | Silk, Nylon, Polyester, Polypropylene |



Suture Materials



Self-adhesive Elastic Bandage

| Standard | Features |
|-------------|-----------------|
| 5.0cm×450cm | Self-adhesive |
| 7.5cm×450cm | High elasticity |
| 10cm×450cm | Waterproof |
| 15cm×450cm | Easy to tear |

Milkshake



Pet Staple Food



Cat Food / Dog Food



Acupoint Pressure Stimulation Patch



Specification model: $\phi 7\text{cm} \times 1$ paste $\times 40$ paste, paste core $\phi 3\text{cm}$

Product description: This product is composed of spheres and medical tape. It is attached to acupuncture points of the human body and only exerts pressure stimulation by external force.

Intended use: It is used to stick to acupuncture points of the human body for external stimulation. Non-invasive.

Nasal Irrigator



Press once to release the water



Press again to stop the water

