



CERT

DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DV-8601AQ3257

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of gas and water supply <i>Produkte der Gas- und Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Georg Fischer Wavin AG Ebnetstraße 111, CH-8201 Schaffhausen
Distributor <i>Vertreiber</i>	Georg Fischer Wavin AG Ebnetstraße 111, CH-8201 Schaffhausen
Product Category <i>Produktart</i>	plastic fittings and compression fittings: PE-HD electro fusion fitting, diameter up to 63 mm (8603)
Product Description <i>Produktbezeichnung</i>	PE-HD electro fusion fitting, diameter up to 63 mm
Model <i>Modell</i>	ELGEF-Plus (Georg Fischer +GF+)
Test Reports <i>Prüfberichte</i>	laboratory control test: K 20 0058.1 from 20.07.2020 (MPD) type testing: K 20 0420.1 from 29.06.2020 (MPD) KTW testing: KR 039/20 from 09.11.2020 (TZW) hygienic testing: MO 226/19 from 23.04.2020 (TZW) KTW testing: KR 040/20 from 09.11.2020 (TZW) hygienic testing: MO 180/19 from 21.04.2020 (TZW)
Test Basis <i>Prüfgrundlagen</i>	DVGW GW 335-B2 (01.09.2004) DVGW GW 335-B2/B1 (01.02.2013) UBA KTW-BWGL (11.03.2019) DVGW W 270 (01.11.2007)
Date of Expiry / File No. <i>Ablaufdatum / Aktenzeichen</i>	07.02.2026 / 20-0920-WNV



03.12.2020 Fk A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 for certification of products for energy and water supply industry.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte Stelle für die Zertifizierung von Produkten der Energie- und Wasserversorgung.

DAkkS

Deutsche
Akkreditierungsstelle
D-ZE-16028-01-05

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Type Typ	Technical Data Technische Daten	Remarks Bemerkungen
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 20 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 25 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 32 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 40 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 50 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 63 mm	

Hints of Utilization / Remarks**Verwendungshinweise / Bemerkungen**

parts: sockets, angles, T-pieces, reducers, caps, saddles, saddles for gas-free drilling





CERT

DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DV-8606AQ3258

Registration Number
Registriernummer

Field of Application
Anwendungsbereich

products of gas and water supply
Produkte der Gas- und Wasserversorgung

Owner of Certificate
Zertifikatinhaber

Georg Fischer Wavin AG
Ebnatstraße 111, CH-8201 Schaffhausen

Distributor
Vertreiber

Georg Fischer Wavin AG
Ebnatstraße 111, CH-8201 Schaffhausen

Product Category
Produktart

plastic fittings and compression fittings: PE-HD electro fusion fitting,
diameter 75 up to 225 mm (8608)

Product Description
Produktbezeichnung

PE-HD electro fusion fitting, diameter 75 up to 225 mm

Model
Modell

ELGEF-Plus (Georg Fischer +GF+)

Test Reports
Prüfberichte

laboratory control test: K 20 0058.2 from 20.07.2020 (MPD)
laboratory control test: K 20 0058.13 from 20.07.2020 (MPD)
type testing: K 20 0420.2+K 20 0420.3 from 29.06.2020 (MPD)
KTW testing: KR 039/20 from 09.11.2020 (TZW)
hygienic testing: MO 226/19 from 23.04.2020 (TZW)
KTW testing: KR 040/20 from 09.11.2020 (TZW)
hygienic testing: MO 180/19 from 21.04.2020 (TZW)

Test Basis
Prüfgrundlagen

DVGW GW 335-B2 (01.09.2004)
DVGW GW 335-B2/B1 (01.02.2013)
UBA KTW-BWGL (11.03.2019)
DVGW W 270 (01.11.2007)

Date of Expiry / File No.
Ablaufdatum / Aktenzeichen

07.02.2026 / 20-0920-WNV



03.12.2020 Fk A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 for certification of products for energy and water supply industry.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte Stelle für die Zertifizierung von Produkten der Energie- und Wasserversorgung.



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-05

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Type Typ	Technical Data Technische Daten	Remarks Bemerkungen
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 75 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 90 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 110 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 125 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 140 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 160 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 180 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 200 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 225 mm	

Hints of Utilization / Remarks

Verwendungshinweise / Bemerkungen

parts: sockets, angles, T-pieces, reducers, caps, saddles, saddles for gas-free drilling





CERT

DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DV-8611AQ3259

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of gas and water supply <i>Produkte der Gas- und Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Georg Fischer Wavin AG Ebnatstraße 111, CH-8201 Schaffhausen
Distributor <i>Vertreiber</i>	Georg Fischer Wavin AG Ebnatstraße 111, CH-8201 Schaffhausen
Product Category <i>Produktart</i>	plastic fittings and compression fittings: PE-HD electro fusion fitting, diameter 250 up to 630 mm (8613)
Product Description <i>Produktbezeichnung</i>	PE-HD electro fusion fitting, diameter 250 up to 630 mm
Model <i>Modell</i>	ELGEF-Plus (Georg Fischer +GF+)
Test Reports <i>Prüfberichte</i>	laboratory control test: K 20 0058.11 from 20.07.2020 (MPD) laboratory control test: K 20 0058.3 from 20.07.2020 (MPD) supplement test: K 17 0287.1 from 20.03.2017 (MPD) supplement test: K 17 0287.2 from 17.03.2017 (MPD) laboratory control test: K 15 0331.18 from 11.11.2015 (MPD) mechanical test: K 12 0040.3 from 08.03.2012 (MPD) type testing: K 05 1560.3 from 06.01.2006 (MPD)
Test Basis <i>Prüfgrundlagen</i>	DVGW GW 335-B2 (01.09.2004) DVGW GW 335-B2/B1 (01.02.2013) UBA KTW (07.03.2016) DVGW W 270 (01.11.2007)
Date of Expiry / File No. <i>Ablaufdatum / Aktenzeichen</i>	07.02.2026 / 20-0920-WNV



03.12.2020 Fk A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 for certification of products for energy and water supply industry.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte Stelle für die Zertifizierung von Produkten der Energie- und Wasserversorgung.

DAkkS

Deutsche
Akkreditierungsstelle
D-ZE-16028-01-05

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 250 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 280 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 315 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 355 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 400 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 450 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 500 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 560 mm	
ELGEF-Plus (Georg Fischer +GF+)	nominal diameter: 630 mm	

Hints of Utilization / Remarks**Verwendungshinweise / Bemerkungen**

parts: sockets, angles, T-pieces, reducers, caps, clamp saddles



DVG

· INSTA-CERT ·

CERTIFICATE

Date of valid edition 12-11-2020 No. 2038
Date of first issue 16-10-2006 Page 1 of 2

Name and address of certificate holder

Georg Fischer Wavin Ltd.
Ebnatstrasse 111
CH-8201 Schaffhausen
Switzerland

Conformity marks covered by the certificate



Marks for products in contact with drinking water

DK-VAND *

DS's certification rules of 11 June 2008

Information regarding the certificate holder/manufacture

Contact person Patric Haas	Telephone +41 52 631 3965
	Email patric.haas@georgfischer.com
Manufacturer Georg Fischer Wavin Ltd.	Place of manufacture Ebnatstrasse 111 CH-8201 Schaffhausen Switzerland

Product covered by the certificate

Type of product Plastics piping systems for water supply and for drainage and sewerage under pressure - Polyethylene (PE)	Standard Normative document EN 12201-3	Specific rules INSTA-CERT SBC EN 12201
Specification of product Electrofusion fittings, PE 100 (specified on page 2) 1 ($16 \leq d_n < 75$ mm), SDR 11 2 ($75 \leq d_n < 250$ mm), SDR 11, 17 3 ($250 \leq d_n < 710$ mm), SDR 11, 17 4 ($710 \leq d_n = 800$ mm), SDR 11, 17 Approved raw materials are specified in Annex 1 which is confidential.		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months notice on the part of the certificate holder and the certification body. Information on valid certificates is available on INSTA-CERT's homepage, www.insta-cert.net. The certificate is not transferable.

MEMBER OF INSTA-CERT
DANCERT A/S

Jørgen Baadsgaard-Jensen
CEO

This certificate is electronically signed
INSTA CERT CERTIFICATE Revision 10 of 2018-03-21



· INSTA-CERT ·**CERTIFICATE**

Date of valid edition
12-11-2020
No.
2038
Date of first issue
16-10-2006
Page
2 of 2

The table below specifies the approved types and sizes

Electrofusion fittings, PE 100	Fitting group	Size group	SDR	Brand
Electrofusion Tee 90°, d20-63	A	1	11	GF, WA
Electrofusion elbow 90°, d20-63	A	1	11	GF, WA
Electrofusion reducer, d20-63	A	1	11	GF, WA
Electrofusion elbow 45°, d32-63	A	1	11	GF, WA
Electrofusion endcap, d20-63	A	1	11	GF, WA
Tapping saddle, d40/20-d63/32	B	1	11	GF, WA
Branch fitting, d110/90-d250/125	B	2, 3	11	GF, WA
Electrofusion coupler, d20-160	A	1, 2	11	GF, WA
Electrofusion coupler, d160-315	A	2, 3	11, 17	GF, WA
Electrofusion coupler, d355-800	A	3, 4	11, 17	GF, WA
Saddle kit, d63/20-d315/63	B	1, 2, 3	11	GF
Repair saddle, d63-315	B	1, 2, 3	11	GF
Branch saddle, d63/63-d315/63	B	1, 2, 3	11	GF
Tapping Tee, d63/20-d225/63	B	1, 2	11	GF



· INSTA-CERT ·

Annex 1

Page 1 (1)

Certificate No.: 2038

Date: 12-11-2020

Certificate holder
Georg Fischer Wavin Ltd.
Ebnetstrasse 111
CH-8201 Schaffhausen
Switzerland

The table below specifies the approved raw materials.

Raw material	Size group	SDR	DK-VAND Valid until	Reports
Electrofusion fittings, PE 100:				
ELTEX TUB 121 DK-VAND *	1, 2, 3	11, 17	05.05.2023	DS licence No. 1593 and additional testing DTI 489679 DTI 575669 DHI 11819080
HOSTALEN CRP 100 DK-VAND *	1, 2, 3	11, 17	02.10.2023	DHI 11824564-Ed.2A DHI 11824564-Ed.1A
ELTEX TUB 121 N3000 ¹ DK-VAND *	3	11, 17	02.10.2023	DHI 11824564-Ed.3A DHI 11824564-Ed.4A

¹ Approved only for electrofusion coupler d355-800 (pipe in pipe construction) except d355 which is made of Hostalen CRP 100.



· INSTA-CERT ·

CERTIFICATE

Date of valid edition
25-05-2020

No.
2039

Date of first issue
16-10-2006

Page
1 of 2

Name and address of certificate holder

Georg Fischer Wavin Ltd.
Ebnatstrasse 111
CH-8201 Schaffhausen
Switzerland

Conformity marks covered by the certificate



Marks regarding products in contact with drinking water

DK-VAND*

DS's certification rules of 11 June 2008

Information regarding the certificate holder/manufacture

Contact person Patric Haas	Telephone +41 52 631 3965 Email patric.haas@georgfischer.com
Manufacturer Georg Fischer Wavin Ltd.	Place of manufacture Industriestrasse 24 CH-4553 Subingen Switzerland

Product covered by the certificate

Type of product Plastics piping systems for water supply and for drainage and sewerage under pressure - Polyethylene (PE)	Standard Normative document EN 12201-3	Specific rules INSTA-CERT SBC EN 12201
Specification of product Electrofusion fittings and spigot fittings, PE 100 (specified on page 2) 1 ($16 \leq d_n < 75$ mm), SDR 11 2 ($75 \leq d_n < 250$ mm), SDR 11, 17 3 ($250 \leq d_n < 710$ mm), SDR 11, 17 Approved raw materials are specified in Annex 1 which is confidential.		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new 'date of valid edition' only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months notice on the part of the certificate holder and the certification body. Information on valid certificates is available on INSTA-CERT's homepage, www.insta-cert.net. The certificate is not transferable.

MEMBER OF INSTA-CERT

DANCERT AS

Jørgen Baadsgaard-Jensen
CEO



Date of valid edition
25-05-2020
Date of first issue
16-10-2006

No.
2039
Page
2 of 2

The table below specifies the approved types and sizes.

Electrofusion fittings and spigot fittings, PE 100	Fitting group	Size group	SDR	Brand
Electrofusion Tee 90°, d90-250	A	2, 3	11	GF, WA
Spigot Tee 90°, d20-225 (SDR 11), d110-225 (SDR 17)	C	1, 2	11, 17	GF, WA
Electrofusion elbow 90°, d90-250	A	2, 3	11	GF, WA
Spigot elbow 90° d20-225 (SDR 11), d110-225 (SDR 17)	C	1, 2	11, 17	GF, WA
Electrofusion elbow, 45° d90-250	A	2, 3	11	GF, WA
Spigot elbow, 45° d20-225 (SDR 11), d110-225 (SDR 17)	C	1, 2	11, 17	GF, WA
Electrofusion reducer, d90-250	A	2, 3	11	GF, WA
Spigot reducer d20-225 (SDR 11), d110-225 (SDR 17)	C	2	11, 17	GF, WA
Spigot endcap d20-225 (SDR 11), d110-225 (SDR 17)	C	1, 2	11, 17	GF, WA
Electrofusion coupler, d20-315	A	1, 2, 3	11	GF, WA
Electrofusion coupler, d160-315	A	2, 3	17	GF, WA



· INSTA-CERT ·

Annex 1

Page 1 (1)

Certificate No.: 2039


Date: 25-05-2020

Certificate holder
Georg Fischer Wavin Ltd.
Ebnetstrasse 111
CH-8201 Schaffhausen
Switzerland

The table below specifies the approved raw materials.

Raw material	Size group	SDR	DK-VAND Valid until	Reports
Electrofusion fittings and spigot fittings, PE 100:				
ELTEX TUB 121 DK-VAND *	1, 2, 3	11, 17	06.05.2023	DS licence No. 1593 and additional testing DTI 489679 DTI 575669 DHI 11819080 DHI 11824564-Ed.2B DHI 11824564-Ed.1B
HOSTALEN CRP 100 DK-VAND *	1, 2, 3	11, 17	06.05.2023	





„Resacons-STR” SRL

MD-2019, mun. Chişinău, or. Codru, str. Sitarului 15/2

c/f 1003600159764 TVA 0202731

Tel./Fax 022 283056, Mob 069127846

E-mail: resacons.str1998@gmail.com

Nr 03 data 01.02.2023

Declarație

Prin prezența, „Resacons-STR” SRL declara ca la majoritatea certificate de conformitate/rapoarte de incercari se elibereaza in baza facturii fiscale de catre furnizor.

Administrator „Resacons-STR” SRL



/ _ Viorel Stratulat