

E



E-17/J

- Connector: 3.5 mm mono jack
- Measuring range: 0-100% O₂
- Output signal: 13–16-5 mV
- Response time: < 12 seconds
- Warranty: 16 months
- Storage: up to 6 months

E



E-17/M

- Connector: 3-pin Molex
- Measuring range: 0-100% O₂
- Output signal: 12.5-16.5 mV
- Response time: < 12 seconds
- Warranty: 16 months
- Storage: up to 6 months

E



E-15/2

- Connector: 3 contact rings
- Measuring range: 0-100% O₂
- Output signal: 14.-20 mV
- Response time: < 12 seconds
- Warranty: 15 months
- Storage: up to 6 months

E



E-7710S

- Connector: RJ11 modular jack
- Measuring range: 0-100% O₂
- Output signal: 9-13 mV
- Response time: < 15 seconds
- Warranty: 16 months
- Storage: up to 6 months



Product Service

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
(Devices in Class IIa, IIb or III)

No. G1 18 03 84065 005

Manufacturer: **Nuova GmbH**
Lübecker Str. 17
23909 Ratzeburg
GERMANY



Facility(ies): Nuova GmbH
Lübecker Str. 17, 23909 Ratzeburg, GERMANY


Product Category(ies): **Oxygen sensors**

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.: 713129331

Valid from: 2018-06-18

Valid until: 2023-06-17



Date, 2018-04-18

Stefan Preiß

TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123

Page 1 of 1