

DATE	21.12.2021
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

				TECHN	ICAL DATA SH	IFFT				
PRODUC	т.	Large Surgical Set	65	TECHN	ICAL DATA SI	115151		-		
RODUC	.1.	Large Surgical Set								
			Large Surgical Set For High Risk Liquid, Disposable Surgery							
			1	1 Mayo field 145x80 cm						
Description of Product:							90x75 cm	1		
			2 Sheet with adhesive board 3 Cellulose absorbent wipes				40x40 cm	4		
			4	Operating ribbon			10x50 cm	1		
			5	Sheet with adhes			175x175 cm	1		
			6	Sterile sheet with	5000 10 500		240x150 cm	1		
			7							
		1002		Absorbent sheet			150x190 cm	1		
	Raw Materi	V		E+Nw , Cellulose	;					
4	Product Cole		Medical 1	Blue						
	Reference Co									
	Weight in Gr			60 Mic . 43 gsm	ı					
	Package:		Flat Pouc	h						
	Product : MDI	Manufactured in	accordanc	e with 93/42 / EI	EC Annex / IX requiren	nents. Products and mater	ials used do not conta	in metal.		
Pi	roduct Materia	als				PROPERTIES				
	Unit / Siz	е			_			900		
1	PE+Nw	145x80 cm	-	1	2		3	4		
2	SMS	90x75 cm								
3	Cellulose	40x40 cm								
4	***	10x50 cm		5	6	7				
5	SMS	175x175 cm		deriva)		PE+NW (ALET MASA ÖRTÜSÜ)				
6	SMS	240x150 cm								
7	PE+Nw	150x190 cm								
Toler	ances:	+/- 2% cm			Package Informati	on				
Measurement: cm					transportation. Do	the sterilization bag are do uble packaged products an dimensions ar leight = 44 cm; Length =	re put into Baymed's see as follows:	standard sized carton;		
2	Preparation	Date			QUALİT	Y CONTROL APPROV	/AL			
	•						-			



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

				TECHNIC	CAL DATA SH	EET				
PRODUC	CT:	Sterile TUR Set								
			Sterile TUR set							
			1 TUR sheet with built				200x250 cm	1		
			2	Sheet for surgical ta			15x200 cm	1		
De	escription of Pr	oduct:	3	3 Combined sheet for instrument table (Mayo)				1		
			4					1		
			5	Napkin			40x40 cm	4		
			6	Camcorder cover			250x15 cm	1		
	Raw Mater	ials:	PE+Nw	Cellulose , PE , Bi	flex					
	Product Col	our:	Medical	Blue						
	Reference C	ode:								
	Weight in Gr	ams:	56 gsm ,	35gsm + 60 mic						
	Package	•	Flat Pouc	ch .						
	Product : MDI	D Manufactured in	accordanc	ee with 93/42 / EEC	Annex / IX requireme	ents. Products and mater	ials used do not cont	ain metal.		
P	roduct Materi	als				PROPERTIES				
	Unit / Siz	e.		1	2		2	- <u></u>		
1	Biflex	200x250 cm		1	2		3	4 A		
2	PE+Nw	150x200 cm		1	PEHNW (ALET MASA ÖRTÜSÜ)			æ		
3	PE+Nw	145x80 cm	_		6					
4	Biflex	75x90 cm		5						
5	Cellulose	40x40 cm								
6	PE	250x15 cm								
		•]							
Toler	rances:	+/- 2% cm			Package Information	on				
Measurement: cm					transportation. Dou	ne sterilization bag are de ble packaged products ar dimensions ar bight = 44 cm; Length =	re put into Baymed's re as follows:	standard sized carton;		
	Preparation	Date			QUALİTY	CONTROL APPROV	VAL			



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

TECHNICAL DATA SHEET									
PRODUCT: Set For Small									
			Set For Small						
			1	Mayo field			80x145 cm	1	
D.	escription of Pro	dust	2	Table field			210x100 cm	1	
שני	escription of Fre	oduct:	3	Field with adhesive b	ooard		140x100 cm	2	
			4	Sheet with adhesive	board		75x100 cm	2	
			5	Cellulose absorbent	wipes		40x40 cm	2	
	Raw Mater	ials:	Sms , PE	+Nw , Cellulose	**		•	*	
	Product Col	our:	Medical	Blue					
	Reference C	ode:							
	Weight in Gr	ams:	35 gsm +	60 Mic . 43 gsm					
	Package	N.	Flat Pouc	ch .					
	Product : MDI	Manufactured in	accordanc	e with 93/42 / EEC	Annex / IX requiren	nents. Products and m	aterials used do not cont	ain metal.	
P	roduct Materia	als				PROPERTIES			
	Unit / Siz	е		1	2		3	×	
1	PE+Nw	80x145 cm	,	1	2		3	4	
2	PE+Nw	210x100 cm			PE+NW (ALET MASA ÖRTÜSÜ)				
3	SMS	140x100 cm							
4	SMS	75x100 cm		5					
5	Cellulose	40x40 cm							
Tole	rances:	+/- 2% cm			Package Informat	ion			
Mea	surement:	cm			transportation. Do	uble packaged produc dimension	re double-packaged to re tts are put into Baymed's as are as follows: h = 40 cm ve Width = 60	standard sized carton;	
	Preparation	Date			QUALİT	Y CONTROL APPI	ROVAL		



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

				TECHNIC	CAL DATA SH	EET			
PRODUCT: Sterile Standard Surgical Set									
				Sterile Standard Surgical Set					
			1 Mayo field			145x80 cm	1		
			Sterile sheet with adhesive board			240x150 cm	1		
De	escription of Pro	oduct:	3 Sheet with adhesive board			175x175 cm	1		
			4	Sheet with adhesive	board		90x75 cm	2	
			5	Cellulose wipes			40x40 cm	4	
			6	Operating ribbon			20x25 cm	1	
	Raw Mater	ials:	Sms , PE	+Nw , Cellulose					
	Product Col	our:	Medical	Blue					
	Reference C	ode:							
	Weight in Gr	ams:	35 gsm +	- 60 Mic . 43 gsm					
	Package	KI.	Flat Pouc	ch					
	Product : MDI	Manufactured in	accordanc	ee with 93/42 / EEC	Annex / IX requireme	ents. Products and mate	erials used do not con	tain metal.	
P	roduct Materia	als				PROPERTIES			
	Unit / Siz	е		1	2		3	4	
1	PE+Nw	145x80 cm			2		3	4	
2	SMS	240x150 cm					anna distributo		
3	SMS	175x175 cm					N*		
4	SMS	90x75 cm		5	6				
5	Cellulose	40x40 cm							
6	***	20x25 cm							
Toler	rances:	+/- 2% cm	ļ		Package Informatio	n			
Measurement: cm					transportation. Doub		are put into Baymed's are as follows:	s standard sized carton;	
	Preparation	Date			QUALİTY	CONTROL APPRO	OVAL		



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

TECHNICAL DATA SHEET							
PRODUCT: Camcorder Tube Cover							
Description of Product:			Camcorder tube cover	14x250 cm	1		
	Raw Materi	als:	PE				
12	Product Colo	our:	Medical Blue				
100	Reference Co	ode:					
,	Weight in Gra	ams:	60 Mic.				
	Package:		Flat Pouch				
P	roduct : MDD	Manufactured in	accordance with 93/42 / EEC Annex / IX requirements. Products and r	naterials used do not cor	ntain metal.		
Proc	duct Materia	ıls	PROPERTIES				
	Unit / Size	е					
1	PE	14x250 cm					
Toleran	ces:	+/- 2% cm	Package Information				
Measur	ement:	cm			s standard sized carton;		
Preparation Date			Technical specifications				
			14cmx250cm transparent material structure. Material: Polyethylene. Hermetically sealed endoscope with	water-resistant glue r	od.		



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

				TECHNI	CAL DATA SH	HEET			
PRODUCT: Disposable ENT Set									
		•							
			Disposable ENT Set						
			1	Field with adhesiv	e board		140x110 cm	5	
De	Description of Product:		2	Table field			100x210 cm	5	
			3	Absorbent napkins	5		40x40 cm	20	
			4	Combined cherry	for instrument table		80x140 cm	1	
	Raw Mater	ials:	Sms , PE	+Nw , Cellulose					
	Product Col	our:	Medical	Blue					
	Reference C								
Į.	Weight in G			- 60 Mic . 43 gsm					
	Package	:	Flat Pouc	ch					
	Product : MD	D Manufactured in	accordanc	ce with 93/42 / EE	C Annex / IX requirem	nents. Products and materi	ials used do not con	tain metal.	
P	roduct Materi	als				PROPERTIES			
	Unit / Siz	ze							
1	SMS	140x110 cm		1	2		3	4	
2	PE+Nw	100x210 cm		o	PE+NW (ALET MASA ÖRTÜSÜ)				
3	Cellulose	40x40 cm							
4	PE+Nw	80x140 cm							
			_						
Toler	rances:	+/- 2% cm			Package Informati	on			
Measurement: cm					The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double packaged products are put into Baymed's standard sized carton dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width = 60 cm.				
Preparation Date					QUALİT	Y CONTROL APPROV	'AL		



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

	TECHNICAL DATA SHEET				
PRODUCT: Instrument table field		Instrument table f	ield		
D	escription of Pro	oduct:	Instrument table field	240x200 cm	1
	Raw Materi	ials:	PE+Nw / Reinforced		
	Product Cole	our:	Medical Blue		
	Reference Co	ode:			
	Weight in Gr	ams:	35 gsm+60 Mic / 42 gsm		
	Package:	N .	Flat Pouch		
	Product : MDI	Manufactured in	accordance with 93/42 / EEC Annex / IX requirements. Products and m	naterials used do not con	ntain metal.
F	Product Materia	als	PROPERTIES		
	Unit / Siz	е			
1	PE+Nw	240x200 cm			
			PE+NW (ALET MASA ÖRTÜ:	SÜ)	
T 1		1.00			
	rances:	+/- 2% cm	Package Information		
Mea	surement:	cm	The products in the sterilization bag a		
			transportation. Double packaged produc		's standard sized carton;
				ns are as follows: th = 40 cm ve Width = 0	60 cm
			Height – 44 cm, Lengt	iii = 40 ciii ve widii = v	oo em.
Preparation Date		Date	Technical specifications		
			240x200 cm (+/- 10cm) - 1 piece, made of non-woven material, poly-laminate		
			absorption area 75x240 cm (+/- 5cm). Absorption capacity not less than 42 g / transverse pleating.	/ m.p. Breaking resistant. P	acking per unit with




DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

TECHNICAL DATA SHEET			
PRODUCT:	Reinforced XL Surgical Gown		
Description of Pro	duct:	Reinforced Surgical Gown XL + 2 Towels + wrapping	
Raw Materi	als:	SMS	
Product Cole	our:	Medical Blue	
Reference Co	ode:		
Weight in Gr	ams:	43 gsm	
Package:		Flat Pouch	

Product: MDD Manufactured in accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.

Product Materials			
	Unit / Siz	е	
1 SMS XL		XL	
2	Cellulose	40x40 cm	
1	SMS	50x50 cm	



+/- 2% cm **Tolerances:**

Measurement: cm

Package Information

The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double packaged products are put into Baymed's standard sized carton; dimensions are as follows:

Height = 44 cm; Length = 40 cm ve Width = 60 cm.

Preparation Date	Technical specification			
	MAN AND THE REST	- Ar - 1000 - 20		- 100 m (100 m)

Made of non-woven material - polypropylene fibers, 3 types of fibers-SMS; Repellent, SMS material thickness 43 g / m²;

Reinforced on the sleeves, the reinforcement material - polypropylene and polyethylene film, with a thickness of 43 g / m²; sleeve reinforcement length 40cm (± 3cm);
Reinforced in front of the reinforcement material - polypropylene and polyethylene film, with a minimum thickness of 43g / m²; the dimensions of the

reinforcement in front reinforcement in front from the form (± 3cm);

Laser sewn sleeve to ensure impermeability to microbes and liquids, impermeability in the reinforcement area 100%; Individual packaging with 2 cellulose absorbent wipes;

Packaging - sterilization with EO within 5 years;

CE marking, EN13795 certificate;




DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

TECHNICAL DATA SHEET		
PRODUCT: Reinforced XXL S	Surgical Gown	
Description of Product:	Reinforced Surgical Gown XXL + 2 Towels + wrapping	
Raw Materials:	SMS	
Product Colour:	Medical Blue	
Reference Code:		
Weight in Grams:	43 gsm	
Package:	Flat Pouch	

Product: MDD Manufactured in accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.

Product Materials			
	Unit / Siz	е	
1	SMS	XXL	
2	Cellulose	40x40 cm	
1	SMS	50x50 cm	



Tolerances: +/- 2% cm

Measurement: cm

Package Information

The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double packaged products are put into Baymed's standard sized carton; dimensions are as follows:

Height = 44 cm; Length = 40 cm ve Width = 60 cm.

Preparation Date	Technical specifications
	Repellent, SMS material thickness 43 g / m ² ; Reinforced on the sleeves, the reinforcement material - polypropylene and polyethylene film, with a thickness of 43 g / m ² ; sleeve reinforcement dimensions with length 40cm (± 3cm); Reinforced in front of the reinforcement material - polypropylene and polyethylene film, with a minimum thickness of 43g / m ² ; the dimensions of the reinforcement in front from shoulders to lap length 75cm (± 3cm); Laser sewn sleeve to ensure impermeability to microbes and liquids, impermeability in the reinforcement area 100%; Individual packaging with 2 cellulose absorbent wipes; Packaging - sterilization with EO within 5 years; CE marking. ENJ3795 certificate:



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

TECHNICAL DATA SHEET				
PRODUCT: Sheet with adhesive board				
Description of Product:	Sheet with adhesive board 175x175 cm 2			
Raw Materials:	SMS + Reinforced			
Product Colour:	Medical Blue			
Reference Code:				
Weight in Grams:	43 gsm			
Package:	Flat Pouch			
Product : MDD Manufactured	l in accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.			
Product Materials	PROPERTIES			
Unit / Size				
1 SMS + 175x175 cr	n			
	TAKVİYE			
Tolerances: +/- 2% cm	Package Information			
Measurement: cm The products in the sterilization bag are double-packaged to reduce all risk transportation. Double packaged products are put into Baymed's standard six dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width = 60 cm.				
Preparation Date	Technical specification			
	Made of non-woven, poly-laminated material, 3 layers: • waterproof; • absorbent with absorption area on the whole surface 100x75 cm (+/- 5cm) and absorption capacity 43 g / m.p. • Comfort layer (from cellulose) for the patient The adhesive area applied directly to the edge of the field, impregnated in fabric, without creases, 100% adhesive capacity. No latex, no rosin.			



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

	TECHNICAL DATA SHEET					
PRODUCT: Sheet with						
Description of Product:	Sheet with absorbent adhesive board 100x70 cm 4					
Raw Materials:	SMS + Reinforced					
Product Colour:	Medical Blue					
Reference Code:						
Weight in Grams:	43 gsm					
Package:	Flat Pouch					
Product : MDD Manufactu	red in accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.					
Product Materials	PROPERTIES					
Unit / Size						
1 SMS + 100x70	ст					
	TAKVİYE					
Tolerances: +/- 2% c	Package Information					
Measurement: cm	The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double packaged products are put into Baymed's standard sized carton; dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width = 60 cm.					
Preparation Date	Technical specifications					
	Made of non-woven, poly-laminated material, minimum 3 layers: • waterproof; • absorbent with absorption area on the whole surface 100x70 cm (+/- 5cm) and absorption capacity 43 g / m.p. • Comfort layer (from cellulose) for the patient Adhesive area applied directly to the edge of the field, impregnated in the fabric, without wrinkles, 100% adhesive capacity. No latex, no rosin					
	<u>'</u>					



DATE	21.12.2021	
DOC.NO	MF69	
PAGE NO	1	
REV.NO		
REV.DATE		

			TECHNICAL DATA SHEET				
PRODUC	CT:	Surgical field with					
D	escription of Pro	oduct:	Surgical field with adhesive hole 75x90 cm	1			
	Raw Mater	ials:	SMS+Reinforced				
	Product Col	our:	Medical Blue				
	Reference C	ode:					
	Weight in Gr	rams:	43 gsm				
	Package	•	Flat Pouch				
	Product : MDI	D Manufactured in	accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not	contain metal.			
F	Product Materia	als	PROPERTIES				
	Unit / Siz	ze .					
1	SMS + Reinforced	75x90 cm					
Tole	rances:	+/- 2% cm	Package Information				
Measurement: cm			The products in the sterilization bag are double-packaged transportation. Double packaged products are put into Bayn dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width	ned's standard sized carton;			
	Preparation	Date	Technical specifications				
E			Bistratified surgical field, 75 x 90 cm, with hole: Ø 6 cm. Adhesive area applied directly to the edge of the fabric, without wrinkles, 100% adhesive capacity. No latex, no rosin.	ne field, impregnated in the			



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

	TECHNICAL DATA SHEET					
PRODUC	CT:	Sterile Plain Drape	e			
			Disposable sterile superabsorbent pad	55x70 cm	1	
Raw Materials:			Fully Reinforced			
	Product Col		Medical Blue			
	Reference C	ode:				
	Weight in Gr	ams:	110 gsm(Reinforced)			
	Package:	<u> </u>	Flat Pouch			
	Product: MDD	Manufactured in a	accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not	contain metal.		
Р	roduct Materia	als	PROPERTIES			
	Unit / Siz	е				
1	Reinforced	55x70 cm				
Tole	rances:	+/- 2% cm	Package Information			
Mea	surement:	cm	The products in the sterilization bag are double-packaged to reduce all risks during transproducts are put into Baymed's standard sized carton; dimensions are a Height = 44 cm; Length = 40 cm ve Width = 60 cm.		packaged	
Preparation Date			QUALİTY CONTROL APPROVAL			
1 reparation Date				page 1	13	



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

		we work	for your health"				
DD.	ODUCT.	a a a a a a a a a a a a a a a a a a a		CAL DATA SHEET			
PRO	ODUCT:	Sterile Child KVC Pa	іск				
					nild KVC Pack		
			1 Mayo field for the oper	rating table		80x145 cm	1
			2 Hand wipe 3 Instrument table field			40x40 cm 150x190 cm	1
			4 Bag for defibrillator			30x40 cm	1
			5 Waterproof sleeve			50 cm	1
			6 Sterile, non-powdered g	gloves		N7 / N7,5 / N8 / N8,5	4 Pair
			7 Adhesive absorbent dressing			10x35 cm	1
			8 Pad for cleaning the co			5x5 cm	1 2 2 2
			9 Pair of booties, waterproof 10 Sheet with adhesive border			35x30 cm 75x75 cm	1 Pair 2
I	Description of P	roduct:	11 Perineal absorbent shee			200x260 cm	1
			12 Chest sheet			200x300 cm	1
			13 Transparent incision film	m		40x40 cm	1
			14 Sheet for the operating	table		150x240 cm	1
			15 Covers for liquid		40x35 cm	2	
			16 Surgical ribbons			10x50 cm	3
			17 Surgical gown 18 Reinforced surgical gow	wn		XXL XXL	2
			19 Wipe for hands	VII		40x40 cm	2
			20 Surgical lamp handle co	over		St	2
			21 20 needle counter, with			20	1
	Raw Mate			Sms / Sms+Reinforced / Cell	lulose / Triplex+Reinforced		
	Product Co		Medical Blue				
	Reference	Code:	25 (0) 50 :	(56 (D:0) / co = :	1)/42 / 2 : : : : : : : : : : : : : : : : :	(G.) . D C	
1	Weight in G	rams:	35gsm(Sms)+60mic.(PE) / 60gsm(Cellulose) / 68 gsm	56gsm(Biflex) / 68gsm(Triplex)+Reinforced	iex) / 45gsm(Sms) / 40gsm	(Sms)+Keinforced /	
	Packag	e:	Flat Pouch	pic.r.; Acintorecu			
			ecordonas with 02/42 / EEC	Annay / IV requirements Pro	duate and materials used de	not contain motal	
			cordance with 95/42 / EEC	Annex / IX requirements. Pro		not contain metal.	
P	Product Materia				PERTIES		
	Unit / S	l	1	2	3	4	
1	PE+Nw	80x145 cm			PENNO (ALET MASA ORT (SQ)		1
2	Cellulose	40x40 cm					J
3	PE+Nw	150x190 cm					
4	***	30x40 cm	5	6	7	8	3
5	Biflex	50 cm	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	all the			
6	***	N7 / N7,5 / N8 / N8,5					
7	***	10x35 cm	9	10	11	12	
8	***	5x5 cm					
9	Biflex	35x30 cm	.			(
10	Triplex	75x75 cm					
11	Triplex + Reinforced	200x260 cm	13	14	15	16	
12	Triplex + Reinforced	200x300 cm		*			
13	***	40x40 cm		.			
14	Biflex	150x240 cm					
15	***	40x35 cm	17	18	19	20	
16	***	10x50 cm					
17	Sms +	XXL		121			
18	Reinforced	XXL		LJ _	21		
19	Cellulose ***	40x40 cm		THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE S			
20	***	St	-				
21		20					
	erances:	+/- 2% cm		Package	Information		
Mea	surement:	cm		ation bag are double-package are put into Baymed's standa Height = 44 cm; Length		are as follows:	packaged
	Preparation	n Date		QUALİTY CON	TROL APPROVAL		
	-					page 14	



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

			TECHNICAL DATA CHEETE	
PRO	ODUCT:	Sterile By Pass KVC	TECHNICAL DATA SHEET	
			Sterile By Pass KVC Pack	
			1 Mayo field for the operating table 80x145 cm	1
			2 Hand wipe 40x40 cm	8
			3 Instrument table field 150x190 cm	1
			4 Bag for defibrillator 20x40 cm 5 Waterproof sleeve 50 cm	1
			6 Sterile, non-powdered gloves (one pair each: N7; N7.5; N8, N8.5) N7 / N7,5 / N8 / N8,5	
			7 Adhesive absorbent dressing 10x35 cm	1
			8 Velcro cable holder 2x30 cm	1
			9 Cleaning the coagulation forceps 5x5 cm	1
,	Decemention of D	nodust.	10 Pair of booties 35x30 cm	1 Pair
	Description of P	roduct:	11 Sheet with adhesive border 75x75 cm 12 Sheet with adhesive border 100x100 cm	2
			13 Sheet for the operating table 200x280 cm	1
			14 Thoracic field 200/300x350 cm	1
			15 Sheet for operating table 150x240 cm	1
			16 Covers for liquid 40x35 cm	2
			17 Surgical ribbons 10x50 cm 18 Surgical gown XXL	3
			19 Reinforced surgical gown XXL	2
			20 Perineal absorbent with elastic 20/47x55 cm	1
			21 Surgical lamp handle cover St	2
			22 20 needle counter, with foam layer and magnet 20	1
	Raw Mate		PE+Nw / Biflex / Triplex / Sms / Sms+Reinforced / Cellulose / Triplex+Reinforced	
	Product Co		Medical Blue	
	Reference		35gsm(Sms)+60mic.(PE) / 56gsm(Biflex) / 68gsm(Triplex) / 43gsm(Sms) / 40gsm(Sms)+Reinforced /	
	Weight in G	Grams:	33gsm(Sms)+60mic.(PE) / 30gsm(Biflex) / 68gsm(Triplex) / 43gsm(Sms) / 40gsm(Sms)+Reinforced / 60gsm(Cellulose) / 68 gsm(Triplex)+Reinforced	
	Packag	e:	Flat Pouch	
	Product: MD	D Manufactured in ac	cordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.	
	Product Materi		PROPERTIES	
•	Unit / S		1 2 3 4	
1	PE+Nw	80x145 cm	1 2 3	
2	Cellulose	40x40 cm	PLEME COLUMN TO CONTROL	18
3	PE+Nw	150x190 cm		V
4	***	20x40 cm	5 6 7	8
5	Sms	50 cm	5 6 7	
6	***	N7 / N7,5 / N8 /		7
7	***	N8,5 10x35 cm	9 10 11 12	
8	***	2x30 cm	10 11 12	:
9	***	5x5 cm	•	
10	Biflex	35x30 cm		,
11	Triplex	75x75 cm	13 14 15 16	
12	Triplex	100x100 cm		
13	Biflex	200x280 cm	3	
14	Triplex + Reinforced	200/300x350 cm		
15	PE+Nw	150x240 cm	17 18 19 20	
16	***	40x35 cm		
17	Sms	10x50 cm XXL		
19	Sms +	XXL	21 22	
20	Reinforced Biflex	20/47x55 cm		
21	***	St		1000
22	***	20		
Tol	erances:	+/- 2% cm	Package Information	
	surement:	cm	The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double products are put into Baymed's standard sized carton; dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width = 60 cm.	packaged
	D **	a Doto	OTH THE CONTROL I PRODUCT	
	Preparation	ı Date	QUALİTY CONTROL APPROVAL	
			page I	5



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

				TECHNIC	CAL DATA	SHEET		
PR(ODUCT:	Sterile ENT Pack						
Charille FAIT Deads								
					Sterile ENT Pack			
Г	Description of Product:		1 Sterile field with adhesive border			110x190 cm	2	
	-		2 Back Table Cover			110x210 cm	2	
				3 Absorbent napkins 40x40 cm			40x40 cm	10
	Raw Mate			/ Biflex / Cellulose				
	Product Co		Medica	al Blue				
	Reference	Code:						
	Weight in (Grams:	68 gsm	(Triplex) / 60 gsm(0	Cellulose) / 56 gs	m(Biflex)		
	Packag	ge:	Flat Po	ouch				
Product: MDD Manufactured in accordance with 93/42 / EEC Annex / IX requirements. Products and materials used do not contain metal.								
Product Materials			PROPERTIES					
	Unit / S	ize	1			2	3	
1	Triplex	110x190 cm		(O)		2	5	
2	Biflex	110x210 cm		133		Biffex		
3	Cellulose	40x40 cm				Φ.		
Tole	erances:	+/- 2% cm	Package Information					
Measurement: cm					are put into Bay	able-packaged to reduce all risks of med's standard sized carton; dimed cm; Length = 40 cm ve Width =	ensions are as follows:	ckaged
Preparation Date			QUALİTY CONTROL APPROVAL					
	•						page 16	



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

		"we work							
DD.	DICT.	la	Tl	ECHNI	ICAL DATA SI	HEET			
PRO	ODUCT:	Sterile KVC Pack							
						Sterile KVC Pa	ck		
			1 Mayo field	for the o	perating table, reinforce			80x145 cm	1
					of cellulose, absorbent			20x25 cm	4
			3 Instrumen					150x190 cm	1
			4 Bag for de		•			30x40 cm 50 cm	1
					ed gloves (one pair each	n: N7; N7.5; N8, N	18.5)	N7 / N7,5 / N8 / N8,5	4 Pair
			7 Adhesive a				,	10x35 cm	1
		8 Velcro cab					2x30 cm	2	
					coagulation forceps			5x5 cm	1
Description of Product:		10 Pair of bo		· · · · · · · · · · · · · · · · · · ·			35x30 cm 75x75 cm	1 Pair 2	
			12 Perineal a					200x260 cm	1
				13 Integral thoracic field			200/300x330 cm	1	
			14 Sheet for the operating table			150x240 cm	1		
			15 Covers for	liquid				40x35 cm	3
			16 Surgical ribbons			10x50 cm	3		
			17 Surgical go 18 Reinforce					XXL	2
			19 Wipe for h		gowii			40x40 cm	2
			20 Surgical la		e cover			STD	2
					, with foam layer and ma	agnet		20	1
	Raw Mate		PE+Nw / Bifle	x / Triple:	ex / Sms / Sms+Reinford	ced / Cellulose / T	Triplex+Reinforced		
	Product Co		Medical Blue						
	Reference	Code:	25	<u> </u>	D) / 50.	/m: 1	(6)	C. V.D.: C:	
	Weight in G	rams:			E) / 56gsm(Biflex) / 68g gsm(Triplex)+Reinforced		gsm(Sms) / 40gsm(Sms)+Reinforced /	
	Packag	e:	Flat Pouch	sc) / 00 g	sin(Triplex)+Reinforce	u			
	Des de et MD	D.Mft		2/42 / EE	C A / IVi	D	. 4		
			cordance with	'3/42 / EE	EC Annex / IX requirem	ients. Products an	id materiais used do	not contain metal.	
P	roduct Materi					PROPERTIE	S		
	Unit / S	ize	1		2		3	4	
1	PE+Nw	80x145 cm							
2	Cellulose	20x25 cm					PENNS (ALE MAÇA ORTUSA)		P
3	PE+Nw	150x190 cm							
4	***	30x40 cm	5		6		7		8
5	Sms	50 cm							
6	***	N7 / N7,5 / N8 / N8,5						- 4	7
7	***	10x35 cm	9	NO. F	10		11	12	
8	***	2x30 cm		Ĭ					
9	***	5x5 cm		9					
10	Biflex	35x30 cm							
11	Triplex	75x75 cm	13		14	<u>.</u>	15	16	
12	Triplex	200x260 cm	40						
13	Triplex + Reinforced	200/300x330 cm							
14	PE+Nw	150x240 cm		l					
15	***	40x35 cm	17		18		19	20	
16	***	10x50 cm							
17	Sms +	XXL	X	*	1				
18	Sms + Reinforced	XXL	CLI	<u> </u>		21			
19	Cellulose	40x40 cm							
20	***	STD	-			To the second			
21	***	20							
	erances:	+/- 2% cm			1	Package Inform	ation		
Mea	surement:	cm	The products		rilization bag are double acts are put into Baymed Height = 44 cm	l's standard sized		are as follows:	packaged
	Preparation	n Date	1		OHALİ	TY CONTROL	APPROVAL		
	- reparation				QUALI	. 1 COMINUL	INOTAL		
								page 17	



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

DD.	ODUCT.	la. n		CAL DATA SHEET			
PRO	ODUCT:	Sterile Angiography l	-аск				
					iography Pack	400 :	
			1 Table field for instrum	nents		150x150 cm	1
			2 Hand towels 3 Absorbent field			40x40 cm 55x80 cm	1
			4 Absorbent field			50x50 cm	1
			5 Angiography field			240x330 cm	1
			6 Patient table field			150x150 cm	1
			7 Sterile, non-powdered gloves			N8	1 Pair
		8 Sterile, non-powdered gloves			N7,5	2 Pair	
		9 Angio syringe 10 ml w			10 ml	1	
			10 3-way OFF ramp, valv	res with		St	1
I	Description of P	roduct:	11 1 pc.: Scalpel E11			N11	1
			12 Angiographic guide 13 Gauze pad			175 cm / 0,035"	1
						10x10 cm 18 G	30 1
			14 Syringe needle 15 Syringe needle			21G	2
			16 Syringe needle			22G	1
			17 Luer Lock Syringe			20 ml	1
			18 Syringe Luer Lock			10 ml	1
			19 Syringe Luer Lock			5 ml	1
			20 Syringe Luer Lock			2 ml	1
			21 Bowl for piping			30x30 cm	1
			22 Sterile field for tubing	3		100x150 cm	1
	Raw Mate	erials:		ose / Triplex+Reinforced / Rein	nforced		
	Product Co	olour:	Medical Blue				
	Reference (Code:					
	Weight in G	Frams:					
				/ 68gsm(Triplex) / 60gsm(Cell	ulose) / 68 gsm(Triplex)+Re	inforced / 110 gsm Re	einforced
	Packag	e:	Flat Pouch				
1	Product: MD	D Manufactured in a	cordance with 93/42 / EEG	C Annex / IX requirements. Pro	ducts and materials used do	not contain metal.	
_			1				
F	Product Materi Unit / Si				PERTIES		
	Unit / Si	IZe	1	2	3	4	
1	PE+Nw	150x150 cm					
2	Cellulose	40x40 cm	PE-MON (ALEX MANSA CHI (USA))				
3	Reinforced	55x80 cm					
			_				
4	Triplex Triplex +	50x50 cm	5	6	7		8
5	Reinforced	240x330 cm		PE-MAN DIEET MASSA CHECOSOS	LAN SAN	W	1
6	PE+Nw	150x150 cm					
7	***	N8	9	10	11	12	
8	***	N7,5		Want !			
9	***	10 ml					1
10	***	St					
11	***	N11	13	14	15	16	
12	***	175 cm / 0,035"					
13	***	10x10 cm		M A		A	
15	***	18 G 21G	17	18		20	
16	***	22G	0.0	.M	19		
17	***	20 ml	rs "mapagn	No. of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	£377.30	
18	***	10 ml		-			
19	***	5 ml	21			22	
20	***	2 ml				PE-YOW GREEK MAS	A (HV(U)A))
21	***	30x30 cm					
22	PE+Nw	100x150 cm					
Tole	erances:	+/- 2% cm		Package	Information		
Mea:	Measurement: cm The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double package products are put into Baymed's standard sized carton; dimensions are as follows: Height = 44 cm; Length = 40 cm ve Width = 60 cm.					packaged	
	Preparation Date QUALİTY CONTROL APPROVAL						
. Quality control				MIROVAL	page 18	3	



DATE	22.11.2022
DOC.NO	MF69
PAGE NO	1
REV.NO	
REV.DATE	

TECHNICAL DATA SHEET PRODUCT: Sperile Anoisocraphy Park - 2							
rk	ODUCI:	Sterile Angiography	Pack - 2				
			1 Angiography field	Sterile Angiogi		240x330 cm	1
			2 Superabsorbent field 3 Absorbent field			34x45 cm 50x50 cm	1
			4 Reinforced table field 5 Hand towels, made of			150x190 cm 40x40 cm	1 4
		6 Surgical gown			XL	3	
			7 Sterile, non-powdered 8 Sterile, non-powdered	d gloves d gloves		N7,5 N8	2 Pair 1 Pair
			9 Circular screen cover 10 C-arm X-ray tube cove	er		140 cm 75 cm	2
		11 Polypropylene bowl 12 Polypropylene bowl			120 ml	1	
		13 Bowl 14 Renal bowl			250 ml 800 ml	1 1	
Description of Product:			15 Forceps			15 cm	1
Description of Froduct.			16 Clamp 17 Tray			10 cm 2500 ml	1
			18 Angio syringe 10 ml w 19 Ramp 3 ways OFF, tap			10 ml STD	1
			20 Scalpel 21 Angiographic guide			N11 175 cm	1 1
			22 Gauze pad			10x10 cm	30
			23 Syringe needle 24 Syringe needle			18G 21G	2
			25 Syringe needle 26 Syringe Luer Lock			22G 20 ml	1
			27 Luer Lock Syringe 28 Syringe Luer Lock			10 ml 5 ml	1
			29 Syringe Luer Lock			2 ml	1 1
			30 Tubing bowl 31 Sterile field for tubing			30x30 cm 100x150 cm	1
	Raw Mate		PE+Nw / Triplex / Cellule Medical Blue	ose / Triplex+Reinforced / Reinfo	rced / Sms		
	Reference	Code:		/68nem(Trinlay) /60/6 "	oca) / 68 gem/Trinl	mad / 110 *	Dainfor
	Weight in G		/ 43 gsm(Sms)	/ 68gsm(Triplex) / 60gsm(Cellul	osc)/ oo gsm(1npiex)+Keinfo	sccu / 110 gsm ł	contorced
	Product: MD		Flat Pouch cordance with 93/42 / EEO	C Annex / IX requirements. Produ	icts and materials used do not	contain metal	
P	Product Materi	als		PROPE			
	Unit / S Triplex +		1	2	3	4	
1	Reinforced	240x330 cm	• •			manufact to	and design
2	Reinforced	34x45 cm					
3	Triplex	50x50 cm					
4	PE+Nw	150x190 cm	5	6	7		8
5	Cellulose	40x40 cm					
6	Sms	XL		· · · · ·		F	
7	***	N7,5	9	10	11	12	!
8	***	N8					
9	***	140 cm	1000			Val.	
10	***	75 cm					
11	***	120 ml	13	14			
12	***	100 ml			15	16	
	***		-				
13		250 ml					
14	***	800 ml				_	
15	***	15 cm	17	18	19	20	
16	***	10 cm		900	OCCUPATION OF		
17	***	2500 ml					
18	***	10 ml			200		
19	***		21	22	23	24	
		STD			11		
20	***	N11					
21	***	175 cm			л д	,	
22	***	10x10 cm	25	26	27	28	
23	**	18G		66.	Park.	1	
24	***	21G		In Junior	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	N. Galdenson	
25	***	22G	A				
26	***						
		20 ml	29	30	31		
27	****	10 ml					
28	***	5 ml			environ and desired		
29	***	2 ml					
30	***	30x30 cm					
31	PE+Nw	100x150 cm					
Tolerances: +/- 2% cm Package Information							
Measurement: cm The products in the sterilization bag are double-packaged to reduce all risks during transportation. Double pack					packaged		
			produc	ts are put into Baymed's standard Height = 44 cm; Length =		s follows:	
	Preparation	1 Date		QUALİTY CONT	ROL APPROVAL		
						page 19	
			Ì				