



www.optium.com.tr



Ergonomic Pushing Handle



Stainless Steel Retractable Tray



10 pcs of tilt-out medicine boxes



Identification Card Holder


OPTIUM MEDIKAL LTD. STI.

📍 Airport Industrial Zone Hidayet Street No:23 Oguzeli / Gaziantep / TURKEY

☎ +90 850 807 6284 ✉ info@optium.com.tr 🌐 www.optium.com.tr



Detachable Drawers



4 pcs 355 x 555 x 100(h) mm



1 pcs 355 x 555 x 200(h) mm

Optional



355 x 555 x 100(h) mm

Optional Accessories



Sharp Box



Glove Box Holder



Plastic Bumpers



Oxygen Tube Holder

OPTIUM MEDIKAL LTD. STI.

📍 Airport Industrial Zone Hidayet Street No:23 Oguzeli / Gaziantep / TURKEY

☎ +90 850 807 6284 ✉ info@optium.com.tr 🌐 www.optium.com.tr



General Specifications

Construction :	Electrostatic powder painted metal frame and ABS
Body Material :	Side walls and drawers electrostatic powder painted steel sheet Working top and removable drawers trays ABS material
Knocking mechanism :	Central Locking system with key
Top Surface	ABS work top with raised edges on three sides to prevent falling
Drawers :	4 medium with 120 mm height + 1 big 220 mm height, total 5 drawers. Optional: 2 medium with 120 mm height + 2 big 220 mm height, total 4 drawers. Built in drawer handles with different colours
Drawer dimensions :	4 pcs medium drawers : 355 x 555 x 100 mm 1pcs big drawer: 355 x 555 x 200 mm Inner dimensions
Inside Drawers :	Made by ABS material, easy detachable trays Each drawer totally 2 separators for 4 compartments
Pull-put working tray :	High quality and rigid stainless steel working tray for medical staff. 304 grade steel tray with railing system 295 x 350 mm dimension
Medicine Boxes :	10 pcs of, tilt-out, and transparent medicine boxes
Castors :	2 pcs lockable , 2 pcs without lock ,125 mm 360° swivel castors, made of non-marking material
Waste bin :	Detachable bin, made by PE material
Label Holder :	Label holder on each drawer for easy identification

TECHNICAL DETAILS

Body Dimension :	700 x 550 mm
Height :	1150 mm
Total Height :	1550 mm
Castor Diameter :	125 mm