FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS



i-SENSYS MF440 series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



Workflow efficiency

Meet ambitious business demands with a robust and reliable printer with fast production times. This series delivers prints at speeds of up to 38ppm in A4 and offers double-sided printing as standard. Doublesided single-pass scanning will keep your workflow at a premium too.

Tailor-made

Tighten efficiency with the Application Library. On-screen buttons automate and speed up everyday tasks, including printing stored forms, scanning to email and copying documents so that they can be accessed with just a single tap of a button. The standby display can also be customised to suit you and your business needs.

Seamless connectivity

Take control on the move with smooth mobile connectivity. Print wirelessly from smartphones or tablets with the Canon PRINT Business app or get printing straightaway without an app thanks to AirPrint (iOS) and Mopria (Android) compatibility.



Security and control

Put security first with secure PIN print, which restricts people from viewing confidential documents. Even greater security is offered via the Universal Login Manager (ULM) with MF446x and MF449x, which provides user authentication for greater privacy.

High quality

Whether you are printing a sales presentation or a small document for internal use, this series ensures prints are always high-quality thanks to improved toner cartridges, which now come with Auto Seal Removal.

RANGE FEATURE STEP UP CHART

	Canon I-SENSYS MF443dw	Canon I-SENSYS MF445dw	Canon I-SENSYS MF446x	i-SENSYS MF449x
Fax		•		•
A4 print speed	38ppm	38ppm	38ppm	38ppm
Display	12.7cm Colour Touch Screen	12.7cm Colour Touch Screen	12.7cm Colour Touch Screen	12.7cm Colour Touch Screen
Secure PIN print	•	•	•	•
Auto Duplex Print	•	•	•	•
ULM/uniFLOW compatibility			•	•
Application Library	•	•	•	•
Single pass duplex scan	•	•	•	•
Wi-Fi	•	•	•	•

OPTIONAL ACCESSORIES

Cassette Feeding Module AH1

• Additional 550 sheet paper cassette, 1 unit can be added to main unit

Telephone 6 Kit (available on MF445dw & MF449x)

• Optional telephone handset for fax function

Barcode Printing Kit-E1E (available on MF446x & MF449x)

• Installs barcode fonts for barcode printing. This kit, which is delivered electronically, includes a license access certificate for activation

Send PDF Security Feature Set-E1 (available on MF446x & MF449x)

• Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.



TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Machine type	Mono Laser All-In-One	Other features	Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports,
Available functions	MF443dw/MF446x: Print, Copy, Scan MF446x/MF449x: Print, Copy, Scan and Fax		Fax Activity Result Reports, Fax Activity Management
	MF446X/MF449X. Philt, Copy, Scall and Fax		Reports
PRINTER		MEDIA HANDLING	
Print speed	Single sided : Up to 38 ppm (A4)	Scanner type	Platen, 2-sided ADF (single pass)
This speed	Up to 63.1 ppm(A5-Landscape)	Paper input (Standard)	250-sheet cassette
	Double sided : Up to 31.9 ipm (A4)		100-sheet multi-purpose tray 50-sheet ADF
Printing method	Monochrome laser beam printing	Paper input (Option)	550-sheet cassette
Print resolution	600 x 600 dpi		150-sheet
Print quality with Image	Up to 1200 x 1200 dpi	Paper output	
Refinement Technology		Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope
Warm-up time	Approx. 14 seconds or less from power on	Media sizes	Cassette (Standard and optional):
First Print Out Time	Approx: 5.5 seconds or less	Ficula Sizes	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive,
Printer languages	UFRII, PCL 5c ¹ , PCL6, Adobe* PostScript		Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm
Fonts	MF443dw: 45 PCL fonts		Max. 216.0 x 355.6 mm.
	MF445dw: 45 PCL fonts 136 PostScript fonts		
	MF446x/MF449x: 93 PCL fonts		Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive,
	136 PostScript fonts		Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,
Print margins	5 mm-top, bottom, left and right		GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max.
	10 mm-top, bottom, left and right (Envelope)		216.0 x 355.6 mm.
Toner saver mode	Yes		ADF:
Advanced printing features	MF443dw/MF445dw: Secure Print		ADF: A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes:
	Print from USB memory key (JPEG/TIFF/PDF)		Min. 105 x 128 mm Max 215.9 x 355.6 mm
	Google Cloud Print Ready	Media weights	Cassette (standard and optional): 60 to 120 g/m ²
	iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon PRINT Business app,		Multi-purpose tray: 60 to 163 g/m²+AC57 ADF: 50 to 105 g/m²
	Canon Print Service Plug-in	Daubla sided minting	
	MF446x/MF449x:	Double sided printing	A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, GLGL, Foolscap
	Secure Print		Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm
	Print from USB memory key (JPEG/TIFF/PDF)		60 to 120 g/m ²
	Barcode Print ² Google Cloud Print Ready		
	iOS: AirPrint, Canon PRINT Business app	INTERFACE & SOFTWARE	
	Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in	Interface type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
		Operating System	Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2019
COPIER		compatibility	/ Server* 2016 / Server* 2012R2 / Server* 2012 /
Copy speed	Single sided (A4): Up to 38 ppm		Server* 2008R2 / Server* 2008
copy speed	Double sided (A4): Up to 30.3 ipm		Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux ⁶
First Copy Output Time	ADF (A4): Approx. 6.6 seconds or less	Network Protocol	Print:
(FCOT)	Platen (A4): Approx. 6.4 seconds or less		LPD, RAW, Port9100, IPP, IPPS, WSD (IPv4,IPv6)
Copy resolution	Up to 600 x 600 dpi		Scan: Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX
Copy modes	Text, Text/Photo (Default),Text/Photo (High Quality),		TCP/IP Application Services:
	Photo		Bonjour(mDNS), HTTP, HTTPS, POP before SMTP
Double sided copying	2-sided to 2-sided (Automatic)		(IPv4,IPv6) DHCP, ARP+PING, Auto IP, WINS (IPv4)
Multiple copy	Up to 999 copies		DHCPv6 (IPv6)
Reduction / Enlargement	25-400% in 1% increments		Management: SNMPv1, SNMPv3 (IPv4,IPv6)
Other features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy		Security (wired):
			IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
SCANNER			Security (wireless):
Туре	Colour		WEP(64/128 bit), WPA-PSK(TKIP/AES),
Scan resolution	Optical: Up to 600 x 600 dpi		WPA2-PSK(AES) Infrastructure Mode:
	Enhanced: Up to 9600 x 9600 dpi		WEP(64/128 bit), WPA-PSK(TKIP/AES),
Scan speed	Single sided mono: 38ipm (300x600dpi)		WPA2-PSK(TKIP/AES)
	Single sided colour: 13ipm (300x600dpi) Double sided mono: 70ipm (300x600dpi)		Access Point Mode: WPA2-PSK(AES)
	Double sided colour: 26ipm (300x600dpi)	Software and printer	MF443dw/MF445dw:
Colour scanning depth	24 bit/24 bit (input/output)	management	MF Scan Utility,
Greyscales	256 levels		Remote User Interface (RUI), Department ID Management,
Compatibility	TWAIN, WIA, ICA		Toner Status Tool,
Max. scan width	216mm		iW Management Console: Server-based software for centralised management of a fleet of devices
Scan to E-mail	MF443dw/MF445dw:		eMaintenance: embedded RDS allows remote
	TIFF/JPEG/PDF/Compact PDF/Searchable PDF MF446x/449x:		eMaintenance services such as meter capture, automatic consumables management and remote diagnostics
	TIFF/JPEG/PDF/Compact PDF/Searchable PDF/		Application Library
	Encrypted PDF ³ /PDF (Digital signature) ³		
Scan to PC			MF446x/MF449x: MF Scan Utility,
Scan to USB memory key			Remote User Interface (RUI),
Scan to FTP			Department ID Management, Toner Status Tool,
Scan to Cloud	TIFF/JPEG/PDF/PNG ⁴		iW Management Console: Server-based software for
ifax	ITU-T.37		centralised management of a fleet of devices eMaintenance: embedded RDS allows remote
			eMaintenance services such as meter capture, automatic
FAX	MF445dw/MF449x only		consumables management and remote diagnostics.
Modem speed	33.6 Kbps (Up to 3 seconds/page ⁵)		Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW Compatibility
Receive mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual		Application Library
Fax resolution	Standard: 200 x 100 dpi		
	Fine: 200 x 200 dpi	GENERAL FEATURES	
	Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi	Recommended Monthly Print	750 - 4,000 pages per month
FAX memory	Up to 512 pages ⁵	Volume	
		Duty cycle	Max. 80,000 pages per month ⁷
Speed dials	Up to 281dials	Processor Speed	800MHz x 2
Group dials/destinations	Max. 299 dials / Max. 299 destinations	Memory	1GB
Sequential broadcast	Max. 310 destinations	Control panel	12.7 cm LCD Colour Touch Screen
Memory backup	Permanent fax memory backup (Backup with flash memory)	Dimensions with trays	453 mm x 464 mm x 392 mm
Double sided faxing	Yes (Transmit and Receive)	(W x D x H)	1

Memory backup Double sided faxing



TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Installation space (W x D x H)	682 mm x 1,083 mm x 895 mm
Weight	Approx. 17.2 Kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V(±10%) 50/60Hz (±2Hz)
Power Consumption	Maximum: Approx. 1,370 W Standby: Approx. 9.4 W Sleep mode: Approx. 0.9 W Typical Electricity Consumption (TEC): 1.0 kWh/week (230V) [®] For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/ For_Work/Lot26/index.aspx
Noise Levels	Sound Pressure® : Active: 53 dB Standby: Inaudible®
	Sound Power®: Active: 72.2 dB Standby: Inaudible®
CONSUMABLES	
Cartridges	Cartridge 057 (3,100 pages '0)'' Cartridge 057H (10,000 pages '0)''
ACCESSORIES/ OPTIONS	
Items	MF443dw: CST.Feeding Module-AH1 (550-sheet cassette) MF445dw: CST.Feeding Module-AH1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset)
	MF446x: CST.Feeding Module-AH1 (550-sheet cassette) Barcode Printing Kit-E1E MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) Micard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment Kit-B1 Send PDF Security Feature Set-E1
	MF449x: CST.Feeding Module-AH1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset) Barcode Printing Kit-E1E MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment Kit-B1 Send PDF Security Feature Set-E1

Notes:

- $^{(1)}$ A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- [2] Accessory Barcode Printing Kit-E1E is required
- [3] Accessory Send PDF Security Feature Set-E1 is required
- [4] Scan by MF Scan Utility or Canon PRINT Business app
- ^[5] Based on ITU-T Standard Chart No. 1
- ^[6] Linux support both printing and scanning Available from December 2019.
- ²⁷ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- [8] Declared noise emission in accordance with ISO 9296
- ^[9] Inaudio lemeans that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- ^[10] Based on ISO/IEC 19752
- Printer ships with Cartridge 057 (3,100 pages)
- [12] As per US ENERGY STAR* version2.0.



FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF443dw	3514C008AA	4549292133738
i-SENSYS MF445dw	3514C007AA	4549292133721
i-SENSYS MF446x	3514C006AA	4549292133714
i-SENSYS MF449x	3514C005AA	4549292133707

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Cassette Feeding Module-AH1	0732A033AA	4549292092769
Copy Card Reader-F1	4784B001AA	4960999679686
Copy Card Reader Attachment-J1	5140B002AA	4549292027228
Copy Control Interface Kit-C1	5145B001AA	4960999780269
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 057	3009C002AA	4549292136258
Cartridge 057 H	3010C002AA	4549292136289



Canon Inc. canon.com

Canon Europe canon-europe.com

English edition © Canon Europa N.V.,2019

Canon