Immucor, Inc.

3130 Gateway Drive Norcross, GA 30091-5625 Tel: (770) 441-2051 Toll-free: (800) 510-5110

FAX: (770) 441-3807

Web site http://www.immucor.com

## Certificate of Analysis

This is to certify that the product listed hereunder has been manufactured and tested by Immucor, Inc., of Norcross, Georgia. The product listed has been tested in accordance with current requirements for the product in question, and has been found to meet all specifications.

Product:	Checkcell 🛛	Checkcell (Weak)	Compler	ment Control C	ells 🗌
Catalog Nos.	0002225 / 3 x 10 mL				
Lot No.	22554				
Expiration date:	2023-08-04	Date of manufacture:	2023-05-29		
Chemical Composition:	Checkcell: A 4-6% suspension of group O pooled human red blood cells sensitized with an IgG antibody.				
	Checkcell (Weak): A 2-3% suspension of group O pooled human red blood cells sensitized with an IgG antibody.				
	Complement Control Cells: A 2-4% suspension of pooled human red blood cells sensitized with human complement.				
	These red blood cells are suspended in buffered preservative solution containing Neomycin Sulfate 0.1 mg/mL, Chloramphenicol 0.25 mg/mL, and Gentamycin Sulfate 0.05 mg/mL.				
Viral Marker Testing:	Requirement			Non-reactive	
	virus types 1 and 2 (anti-H hepatitis B surface antigen	ve for antibodies to human immu IV) and human hepatitis C virus n (HBsAg); and nonreactive for F DA-licensed tests and nonreacti	(Anti-HCV), and IIV-1 RNA and	HBsAg Anti-HCV Anti-HIV HIV-1 RNA HCV RNA STS	
Identity testing:	Product tested for identity as labeled.				
				Releas	ed
Approved for Release:	All specifications met; labeling checked and confirmed.		$\boxtimes$		
<u> </u>	DocuSigned by Jeanne Mutua    I am the author of this document   21-Jun-2023   11:35:06 AM EDT		DocuSigned by George Gylmah  GOVA Guiwalu   Lapprove this document   21-Jun-2023   64642 PM EDT		
	59D00F48DF0D429AB3D894F7806CBA14	Approved by/Date	Q4C8428ERCEA48RDQ842DCE58E5564C67		

Form # 01.FOR.0283 Rev. 28 Apr 2021