



## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 084088

# CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

### 1. IDENTIFICATION

#### Product identifier

**Product name** CATALYST FOR KLEENMOLD BASE 10

#### Other means of identification

**Product Code(s)** 084088

**Number  
Substance/mixture** 8XN  
Mixture

#### Recommended use of the chemical and restrictions on use

**Identified uses** Lubricant. Industrial applications .

**Uses advised against** Do not use for any purpose other than the one for which it is intended

#### Details of the supplier of the safety data sheet

**Supplier Address** TOTAL Specialties USA, Inc.  
1201 Louisiana St. Suite 1800  
Houston, TX 77002  
Phone: 713-483-5000

**Contact Point** Technical/ HSEQ

**E-mail Address** ProductSafety@total.com

#### Emergency telephone number

**Company Phone Number**

**Emergency telephone**

+1 (908) 862-9300

1-866-928-0789 (For Emergencies, call CARECHEM 24/7  
Domestic)

1-215-207-0061 (For Emergencies, call CARECHEM 24/7  
International)

### 2. HAZARDS IDENTIFICATION

#### Classification

Flammable liquids - Category 4  
Acute Toxicity - Oral - Category 4  
Acute Toxicity - Dermal - Category 4  
Skin corrosion/irritation - Category 1 - Subcategory B  
Serious eye damage/eye irritation - Category 1  
Skin sensitization - Category 1



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

Reproductive toxicity - Category 2

### Label elements



### DANGER

#### Hazard Statements

Combustible liquid  
 Harmful if swallowed  
 Harmful in contact with skin  
 Causes severe skin burns and eye damage  
 May cause an allergic skin reaction  
 Suspected of damaging fertility or the unborn child

#### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Contaminated work clothing should not be allowed out of the workplace  
 Wear protective gloves  
 Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Do not eat, drink or smoke when using this product  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician  
 Specific treatment (see supplemental first aid instruction on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 Call a POISON CENTER or doctor/physician if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
 Rinse mouth



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

Do NOT induce vomiting

**Fire**In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction**Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/ container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None known

**Other information****Physical-Chemical Properties**

Contaminated surfaces will be extremely slippery.

**Environmental properties**

The product may form an oil film on the water surface that may stop the oxygen exchange. Should not be released into the environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Mixture**

Chemical Name	CAS-No	Weight %
2-piperazin-1-ylethylamine	140-31-8	50-<60
Triethylenetetramine	112-24-3	10-<20
4-nonyl phenol, branched	84852-15-3	10-<20

### 4. FIRST AID MEASURES

**First aid measures for different exposure routes****General advice**

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.

**Skin contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse.

**Inhalation**

Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

breathing, give artificial respiration.

**Ingestion**

Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

**Protection of First-aiders**

First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed****Skin contact**

Harmful in contact with skin. CAUSES SKIN BURNS. May cause an allergic skin reaction.

**Eye contact**

Causes serious eye damage.

**Inhalation**

Vapors may irritate throat and respiratory system.

**Ingestion**

Harmful if swallowed. May damage fertility or the unborn child.

**Symptoms**

Redness. Asthma-like and/ or skin allergy-like symptoms. Difficulty breathing. Coughing and/ or wheezing. Burning. Rashes. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.

**Indication of immediate medical attention and special treatment needed, if necessary****Notes to physician**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.**Uniform Fire Code**Combustible Liquid: III-A  
CORROSIVE: BASE-LIQUID  
Sensitizer: Liquid**Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

**Special Hazard**

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

**Hazardous Combustion Products**Nitrogen oxides (NO<sub>x</sub>). Carbon oxides. Ammonia.**Explosion Data****Sensitivity to Mechanical Impact  
Sensitivity to Static Discharge**None.  
None.**Protective Equipment and  
Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

**Other information** Refer to protective measures listed in Sections 7 and 8.

#### Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and material for containment and cleaning up

**Methods for containment** Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or similar non-combustible materials.

**Methods for cleaning up** Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Keep away from open flames, hot surfaces and sources of ignition. Design installations (machinery and equipment) to prevent burning product from spreading (tanks, retention systems, interceptors (traps) in drainage systems). OPERATE ONLY ON COLD AND DEGASSED TANKS IN VENTILATED PREMISES (TO AVOID RISK OF EXPLOSION). Do not use compressed air for filling, discharging or handling. Empty containers may contain flammable or explosive vapors.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

**conditions** container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.

**Materials to Avoid** Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure limits** Contains no substances with occupational exposure limit values

#### Exposure controls

**Engineering Measures** Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

#### Individual protection measures, such as personal protective equipment

**General Information** Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product ITSELF. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.

**Eye/face protection** If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Appearance		limpid	
Color		amber	
Physical State @20°C		liquid	
Odor		Ammoniacal	
Odor Threshold		No information available	
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Method</b>
pH	11 - 12	@ 20 °C	
Melting point/range		Not applicable	
Boiling point/boiling range	> 200 °C > 392 °F		
Flash point	93 °C 199 °F		ASTM D 93 ASTM D 93.
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
upper		No information available	
Lower		No information available	
Vapor Pressure	0.14 hPa	@ 20 °C	
Vapor density	> 1 (Air = 1)		
Relative density	1.007	@ 25 °C	
Density	0.983 - 1.031 g/cm3	@ 25 °C	
Water solubility		slightly soluble	
Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic		Not applicable	
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	See section 10		
<u>Other information</u>			
Freezing Point		No information available	



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	None under normal processing.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Take precautionary measures against static discharges. Strong oxidizing agents. Heating can release hazardous gases. Heating in air. Exposure to air or moisture over prolonged periods.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous Decomposition Products</b>	Thermal decomposition can lead to release of irritating gases and vapors. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

<b>Principle Routes of Exposure</b>	Inhalation, Ingestion, Eye contact, Skin contact.
<b>Symptoms</b>	Redness. Asthma-like and/ or skin allergy-like symptoms. Difficulty breathing. Coughing and/ or wheezing. Burning. Rashes. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
<b>Skin contact</b>	Harmful in contact with skin. CAUSES SKIN BURNS. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye damage.
<b>Inhalation</b>	Vapors may irritate throat and respiratory system.
<b>Ingestion</b>	Harmful if swallowed. May damage fertility or the unborn child.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Acute toxicity - Product Information**

<b>Product Information</b>	Product does not present an acute toxicity hazard based on known or supplied information.
<b>Oral ATEmix (oral)</b>	Harmful if swallowed 794 mg/kg
<b>Dermal ATEmix (dermal)</b>	May be harmful in contact with skin 1272 mg/kg



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

**Inhalation**

Not classified based on available data

**Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-piperazin-1-ylethylamine 140-31-8	LD50 2140 mg/kg (rat)	LD50 866 mg/kg (rabbit)	
Triethylenetetramine 112-24-3		ATE (CAT4)	
4-nonyl phenol, branched 84852-15-3	1412 mg/kg bw (rat-ECHA)		

**Skin corrosion/irritation**

Causes burns.

**Serious eye damage/eye irritation**

Risk of serious damage to eyes.

**Sensitization**

May cause sensitization by skin contact. May produce an allergic reaction.

**Carcinogenicity**

This product is not classified carcinogenic.

**Mutagenicity**

This product is not classified as mutagenic.

**Germ Cell Mutagenicity**

Not classified based on available data.

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Target Organ Effects (STOT)**

None known.

**STOT - single exposure**

Not classified based on available data.

**STOT - repeated exposure**

Not classified based on available data.

**Other adverse effects**

Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

**Aspiration hazard**

Not classified based on available data.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Very toxic to aquatic life with long lasting effects

**Acute aquatic toxicity - Product Information**

No experimental data available

**Acute aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms
2-piperazin-1-ylethylamine 140-31-8	EC50(72h) 495 mg/l (algae)	LC50(96h) 100 mg/l (fish)	EC50(48h) 32 mg/l (flea)	
Triethylenetetramine 112-24-3	NOEC(72h) 2,5 mg/l (Pseudokirchneriella subcapitata - OCDE guideline 201)			
4-nonyl phenol, branched 84852-15-3	LC50 (72h) 0,0563 mg/l alguea	LC50(96h) = 0.1383 mg/l Pimephales promelas	EC50 (48h) 0,035 mg/l daphnia magna	



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

		LC50(96h) 0.14-0.23 Oncorhynchus mykiss		
--	--	--	--	--

### Chronic aquatic toxicity - Product Information

No experimental data available

### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Triethylenetetramine 112-24-3		EC10(21d) 1,9 mg/l (Daphnia magna - OCDE guideline 202)		
4-nonyl phenol, branched 84852-15-3			NOEC (91d) 0.006 mg/l Oncorhynchus mykiss	

**Effects on terrestrial organisms** No information available.

### Persistence and degradability

**General Information** No information available.

### Bioaccumulative potential

**Product Information** No information available.

**logPow** No information available

**Component Information** No information available.

### Mobility

**Soil** No information available

**Air** No information available

**Water** No information available

### Other adverse effects

**General Information** No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment

**Waste Disposal Methods** Should not be released into the environment. Dispose of in accordance with local regulations.



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

**Contaminated packaging** Do not re-use empty containers. Empty containers may contain flammable or explosive vapors. Do not burn, or use a cutting torch on, the empty drum. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**US EPA Waste Number** D002

**California Hazardous Waste Codes** 221

### 14. TRANSPORT INFORMATION

#### DOT

<b>UN/ID No</b>	UN3267
<b>Proper shipping name</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
<b>Hazard class</b>	8
<b>Packing Group</b>	II
<b>Special Provisions</b>	B2, IB2, T11, TP2, TP27
<b>Marine pollutant</b>	P - This product contains a chemical which is listed as a marine pollutant according to DOT.
<b>Description</b>	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-piperazin-1-ylethylamine, Phenol, 4-nonyl-, branched), 8, II, Marine pollutant
<b>Emergency Response Guide Number</b>	153
<b>Special Provisions</b>	274

#### ICAO/IATA

<b>UN/ID No</b>	UN3267
<b>Proper shipping name</b>	Corrosive liquid, basic, organic, n.o.s.
<b>Hazard class</b>	8
<b>Packing Group</b>	II
<b>ERG Code</b>	8L
<b>Special Provisions</b>	A3, A803
<b>Description</b>	UN3267, Corrosive liquid, basic, organic, n.o.s. (2-piperazin-1-ylethylamine, Phenol, 4-nonyl-, branched), 8, II
<b>Excepted Quantity Limited quantity</b>	E2 0.5 L

#### IMDG/IMO

<b>UN/ID No</b>	UN3267
<b>Proper shipping name</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
<b>Hazard class</b>	8
<b>Packing Group</b>	II



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

<b>EmS No.</b>	F-A, S-B
<b>Special Provisions</b>	274
<b>Marine pollutant</b>	Yes
<b>Description</b>	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-PIPERAZIN-1-YLETHYLAMINE , PHENOL, 4-NONYL-, BRANCHED), 8, II, MARINE POLLUTANT
<b>Excepted Quantity</b>	E2
<b>Limited quantity</b>	1 L

**ADR/RID**

<b>UN/ID No</b>	UN3267
<b>Proper shipping name</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
<b>Hazard class</b>	8
<b>Packing Group</b>	II
<b>Classification Code</b>	C7
<b>Tunnel Restriction Code</b>	(E)
<b>Special Provisions</b>	274
<b>Description</b>	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-piperazin-1-ylethylamine, Phenol, 4-nonyl-, branched), 8, II, (E), Environmentally hazardous
<b>Limited quantity</b>	1 L
<b>ADR/RID-Labels</b>	8
<b>Environmental hazard</b>	Yes

### 15. REGULATORY INFORMATION

**International Inventories** All the substances contained in this product are listed or exempted from listing in the following inventories:  
U.S.A. (TSCA)

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
4-nonyl phenol, branched	84852-15-3	10	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

To the best of our knowledge, this product does not contain any substances known to the State of California to cause cancer, developmental and/or reproductive harm.

### U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois
2-piperazin-1-ylethylamine 140-31-8	X	X	X	
Triethylenetetramine 112-24-3	X	X	X	

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazard</b> 3	<b>Flammability</b> 2	<b>Instability</b> 1	<b>Special hazards -</b>
<b>HMIS</b>	<b>Health Hazard</b> 3	<b>Flammability</b> 2	<b>Physical Hazard</b> 1	<b>Personal protection</b> X

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

**Revision Date:** 2019-06-21  
**Revision Note** Document Review

#### **Abbreviations, acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response



SDS # : 084088

## CATALYST FOR KLEENMOLD BASE 10

Date of the previous version: 2016-03-17

Revision Date: 2019-06-21

Version 6

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

### Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S\* - Skin notation

TSCA - Toxic Substance Control Act

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of the Safety Data Sheet**