

**Specificații tehnice**

*[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]*

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1727440418138 din 27.09.2024

Obiectul achiziției: Echipamente tehnice pentru producție TV

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
<b>Lotul nr. 2 Mobile journalism kit</b>	G2, T1, L2, SR-C2000, SR-C2001, VideoMic NTG, Wireless ME DUAL, Iphone 16 Pro 256 Black Titanium	Spania, Australia, China	Shoulderpod, Saramonic, RODE, Apple	<p>The grip for recording professional video with smartphone. Features an ergonomic design for steady hand-held shooting, 6 cold shoes for adding external accessories such as microphones and lights, 2 tripod mounts for shooting horizontal and vertical video and an innovative quick-release clamping mechanism that fits all smartphone models with or without a case.</p> <p>Video Grip</p> <ul style="list-style-type: none"> <li>- Enlarged Smartphone grip areas for one or two hands operation</li> <li>- Rubberized handles for maximum comfort when using it as a your smartphone video rig</li> <li>- “Free-thumbs” design for easily tapping on the screen controls while shooting.</li> <li>- Holds any iPhone or Android phone between 64 and 90mm wide.</li> <li>- V-shaped jaws fit any mobile with or without a case.</li> <li>- Rubber-padded clamps hold your smartphone firmly while protecting it from scratches.</li> </ul> <p>Multi-functional tripod (A tripod + monopod + hand-held-stabilizer for helping you make professional videos easily)</p> <ul style="list-style-type: none"> <li>- 3 functions: Tripod, monopod and hand-held stabilizer.</li> <li>- Max tripod height: 162 cms.</li> <li>- Minimum length when packed for storage: 43 cms.</li> </ul>	<p>The grip for recording professional video with smartphone. Features an ergonomic design for steady hand-held shooting, 6 cold shoes for adding external accessories such as microphones and lights, 2 tripod mounts for shooting horizontal and vertical video and an innovative quick-release clamping mechanism that fits all smartphone models with or without a case.</p> <p>Video Grip</p> <ul style="list-style-type: none"> <li>- Enlarged Smartphone grip areas for one or two hands operation</li> <li>- Rubberized handles for maximum comfort when using it as a your smartphone video rig</li> <li>- “Free-thumbs” design for easily tapping on the screen controls while shooting.</li> <li>- Holds any iPhone or Android phone between 64 and 90mm wide.</li> <li>- V-shaped jaws fit any mobile with or without a case.</li> <li>- Rubber-padded clamps hold your smartphone firmly while protecting it from scratches.</li> </ul> <p>Multi-functional tripod (A tripod + monopod + hand-held-stabilizer for helping you make professional videos easily)</p> <ul style="list-style-type: none"> <li>- 3 functions: Tripod, monopod and hand-held stabilizer.</li> <li>- Max tripod height: 162 cms.</li> <li>- Minimum length when packed for storage: 43 cms.</li> </ul>	

			<ul style="list-style-type: none"> <li>- Reversible central column for ultra-low shots and compact storage.</li> <li>- Innovative desk-top set up for top-down shots.</li> <li>- Removable “T1” leg for monopod function.</li> <li>- Max monopod height: 162 cms when adding the central column.</li> <li>- Unique wooden handle and leather wrist strap for hand-held stabilizer function.</li> <li>- All-metal, solid aluminium construction.</li> <li>- 30 mm ball head with 2 spirit-levels.</li> <li>- Quick release plate with Arca-Swiss clamp.</li> <li>- Double threaded stud for mounting 3/8” and 1/4” ball-heads.</li> <li>- Foamed legs for comfortable shoulder carry.</li> <li>- Adjustable leg angles with metal thumb-trigger.</li> <li>- Torque-adjustable leg hinges with the included allen wrench.</li> <li>- Ultra-fast twist-locks for immediate leg setup.</li> <li>- Cone shaped anti-slip rubber feet for maximum stability.</li> <li>- Weight: 1,4 kgs..</li> </ul> <p>Video light</p> <ul style="list-style-type: none"> <li>- 33 white + 33 amber high-efficiency LED display.</li> <li>- Pro-grade +95 CRI - Colour Rendering Index.</li> <li>- Delivers a 120° cone of evenly distributed soft light.</li> <li>- Continuous brightness adjustment from 80 to 800 Lumen.</li> <li>- Continuous colour temperature adjustment from 2500°K (warm) to 6500°K (cool).</li> <li>- Intuitive rotatable dials.</li> <li>- Iso-lux performance maintains global brightness while adjusting colour temperature.</li> <li>- Internal 2000 mAh Li-ion rechargeable battery.</li> <li>- Up to 2 hours of autonomy at full power and up to 10 hours at low brightness.</li> <li>- USB-C charging port.</li> <li>- Dual mount with cold shoe adapter and 1/4”-20 metal tripod thread.</li> <li>- Y-shaped bracket with rotatable hinge.</li> </ul> <p>In the box: 1x light + 1 USB-A to USC-C charging cable + USB-A charger Pro directional microphone (Hybrid Analog/USB Camera-Mount Shotgun Microphone) Microphone Type - Camera-Mount / Shotgun Element Type - Electret Condenser Polar Pattern - Supercardioid</p>	<ul style="list-style-type: none"> <li>- Reversible central column for ultra-low shots and compact storage.</li> <li>- Innovative desk-top set up for top-down shots.</li> <li>- Removable “T1” leg for monopod function.</li> <li>- Max monopod height: 162 cms when adding the central column.</li> <li>- Unique wooden handle and leather wrist strap for hand-held stabilizer function.</li> <li>- All-metal, solid aluminium construction.</li> <li>- 30 mm ball head with 2 spirit-levels.</li> <li>- Quick release plate with Arca-Swiss clamp.</li> <li>- Double threaded stud for mounting 3/8” and 1/4” ball-heads.</li> <li>- Foamed legs for comfortable shoulder carry.</li> <li>- Adjustable leg angles with metal thumb-trigger.</li> <li>- Torque-adjustable leg hinges with the included allen wrench.</li> <li>- Ultra-fast twist-locks for immediate leg setup.</li> <li>- Cone shaped anti-slip rubber feet for maximum stability.</li> <li>- Weight: 1,4 kgs..</li> </ul> <p>Video light</p> <ul style="list-style-type: none"> <li>- 33 white + 33 amber high-efficiency LED display.</li> <li>- Pro-grade +95 CRI - Colour Rendering Index.</li> <li>- Delivers a 120° cone of evenly distributed soft light.</li> <li>- Continuous brightness adjustment from 80 to 800 Lumen.</li> <li>- Continuous colour temperature adjustment from 2500°K (warm) to 6500°K (cool).</li> <li>- Intuitive rotatable dials.</li> <li>- Iso-lux performance maintains global brightness while adjusting colour temperature.</li> <li>- Internal 2000 mAh Li-ion rechargeable battery.</li> <li>- Up to 2 hours of autonomy at full power and up to 10 hours at low brightness.</li> <li>- USB-C charging port.</li> <li>- Dual mount with cold shoe adapter and 1/4”-20 metal tripod thread.</li> <li>- Y-shaped bracket with rotatable hinge.</li> </ul> <p>In the box: 1x light + 1 USB-A to USC-C charging cable + USB-A charger Pro directional microphone (Hybrid Analog/USB Camera-Mount Shotgun Microphone) Microphone Type - Camera-Mount / Shotgun Element Type - Electret Condenser</p>	
--	--	--	--	--	--

			<p>On-Board Controls - Gain/Sensitivity, HF, High-Pass Filter, On/Off, Pad</p> <p>Frequency Range - 20 Hz to 20 kHz; 35 Hz to 18 kHz <math>\pm 3</math> dB</p> <p>Analog Output 1x 1/8" / 3.5 mm TRRS Female (on Mic); 1x 1/8" / 3.5 mm TRRS Male (on Included Cable)</p> <p>Power Sources - Battery / Bus Power (equivalent RODE VideoMic NTG)</p> <p>Dual Compact Digital Wireless Microphone System</p> <p>Wireless Technology - Digital 2.4 GHz</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Max Operating Range - 100 m</p> <p>Receiver Type - Camera-Mount / Beltpack</p> <p>Microphone Type - Built-In (Transmitter)</p> <p>Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Mobile App Compatible - Android &amp; iOS (App Name: Rode Central)</p> <p>Audio I/O - 1x 1/8" / 3.5 mm TRS Female Unbalanced Input</p> <p>Battery Type - 1x Built-In Rechargeable (Included)</p> <p>Equivalent (RODE Wireless ME Dual)</p> <p>3.5mm to USB-C mic cable - Plug external mics to your USB-C smartphone's port; 3.5mm to iPhone (Lightning) mic cable - Plug external mics to your iPhone's Lightning port</p> <p>Include phone</p> <p>Size 6.3 inches</p> <p>LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits (typ), 2000 nits (HBM)</p> <p>Resolution 1206 x 2622 pixels, 19.5:9 ratio (~458 ppi density)</p> <p>Protection Ceramic Shield glass (2024 gen)</p> <p>Always-on display</p> <p>Dual SIM (2 eSIM)</p> <p>Chipset A18 Pro</p> <p>Internal min 256GB</p> <p>MAIN CAMERA 48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22<math>\mu</math>m, dual pixel PDAF, sensor-shift OIS</p> <p>12 MP, f/2.8, 120mm (periscope telephoto), 1/3.06", 1.12<math>\mu</math>m, dual pixel PDAF, 3D sensor-shift OIS, 5x optical zoom; 48 MP, f/2.2,</p>	<p>Polar Pattern - Supercardioid</p> <p>On-Board Controls - Gain/Sensitivity, HF, High-Pass Filter, On/Off, Pad</p> <p>Frequency Range - 20 Hz to 20 kHz; 35 Hz to 18 kHz <math>\pm 3</math> dB</p> <p>Analog Output 1x 1/8" / 3.5 mm TRRS Female (on Mic); 1x 1/8" / 3.5 mm TRRS Male (on Included Cable)</p> <p>Power Sources - Battery / Bus Power (equivalent RODE VideoMic NTG)</p> <p>Dual Compact Digital Wireless Microphone System</p> <p>Wireless Technology - Digital 2.4 GHz</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Max Operating Range - 100 m</p> <p>Receiver Type - Camera-Mount / Beltpack</p> <p>Microphone Type - Built-In (Transmitter)</p> <p>Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Mobile App Compatible - Android &amp; iOS (App Name: Rode Central)</p> <p>Audio I/O - 1x 1/8" / 3.5 mm TRS Female Unbalanced Input</p> <p>Battery Type - 1x Built-In Rechargeable (Included)</p> <p>Equivalent (RODE Wireless ME Dual)</p> <p>3.5mm to USB-C mic cable - Plug external mics to your USB-C smartphone's port; 3.5mm to iPhone (Lightning) mic cable - Plug external mics to your iPhone's Lightning port</p> <p>Include phone</p> <p>Size 6.3 inches</p> <p>LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits (typ), 2000 nits (HBM)</p> <p>Resolution 1206 x 2622 pixels, 19.5:9 ratio (~458 ppi density)</p> <p>Protection Ceramic Shield glass (2024 gen)</p> <p>Always-on display</p> <p>Dual SIM (2 eSIM)</p> <p>Chipset A18 Pro</p> <p>Internal min 256GB</p> <p>MAIN CAMERA 48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22<math>\mu</math>m, dual pixel PDAF, sensor-shift OIS</p> <p>12 MP, f/2.8, 120mm (periscope telephoto), 1/3.06", 1.12<math>\mu</math>m, dual pixel PDAF, 3D</p>	
--	--	--	---	---	--

			13mm (ultrawide), 0.7µm, PDAF; TOF 3D LiDAR scanner (depth) Video4K@24/25/30/60/100/120fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby Vision HDR (up to 60fps), ProRes, 3D (spatial) video/audio, stereo sound rec. Bluetooth 5.3, A2DP, LE Selfie camera Single 12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS SL 3D, (depth/biometrics sensor) Video 4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS USB Type-C 3.2 Gen 2, DisplayPort Colors Black Titanium -Warranty: 2 years.	sensor-shift OIS, 5x optical zoom; 48 MP, f/2.2, 13mm (ultrawide), 0.7µm, PDAF; TOF 3D LiDAR scanner (depth) Video4K@24/25/30/60/100/120fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby Vision HDR (up to 60fps), ProRes, 3D (spatial) video/audio, stereo sound rec. Bluetooth 5.3, A2DP, LE Selfie camera Single 12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS SL 3D, (depth/biometrics sensor) Video 4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS USB Type-C 3.2 Gen 2, DisplayPort Colors Black Titanium -Warranty: 2 years.	
--	--	--	--	--	--

Semnat: Semnat electronic, Numele, Prenumele: Carabut Vladislav, În calitate de: Director

Ofertantul: SC “Muzic-Prod” S.R.L.

Adresa: Moldova, Chisinau, Durl esti, str-la II Vovinteni 15