

ISUZU GIGA 4000L Fire truck



Add:Xingguang 1st Road, Suizhou, Hubei, China **Phone**

Number:+8613886886607/+86-0722-3801789

Email:eason@anka-truck.com

project	Descriptions	Specifications
Basic	Truck model	AK5190GXFPM90/Q6
	Overall dimensions(mm)	8150×2550×3580
	curb weight(Kg)	10350
	Loading capacity(Kg)	8600
	Total mass(Kg)	18950
	Max speed(Km/h)	90
	Persons in cab	2+4
Body	Total volume(L)	8400
	Water tank volume(L)	8000
	Water tank material	Composite Materials
	Foam box volume(L)	400
	Foam tank material	Composite Materials
	Pipe material	Seamless carbon steel pipe
	Material thickness(mm)	Side3, Bottom4
	Fire pump model	CB20 • 10/30 • 60-XZ
	Flow rate(L/s)	60
	Pressure(Mpa)	1.0
	Pumping depth(m)	7
	Fire water gun(model)	PL8/48
	Flow rate(L/m)	2500
	Pressure(Mpa)	1.0
	Fire water gun range(m)	Foam60, Water70
	Fire water gun rotation angle(°)	360
	Operation method	control Panel
	Pump water inlet	1
	Water injection port	3
	water outlet	1
	Tank inspection port(pcs)	2

	Water tank outlet(pcs)	1
	Pipe residual water outlet(pcs)	2
	Auxiliary lighting(pcs)	4
	Strobe light(pcs)	2
	Fire searchlight(pcs)	1
	Water pump pipe(pcs)	2
	Water pumping filter(pcs)	1
	Water pipe diverter(pcs)	1
	Water pipe collector(pcs)	1
	Hoses(pcs)	12
	Water belt reducing interface(pcs)	2
	Water hose wrapping cloth(pcs)	4
	Hose hook(pcs)	4
	Fire hydrant wrench(pcs)	2
	Suction pipe wrench(pcs)	2
	DC switch water gun(pcs)	2
	Foam gun(pcs)	1
	Foam external suction tube(pcs)	1
	Fire bucket(pcs)	1
	Fire extinguisher(pcs)	1
	Fire ax(pcs)	1
	Rubber hammer(pcs)	1
	Front-Mounted Winch(T)	5
	High-Pressure Hose Reel	YES
	Fire Pump Enclosure Heating System	YES
Chassis	Chassis brand	ISUZU
	Drive form	4*4
	Steering wheel	Left hand drive
	Steering device	Power assisted steering

Wheelbase(mm)	3900
Engine brand and model	ISUZU/6UZ1-TCG61
Max engine power(Kw)	279(380HP)
Engine displacement(ml)	9839
Engine emission standard	Euro 6
Number of engine cylinders	6
Fuel type	Diesel
Gearbox	12TX2420TD,12 speed forward 4 reverse
Front/rear axle(t)	9/13
Suspension	Multi leaf springs
Brake system	Front/Rear Drum full air braking
EBS /ESC/ BAS	YES
Wheels and tyre size	6+1/(315/80R22.5 20PR)
Cab configuration	One and a half cabs, air conditioning, radio, MP3 and USB port
Rated voltage	24V,DC
Cab color	Red, other colors available