



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

NORD-TEST Ultraschallkoppelpaste Type US-B

#### **Further trade names**

Article no. (user): 310.000.187 (250 ml) 310.000.205 (1 kg) 310.000.186 (5 kg)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Inspection of metals

# 1.3. Details of the supplier of the safety data sheet

Company name: Helling GmbH
Street: Spoekerdamm 2
Place: D-25436 Heidgraben

Telephone: +49-4122-922-0 Telefax: +49-4122-922-201

E-mail: info@helling.de Internet: www.helling.de

**1.4. Emergency telephone** Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

Safety data sheet available on request.

## Additional advice on labelling

No labelling required.

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## **Chemical characterization**

Mixture from glycerin and the following hazardous ingredients:



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 2 of 10

## **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
67-63-0	propan-2-ol; isopropyl alcohol;	isopropanol		3,0 - 8,0 %		
	200-661-7	603-117-00-0	01-2119457558-25			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336					
1303-96-4	disodium tetraborate decahydrate; borax decahydrate					
	215-540-4	005-011-01-1	01-2119490790-32			
	Repr. 1B, Eye Irrit. 2; H360FD H319					
67-56-1	methanol	< 0,02 %				
	200-659-6	603-001-00-X				
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	3,0 - 8,0 %		
	inhalation: LC	250 = 30 mg/l (dusts or mists); dermal: LD50 = 13400 mg/kg; oral: LD50 = 4570 mg/kg			
1303-96-4	215-540-4	disodium tetraborate decahydrate; borax decahydrate	0,15 - 1 %		
	dermal: LD50	) = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Repr. 1B; H360FD: >= 8,5 - 100			
67-56-1	200-659-6	methanol	< 0,02 %		
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10			

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. After contact with skin, wash immediately with plenty of water and soap. In case of trouble call doctor.

## After contact with eyes

In case of troubles or persistent symptoms, consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**





according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 3 of 10

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water fog. Extinguishing powder. Foam. Carbon dioxide. Sand.

#### Unsuitable extinguishing media

none

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide. Carbon monoxide

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

High slip hazard because of leaking or spilled product.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

## Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Clear contaminated areas thoroughly.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin, eyes and clothes.

Provide adequate ventilation. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. When using do not eat or drink. Avoid contact with skin, eyes and clothes.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. The product is hygroscopic.

## Hints on joint storage

Keep away from: Oxidizing agents.

Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 4 of 10

### Further information on storage conditions

Store in a cool dry place.

#### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1303-96-4	Disodium tetraborate, decahydrate	-	5		TWA (8 h)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
Consumer DN	IEL, long-term	oral	systemic	26 mg/kg bw/day			
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day			
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	89 mg/m³			
Worker DNEL, long-term		inhalation	systemic	500 mg/m³			

## 8.2. Exposure controls





## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Eye glasses with side protection

## **Hand protection**

Tested protective gloves are to be worn:

Suitable material: Butyl rubber. NBR (Nitrile rubber). (> 0,11 mm)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

## Skin protection

Wear suitable protective clothing.



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 5 of 10

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Gas filter device Filter type: A With correct and proper use, and under normal conditions, breathing protection is not required.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: transparent
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

> 100 °C

boiling range:

Flammability: not determined not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: > 400 °C Decomposition temperature: not determined pH-Value: not determined Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not applicable

1,120 - 1,260 g/cm³

not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties not explosive.
Self-ignition temperature

Solid: not determined Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

Solidification point::

Viscosity / dynamic: not determined

**Further Information**No information available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No risks worthy of mention.

## 10.2. Chemical stability



according to Regulation (EC) No 1907/2006

# NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 6 of 10

No risks worthy of mention.

#### 10.3. Possibility of hazardous reactions

No risks worthy of mention.

## 10.4. Conditions to avoid

No risks worthy of mention.

## 10.5. Incompatible materials

Oxidizing agents, strong. Strong acid

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	LD50 mg/kg	4570	Rat			
	dermal	LD50 mg/kg	13400	Rabbit			
	inhalation (4 h) dust/mist	LC50	30 mg/l	Rat			
1303-96-4	disodium tetraborate decahydrate; borax decahydrate						
	oral	LD50 mg/kg	> 2000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
67-56-1	methanol						
	oral	ATE	100 mg/kg				
	dermal	ATE	300 mg/kg				
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0,5 mg/l				

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 7 of 10

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

see section 12

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose	Dose [h]   [d] Species		Source	Method		
67-63-0	propan-2-ol; isopropyl ald	cohol; isopro	hol; isopropanol					
	Acute fish toxicity	LC50 mg/l	8970		Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50 mg/l	>1000	1	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
	Acute bacteria toxicity	(EC50 mg/l)	>100					
1303-96-4	disodium tetraborate decahydrate; borax decahydrate							
	Acute fish toxicity	LC50 mg/l	> 100		Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h				
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna			

#### 12.2. Persistence and degradability

The product has not been tested. Part of the components is biodegradable.

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1303-96-4	disodium tetraborate decahydrate; borax decahydrate	-1,53

# 12.4. Mobility in soil

Evaporates partly from water and soil. No adsoption in soil or sediment.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 8 of 10

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

## Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

#### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

none

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59): disodium tetraborate decahydrate; borax decahydrate

Restrictions on use (REACH, annex XVII): Entry 30, Entry 40, Entry 69, Entry 75

2004/42/EC (VOC): 51 % (571,2 g/l)

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

propan-2-ol; isopropyl alcohol; isopropanol

disodium tetraborate decahydrate; borax decahydrate

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

## NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 9 of 10

#### Changes

section 1, 8, 9, 11, 12, 14, 15, 16

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

Flam. Lig: Flammable liquids Acute Tox: Acute toxicity Eye Irrit: Eye irritation Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

## Key literature references and sources for data

General review and adaption to regulation (EC) 2020/878

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. Toxic if swallowed. H301 Toxic in contact with skin. H311 Causes serious eye irritation.

H331 Toxic if inhaled.

H319

H336 May cause drowsiness or dizziness.

May damage fertility. May damage the unborn child. H360FD

H370 Causes damage to organs.

**EUH210** Safety data sheet available on request.





according to Regulation (EC) No 1907/2006

# NORD-TEST Ultraschallkoppelpaste Type US-B

Revision date: 09.06.2023 Page 10 of 10

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)