

Certificate

mdc medical device certification GmbH
certifies that

Mascia Brunelli S.p.A.
Viale Monza 272
20128 Milano
Italy

for the scope

**design, manufacturing and distribution of
medical devices and in vitro diagnostic devices**

has introduced and applies a

Quality Management System

The mdc audit has proven that this quality management system
meets all requirements of the following standard

EN ISO 13485

Medical devices – Quality management systems –
Requirements for regulatory purposes

EN ISO 13485:2016 + AC:2016 - ISO 13485:2016

| | |
|------------------|------------------|
| Valid from | 2018-08-29 |
| Valid until | 2021-08-29 |
| Registration no. | D1016000037 |
| Report no. | P18-00837-123310 |
| Stuttgart | 2018-08-29 |



Head of Certification Body



STREP GROUPING RAPID LATEX TEST KIT

For professional *in Vitro* diagnostic use only

Rapid latex agglutination slide test for grouping Streptococci of Lancefield groups A,B,C,D,F and G from culture plates

INTENDED USE

Strep Grouping Rapid Latex Test Kit is a rapid latex agglutination slide test for grouping Streptococci of Lancefield groups A,B,C,D,F and G from culture plates. Most strains of streptococci, which have been isolated from human infections, possess serological group specific antigens. Identification of the organisms includes extraction and characterisation of these antigens from organisms grown in culture. The streptococcal grouping system provides an enzyme reagent for rapid extraction of the carbohydrate antigens and a series of latex agglutination reagents, specific for groups A, B, C, D, F and G, for rapid detection and identification of the extracted antigens. This product is intended for professional use only.

PRINCIPLE OF THE TEST

Latex particles in the Strep Grouping Rapid Latex Test Kit are individually sensitised with rabbit antibodies specific to one of the Streptococcal carbohydrate antigens of groups A, B, C, D, F or G. Streptococcal colonies from culture plates are incubated in an enzyme solution to extract the antigen. The extract / antigen preparation is tested on a reaction card against six suspensions of antibody coated latex particles, each specific for one of the groups A, B, C, D, F and G. In the presence of homologous antigen, particles in one of the suspensions will aggregate to give visible agglutination in contrast to the other suspensions, which will remain un-agglutinated.

REAGENTS AND MATERIALS PROVIDED

Each kit contains sufficient reagents for 50 tests. The date of expiry of each reagent is indicated on the vial labels.

REAGENT TEST GR A: 2.5mL - Contains rabbit Strep Group A antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

REAGENT TEST GR B: 2.5mL - Contains rabbit Strep Group B antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

REAGENT TEST GR C: 2.5mL - Contains rabbit Strep Group C antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

REAGENT TEST GR D: 2.5mL - Contains rabbit Strep Group D antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

REAGENT TEST GR F: 2.5mL - Contains rabbit Strep Group F antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

REAGENT TEST GR G: 2.5mL - Contains rabbit Strep Group G antibody-sensitised latex particles in buffer with stabiliser and sodium azide 0.099% as preservative. White cap

CONTROL +: 1.0mL - Positive control: contains inactivated polyvalent antigenic extracts to groups A,B,C,D,F and G preserved with 0.099% sodium azide. Red cap

ENZ: 2 x 10mL - Lyophilised extraction enzyme

Disposable Agglutination Cards

Disposable Mixing Sticks

Instruction for use

MATERIALS REQUIRED BUT NOT SUPPLIED

Bacteriological loops

Glass or plastic test tubes.

Pipette to dispense 0.4ml volumes.

Water bath set at 37 °C.

Sample droppers or Pasteur pipettes.

Laboratory timer.

WARNINGS AND PRECAUTIONS

- 1- The reagents supplied in this kit are for *in vitro* diagnostic use only. The kit is intended for professional use only.
- 2- Do not use reagents after the expiry date stated on the kit carton label.
- 3- Do not cross contaminate reagents or samples.
- 4- The test should only be performed in accordance with the instructions supplied with the kit.
- 5- Do not pipette specimens or reagents by mouth.
- 6- All clinical specimens and cultures should be considered infectious and handled and disposed of according to accepted practices. Decontamination of infectious material can be achieved with sodium hypochlorite at a final concentration of 3% for 30 minutes.
- 7- Sodium azide, which is used as a preservative in the kit reagents can react with lead or copper plumbing to form potentially explosive metal azides. Dispose by flushing with a large volume of water to prevent azide build-up.

STORAGE AND SHELF LIFE

Store all reagents at 2-8 °C. Do not freeze. Under these conditions the reagents will be usable until the date printed on the outer carton label. Extraction Enzyme is stable for 3 months after reconstitution if stored at 2-8 °C. To prolong the life of the enzyme, it may be dispensed into suitable test tubes in 0.4mL volumes and stored frozen, at -20 °C or below when it will be stable for 6 months. Enzyme should not be frozen and thawed more than once.

INDICATIONS OF DETERIORATION

Deterioration of reagents should be suspected if:

- Clumping of any of the latex reagents is evident and cannot be removed by shaking vigorously for a few seconds.
- The Positive Control or Extraction Enzyme becomes cloudy or forms a sediment.
- The Positive Control fails to cause agglutination of one or more latex reagents within the recommended reaction time.
- Un-inoculated Extraction Enzyme causes agglutination of any of the latex reagents.

Reagents showing signs of deterioration should not be used.



PREPARATION OF CULTURES AND SPECIMENS

This test is designed for the testing of colonies which have the appearance and growth characteristics of streptococci, after overnight growth on routine laboratory culture media. For details concerning collection and handling of specimens and the choice of, inoculation and incubation of culture media, a standard textbook should be consulted.

Colonies may be taken from primary culture plates, or from pure subcultures, for testing on the day following inoculation of the medium. Stored cultures should not be used. The haemolytic properties of the culture are important to its identification and should be determined whether or not the growth taken for testing originates from blood based medium.

CONTROLS

The Positive Control should be tested regularly to ensure that the reagents are functioning correctly.

The control is supplied ready for use and should be tested in place of the culture extract in the test procedure. The Positive Control should give agglutination with all the test Latex Reagents. Failure of the Positive Control to give an agglutination pattern may be evidence of latex reagent deterioration. If a negative control is desired, un-inoculated Extraction Enzyme should be tested in place of the culture extract in the test procedure.

TEST PROCEDURE

Allow Strep Grouping Rapid Latex Test Kit reagents to reach room temperature prior to use

Proceed as follows for each organism to be grouped.

1. Allow the Latex reagents and positive control to reach room temperature.
2. Just prior to use, reconstitute a bottle of enzyme by adding 10mL distilled water. Mix gently to ensure complete reconstitution. Dispense 0.4mL **Extraction Enzyme** into a test tube.
3. Pick Streptococcal colonies from the surface of the agar using a bacteriological loop and emulsify them thoroughly in the Extraction Enzyme. To obtain best results, pick at least 4 or 5 average sized colonies or their equivalent for extraction. Excessive inoculation of extraction enzyme may cause non-specific agglutination. For minute-colony strains, a sweep of growth will be necessary.
4. Incubate the tube for 10 to 15 minutes in a 37°C water bath. Shake the tube after the first 5 minutes incubation and shake vigorously prior to testing to obtain even suspension of antigen.
5. Vigorously shake Latex reagents for a few seconds to obtain even suspension. Dispense one drop of each **Latex reagent** separately into six circles on a reaction card.
6. Transfer one drop of **well mixed extract** (or Positive Control) into the six separate circles next to the drop of latex reagent.
7. Mix the contents of each circle using separate mixing sticks and spread the liquid to cover the area of the circle. Do not use the same mixing stick for more than one circle.
8. Slowly and gently, rock and rotate the reaction card to mix the reagents for a maximum of one minute.
9. Inspect the card for agglutination. If present, agglutination should be clearly visible with the naked eye.

INTERPRETATION OF RESULTS

When, during the first minute reaction time, the latex particles aggregate into visible clumps, the result is positive for that suspension. If extract contains high quantity of antigen, agglutination may be very rapid giving large clumps. With weaker extracts agglutination may take longer to appear and give smaller clumps but there should be no difficulty distinguishing positive and negative reactions.

When the latex particles retain their original milky appearance, without any significant aggregation, the result is negative for that suspension. Traces of indistinct aggregation should be ignored and considered negative.

EXPECTED RESULTS

Colonies associated with beta-haemolysis:

1. Agglutination of a single latex reagent indicates the group identity of the strain. Complimentary tests should be considered to confirm the results, in particular:
 - for group D strains, biochemical tests to differentiate *Enterococcus* species from group D *streptococcus* species (the former has relatively high antibiotic resistance).
 - for group A, C or G strains with minute colony morphology, biochemical tests to confirm *S.milleri* / *S.anginosus* identification.
2. Agglutination of more than one latex reagent indicates the possibility of mixed growth of organisms from different groups or the presence of a strain with more than one group A (for example some group D streptococci which also possess group G antigen). Further procedures to be considered:
 - subculture to obtain pure isolates for retesting.
 - for strains with group D and group G antigen, biochemical tests to differentiate *Enterococcus* species from group D streptococcus species (*Enterococcus* strains with both these antigens may be more antibiotic resistant than those with only group D antigen).
3. Agglutination of all the latex reagents may indicate excessive inoculation of culture to the Extraction Enzyme or contamination of the test culture with organisms which cause non-specific agglutination of latex particles (these are normally simple to recognise from growth characteristics). Further procedures to be considered:
 - boiling the remaining extract for two or three minutes, cooling and retesting may lead to clear results.
 - repeating the test using a smaller inoculation of the Extraction Enzyme.
 - subculture to obtain pure isolates which may be retested.
4. No significant agglutination in any of the latex reagents indicates either that no group A, B, C, D, F or G streptococci were present in the test sample or that they were present in numbers below the threshold of sensitivity of the test. Further procedures to be considered:
 - retest using a higher inoculum, particularly if group D or group F streptococci are suspected.
 - beta-haemolytic streptococci which do not group may be

Colonies not associated with beta-haemolysis:

Agglutination of a single latex reagent showing a result of group B or group D gives a reliable identification of the strain. If the result is group A, C, F or G it may not be relevant to the identification of the strain and other identification methods are necessary.

Further procedures to be considered:

- if the result is group D, biochemical differentiation between *Enterococci* and group D streptococci (see above).

Any other combination of results should be interpreted using the information provided above.



LIMITATIONS OF USE

Results must be evaluated in the light of other available clinical and laboratory information. Accurate results depend on testing an appropriate amount of growth. This is not usually a problem, however some strains of streptococci belonging to group D possess lower or negligible quantities of group antigen and some strains of group F may be difficult to remove from the surface of agar plates. Antigen production in group D strains may be improved by culturing them on agar supplemented with 0.5 to 1.0% glucose. This supplement does obscure demonstration of haemolysis but it may be considered in situations where it is important to resolve identification. Growth of minute-colony strains may be improved by culture in a carbon dioxide enriched atmosphere. Streptococci from groups Q, R and S may also possess detectable levels of group D antigen. Antigens common to the streptococcal group antigens have been described in a number of unrelated species. For example false positive reactions can occur with *Escherichia*, *Klebsiella* or *Pseudomonas*. These are normally easily differentiated by cultural characteristics and cause no confusion in streptococcal identification.

PERFORMANCE CHARACTERISTICS

The **Strep Grouping Rapid Latex Test Kit** has been evaluated against a leading commercial latex kit as a reference for grouping Streptococci, using clinical samples at a number of independent sites. Overall Results are shown in Table.

| | Strep Grouping Rapid Latex Test Kit | | |
|-------------------------------------|-------------------------------------|-----|----|
| | | + | - |
| Strep Grouping Rapid Latex Test Kit | + | 607 | 55 |
| Leading Commercial Kit | - | 0 | 24 |













Sensitivity = 92% (607/662)

Specificity = 100% (24/24)

REPRODUCIBILITY

Intra Batch reproducibility was evaluated by testing sensitivity of one batch of each of the test latexes on ten separate occasions with three different operators against serial dilutions of reference antigens. End point titres varied by a maximum of one doubling dilution from assay to assay.

Inter Batch Reproducibility was examined by testing sensitivity and specificity of 10 batches of product against serial dilutions of reference antigens. Between the batches variation in titres was a maximum of one

| | | | | | | | |
|--|---|--|---|--|--|---|---|
|  IVD | In Vitro Diagnostic Medical Device |  Temperature limitation |  LOT | Batch code (EXXX) |  Manufacturer |  Keep dry |  Non-sterile |
|  Consult Instructions for use |  Use by (year/month) |  REF | Catalogue number |  Do not reuse |  Fragile, handle with care |  Keep away from heat | |

CONTENT (50 tests)

REAG TEST GR A
 REAG TEST GR B
 REAG TEST GR C
 REAG TEST GR D
 REAG TEST GR F
 REAG TEST GR G
 CONTROL +
 ENZ
 DISPOSABLE AGGL. CARDS (SLIDE)
 MIXING STICKS
 INSTRUCTIONS FOR USE

REF 271070

2.5 mL (dropper white cap)
 2.5 mL (dropper white cap)
 2.5 mL (dropper white cap)
 2.5 mL (dropper white cap)
 2.5 mL (dropper white cap)
 2.5 mL (dropper white cap)
 1 mL (dropper red cap)
 2 x 10mL - Lyophilised extraction enzyme
 50 cards with 6 wells each
 12 x 25 disposable mixing sticks
 1 item

EDMA CODE 14 02 02 03 00



Certificate

mdc medical device certification GmbH
certifies that

Biolife Italiana Srl
Viale Monza 272
20128 Milano
Italy

for the scope

**design, manufacturing and distribution of
in vitro diagnostic devices**

has introduced and applies a

Quality Management System

The mdc audit has proven that this quality management system
meets all requirements of the following standard

EN ISO 13485

Medical devices – Quality management systems –
Requirements for regulatory purposes

EN ISO 13485:2016 + AC:2016 - ISO 13485:2016

| | |
|------------------|------------------|
| Valid from | 2018-08-29 |
| Valid until | 2021-08-29 |
| Registration no. | D2001500012 |
| Report no. | P18-00838-123320 |
| Stuttgart | 2018-08-29 |



Head of Certification Body



Certificado ES16/20725

El sistema de gestión de

SGS

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

Pol. Ind. La Llana
Plaza de la Verneda, 1
08191 Rubí, Barcelona

ha sido evaluado y certificado en cuanto al cumplimiento de los requisitos de

ISO 9001:2015



Para las siguientes actividades

Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis de microbiología, biología molecular, hematología, bioquímica, histología, microscopia y coloración, material general de laboratorio, envases y productos para el cuidado personal. Fabricación y comercialización de consumibles de laboratorio. Comercialización y distribución de equipos para el almacenamiento de muestras preparadas, almacenamiento de muestras para criogenización, jeringas, material general de laboratorio y envases industriales. Comercialización y distribución de equipos e instrumentación para laboratorio, reactivos para el diagnóstico, productos para el cuidado personal, productos cosméticos y productos dietéticos para uso médico especial. Comercialización, distribución, instalación y asistencia técnica de equipos e instrumentación para laboratorio.

Este certificado es válido desde

11 de octubre de 2019 hasta 11 de octubre de 2022.

Edición 4. Organización certificada desde octubre de 2010.

Certificada con SGS desde 11 de octubre de 2016.

Este es un certificado multisede. Ver hoja(s) siguiente(s).


Autorizado por



Dirección de Certificación

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29 28042 Madrid España
t 3491 313 8115 f 34 91 313 8102 www.sgs.com

Página 1 de 2



Este documento se emite por SGS bajo sus condiciones generales de servicio, a las que se puede acceder en http://www.sgs.com/terms_and_conditions.htm. La responsabilidad de SGS queda limitada en los términos establecidos en las citadas condiciones generales que resultan de aplicación a la prestación de sus servicios. La autenticidad de este documento puede ser comprobada en <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. El presente documento no podrá ser alterado ni modificado, ni en su contenido ni en su apariencia. En caso de modificación del mismo, SGS se reserva las acciones legales que estime oportunas para la defensa de sus legítimos intereses.

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

ISO 9001:2015

Edición 4



Emplazamientos en los que se realizan total o parcialmente dichas actividades

DELTALAB, S.L.
Pol. Ind. La Llana, Plaza. de la Verneda, 1 - 08191 Rubí (Barcelona)

Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis de microbiología, biología molecular, hematología, bioquímica, histología, microscopía y coloración. Comercialización de equipos para el almacenamiento de muestras preparadas, almacenamiento de muestras para criogenización, material general de laboratorio y envases industriales. Comercialización de Equipos e instrumentación para laboratorio, reactivos para el diagnóstico, productos para el cuidado personal, productos cosméticos y productos dietéticos para uso medico especial.

KEYLAB, S.L.U.
Pol. Ind. La Llana, Avda. de la Llana, 115-117 - 08191 Rubí (Barcelona)

Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis de microbiología, biología molecular, hematología, bioquímica, histología, microscopía y coloración. Comercialización de equipos para el almacenamiento de muestras preparadas, almacenamiento de muestras para criogenización, material general de laboratorio y envases industriales. Comercialización de Equipos e instrumentación para laboratorio, reactivos para el diagnóstico, productos para el cuidado personal, productos cosméticos y productos dietéticos para uso médico especial.



NIRCO, S.L.
Pol. Ind. Expansión, Puerto de Navafría, 12 - 28935 Móstoles (Madrid)
Pol. Ind. La Llana, Avda. de la Llana, 115-117 - 08191 Rubí (Barcelona)

**Fabricación y comercialización de consumibles para laboratorio
Comercialización y distribución de reactivos para diagnóstico
Comercialización, distribución, instalación y asistencia técnica de equipos e instrumentación para laboratorio.**

ENVASES FARMACÉUTICOS, S.A.
C/ Paralela, 15 - 28860 Paracuellos de Jarama (Madrid)

**Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis, material general de laboratorio, envases y productos para el cuidado personal.
Comercialización y distribución de material general de laboratorio, productos y equipos para el cuidado personal, jeringas y productos cosméticos.**

Certificat ES16/20725

SGS

El sistema de gestió de

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A

Pol. Ind. La Llana,
Plaza de la Verneda, 1
08191 Rubí, Barcelona

ha estat avaluat i certificat en quant al compliment dels requisits de

ISO 9001:2015

Per a les activitats següents

Disseny, fabricació i comercialització de material de laboratori per a la presa, transport i conservació de mostres per anàlisis de microbiologia, biologia molecular, hematologia, bioquímica, histologia, microscòpia i coloració, material general de laboratori, envasos i productes per a la cura personal.

Fabricació i comercialització de consumibles per a laboratori.

Comercialització i distribució d'equips per l'emmagatzematge de mostres preparades, emmagatzematge de mostres per criogenització, xeringues, material general de laboratori i envasos industrials. Comercialització i distribució d'equips i instrumentació per a laboratori, reactius per al diagnòstic, productes per a la cura personal, productes cosmètics i productes dietètics per a ús mèdic especial. Comercialització, distribució, instal·lació i assistència tècnica d'equips i instrumentació per laboratori.

Aquest certificat és vàlid des del
11 d'octubre de 2019 fins 11 d'octubre de 2022.
Edició 4. Organització certificada des d'octubre de 2010.
Certificada amb SGS des de 11 d'octubre de 2016.


Aquest és un certificat multiemplaçament.
Els detalls dels emplaçaments addicionals són al full annex.

Autoritzat per

Direcció de Certificació

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29 28042 Madrid España
t 3491 313 8115 f 34 91 313 8102 www.sgs.com

Pàgina 1 de 2



Aquest document s'emet per SGS sota les seves condicions generals de servei, a les quals es pot accedir a http://www.sgs.com/terms_and_conditions.htm. La responsabilitat de SGS queda limitada en els termes establerts en les esmentades condicions generals que resulten d'aplicació a la prestació dels seus serveis.

L'autenticitat d'aquest document pot ser comprovada a <https://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Aquest document no podrà ser alterat ni modificat, ni en el seu contingut ni en la seva aparença. En cas de modificació d'aquest, SGS es reserva les accions legals que estimi oportunes per a la defensa dels seus legítims interessos.

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A

ISO 9001:2015

Edició 4



Emplaçaments en els quals es duen a terme, total o parcialment, les esmentades activitats

DELTALAB, S.L.
Pol. Ind. La Llana, Plaça de la Verneda, 1 - 08191 Rubí (Barcelona)

Disseny, fabricació i comercialització de material de laboratori per a la presa, transport i conservació de mostres per anàlisi de microbiologia, biologia molecular, hematologia, bioquímica, histologia, microscòpia i coloració. Comercialització d'equips per a l'emmagatzematge de mostres preparades, emmagatzematge de mostres per criogenització, material general de laboratori i envasos industrials.
Comercialització d'equips i instrumentació per a laboratori, reactius per al diagnòstic, productes per a la cura personal, productes cosmètics i productes dietètics per a ús mèdic especial.

KEYLAB, S.L.U.
Pol. Ind. La Llana, Avda. de la Llana, 115-117 - 08191 Rubí (Barcelona)

Disseny, fabricació i comercialització de material de laboratori per a la presa, transport i conservació de mostres per anàlisi de microbiologia, biologia molecular, hematologia, bioquímica, histologia, microscòpia i coloració. Comercialització d'equips per a l'emmagatzematge de mostres preparades, emmagatzematge de mostres per criogenització, material general de laboratori i envasos industrials.
Comercialització d'equips i instrumentació per a laboratori, reactius per al diagnòstic, productes per a la cura personal, productes cosmètics i productes dietètics per a ús mèdic especial.

NIRCO, S.L.
Pol. Ind. Expansión, Puerto de Navafria, 12 - 28935 Móstoles (Madrid)
Pol. Ind. La Llana, Avda. de la Llana, 115-117 - 08191 Rubí (Barcelona)

Fabricació i comercialització de consumibles per a laboratori.
Comercialització i distribució de reactius de diagnòstic.
Comercialització, distribució, instal·lació i assistència tècnica d'equips i instrumentació per a laboratori.

ENVASES FARMACÉUTICOS, S.A.
C/ Paralela, 15 - 28860 Paracuellos de Jarama (Madrid)

Disseny, fabricació i comercialització de material de laboratori per a la presa, transport i conservació de mostres per a anàlisis, material general de laboratori, envasos i productes per a la cura personal. Comercialització i distribució de material general de laboratori, productes i equips per a la cura personal, xeringues i productes cosmètics.



Certificate ES16/20725

The management system of

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

Pol. Ind. La Llana
Plaza de la Vermeda, 1
08191 Rubí, Barcelona

has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis, general labware, containers and healthcare products. Manufacture and commercialization of consumables for the laboratory. Commercialization and distribution of equipment for the storage of prepared samples, cryogenic stored samples, syringes, general labware and industrial packages. Commercialization and distribution of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes. Commercialization, distribution, installation and technical service of equipment and instrumentation for the laboratory.

This certificate is valid from
11 October 2019 until 11 October 2022.
Issue 4. Company certified since October 2010.
Certified with SGS since 11 October 2016.


This is a multisite certification. See following page(s).

Authorised by

Certification Management

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29 28042 Madrid España
t 3491 313 8115 f 34 91 313 8102 www.sgs.com

Page 1 of 2



DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

ISO 9001:2015

Issue 4



Sites where these activities are totally or partially carried out

DELTALAB, S.L.

Pol. Ind. La Llana, Plaza de la Verneda, 1 – 08191 Rubí, Barcelona (España)

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis. Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.

Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.

KEYLAB, S.L.U.

Pol. Ind. La Llana, Avda. de la Llana, 115-117 – 08191 Rubí -Barcelona (España)

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis. Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.

Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.

NIRCO, S.L.

Pol. Ind. Expansión, Puerto de Navafria, 12 - 28935 Móstoles -Madrid (España)
Pol. Ind. La Llana, Avda. de la Llana, 115-117 – 08191 Rubí -Barcelona (España)

Manufacture and commercialization of consumables for the laboratory.

Commercialization and distribution of diagnostic kits

Commercialization, distribution, installation and technical service of equipment and instrumentation for the laboratory.

ENVASES FARMACÉUTICOS, S.A.

C/ Paralela, 15 - 28860 Paracuellos de Jarama (Madrid)

Design, manufacture and commercialization of laboratory material for the collection, transport and conservation of samples for analysis, laboratory material for general use, containers and products for personal care

Commercialisation and distribution of laboratory material for general use, products and equipment for personal care, syringes and cosmetic products.



Certificado ES16/20725.01



DELTALAB, S.L.

Pol. Ind. La Llana
Plaza de la Verneda, 1
08191 Rubí, Barcelona

ha sido evaluado como parte del sistema de gestión de DELTALAB GROUP
organización certificada en cuanto al cumplimiento de los requisitos de

ISO 9001:2015

Para las siguientes actividades

Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis de microbiología, biología molecular, hematología, bioquímica, histología, microscopía y coloración. Comercialización de equipos para el almacenamiento de muestras preparadas, almacenamiento de muestras para criogenización, material general de laboratorio y envases industriales. Comercialización de Equipos e instrumentación para laboratorio, reactivos para el diagnóstico, productos para el cuidado personal, productos cosméticos y productos dietéticos para uso medico especial.

en/desde los siguientes emplazamientos

Pol. Ind. La Llana, Plaza de la Verneda, 1 - 08191 Rubí (Barcelona)

Válido desde

11 de octubre de 2019 hasta 11 de octubre de 2022.

Edición 1.

El presente documento es parte del certificado nº ES16/20725.

La vigencia de este documento queda supeditada a la de este certificado.

Autorizado por


Dirección de Certificación

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.

C/Trespaderne, 29. 28042 Madrid. España.

t 34 91 313 8115 f 34 91 313 8102 www.sgs.com

Página 1 de 1



Este documento se emite por SGS bajo sus condiciones generales de servicio, a las que se puede acceder en http://www.sgs.com/terms_and_conditions.htm. La responsabilidad de SGS queda limitada en los términos establecidos en las citadas condiciones generales que resultan de aplicación a la prestación de sus servicios. La autenticidad de este documento puede ser comprobada en <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. El presente documento no podrá ser alterado ni modificado, ni en su contenido ni en su apariencia. En caso de modificación del mismo, SGS se reserva las acciones legales que estime oportunas para la defensa de sus legítimos intereses.



Certificat ES16/20725.01

DELTALAB, S.L.

Pol. Ind. La Llana,
Plaza de la Verneda, 1
08191 Rubí, Barcelona

Ha estat avaluat com a part del sistema de Gestió de DELTALAB GROUP
organització certificada en quant a l'acompliment dels requisits de

ISO 9001:2015

Per a les activitats següents



Disseny, fabricació i comercialització de material de laboratori per a la presa, transport i conservació de mostres per anàlisi de microbiologia, biologia molecular, hematologia, bioquímica, histologia, microscòpia i coloració. Comercialització d'equips per a l'emmagatzematge de mostres preparades, emmagatzematge de mostres per criogenització, material general de laboratori i envasos industrials. Comercialització d'equips i instrumentació per a laboratori, reactius per al diagnòstic, productes per a la cura personal, productes cosmètics i productes dietètics per a ús mèdic especial.

a/des dels següents emplaçaments

Pol. Ind. La Llana, Plaza de la Verneda, 1 - 08191 Rubí (Barcelona)

Vàlid des del
11 d'octubre de 2019 fins 11 d'octubre de 2022.
Edició 1.


El present document és part del certificat nº ES16/20725.
La vigència d'aquest document queda supeditada a la d'aquest certificat.



Autoritzat per

Direcció de Certificació

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29. 28042 Madrid. España.
t 34 91 313 8115 f 34 91 313 8102 www.sgs.com
Pàgina 1 de 1



Aquest document s'emet per SGS sota les seves condicions generals de servei, a les quals es pot accedir a http://www.sgs.com/terms_and_conditions.htm. La responsabilitat de SGS queda limitada en els termes establerts en les esmentades condicions generals que resulten d'aplicació a la prestació dels seus serveis.

L'autenticitat d'aquest document pot ser comprovada a <https://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Aquest document no podrà ser alterat ni modificat, ni en el seu contingut ni en la seva aparença. En cas de modificació d'aquest, SGS es reserva les accions legals que estimi oportunes per a la defensa dels seus legítims interessos.

Certificate ES16/20725.01



DELTALAB, S.L.

Pol. Ind. La Llana
Plaza de la Vereda, 1
08191 Rubí, Barcelona

has been assessed as part of the management system of DELTALAB GROUP
certified organization as meeting the requirements of

ISO 9001:2015

For the following activities



Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, hematology, biochemistry, histology, microscopy and colorimetric analysis. Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages. Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.

in / from the following sites

Pol. Ind. La Llana, Plaza de la Vereda, 1 - 08191 Rubi (Barcelona)

Valid from
11 October 2019 until 11 October 2022.
Issue 1.

This document is part of Certificate ES16/20725.
The validity of this document is subject to the certificate.




Authorized by


Certification Management

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29. 28042 Madrid. España.
t 34 91 313 8115 f 34 91 313 8102 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



LIM Broth

Selective enrichment medium for Group B Streptococcus, including *S. agalactiae*. The kit consists of a tube with conical bottom, skirted and screw cap, containing 2 ml LIM broth, and a standard flocked swab.

Packed in peel pack (plastic peel pack) with the basic information and instructions printed.

Swab sterilised by radiation.



| code | description | tube height mm | cap Ø mm | case quantity | case weight | case volume |
|---------|-------------|----------------|----------|---------------|-------------|-------------|
| 304212* | 2 ml LIM | 82.6 | 16.6 | 6 x 60 | 4.00 | 0.056 |

*Code not available for sale in Italy, UK and Ireland. Shelf life: 16 months.

ENRICHMENT MEDIA



Selenite

Enrichment medium that inhibits the proliferation of bacterial microbiote.

It is particularly suited for isolating *Salmonella* from faecal samples, food and/or water. It is used as an enrichment medium for clinical and industrial samples. Easy and practical.

Compatible with manual and automated systems of microbiological culture and suitable for molecular assays.



| code | description | tube height mm | cap Ø mm | case quantity | case weight | case volume |
|--------|---------------|----------------|----------|---------------|-------------|-------------|
| 304210 | 2 ml Selenite | 82.6 | 16.6 | 6 x 60 | 2.84 | 0.025 |

Shelf life: 24 months



Thioglycolat

Widely used enrichment media for isolation and cultivation of Aerobic and Anaerobic Bacteria and Fastidious Bacteria.

It is used as an enrichment media for clinical samples.

Easy and practical. Compatible with manual and automated systems of microbiological culture and suitable for molecular assays.



| code | description | tube height mm | cap Ø mm | case quantity | case weight | case volume |
|--------|-------------------|----------------|----------|---------------|-------------|-------------|
| 304211 | 2 ml Thioglycolat | 82.6 | 16.6 | 6 x 60 | 2.84 | 0.025 |

Shelf life: 12 months



Certificate ES19/86440

The management system of

DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

Pol. Ind. La Llana
Plaza de la Verneda, 1
08191 Rubí, Barcelona

has been assessed and certified as meeting the requirements of

ISO 14001:2015

For the following activities

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis, general labware, containers and healthcare products. Manufacture and commercialization of consumables for the laboratory. Commercialization and distribution of equipment for the storage of prepared samples, cryogenic stored samples, syringes, general labware and industrial packages. Commercialization and distribution of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes. Commercialization, distribution, installation and technical service of equipment and instrumentation for the laboratory.

This certificate is valid from
29 August 2019 until 29 August 2022.
Issue 1.

This is a multisite certification. See following page(s).

Authorised by

Certification Management

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29 28042 Madrid España
t 3491 313 8115 f 34 91 313 8102 www.sgs.com

Page 1 of 2



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate ES19/86440



DELTALAB GROUP
DELTALAB, S.L., KEYLAB, S.L.U.,
NIRCO, S.L., ENVASES FARMACÉUTICOS, S.A.

ISO 14001:2015

Issue 1



Sites where these activities are totally or partially carried out

DELTALAB, S.L.

Pol. Ind. La Llana, Plaza de la Verneda, 1 – 08191 Rubí, Barcelona (España)

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis. Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.
Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.

KEYLAB, S.L.U.

Pol. Ind. La Llana, Avda. de la Llana, 115-117 – 08191 Rubí -Barcelona (España)

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis. Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.
Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.



NIRCO, S.L.

Pol. Ind. Expansión, Puerto de Navafria, 12 - 28935 Móstoles -Madrid (España)
Pol. Ind. La Llana, Avda. de la Llana, 115-117 – 08191 Rubí -Barcelona (España)

Manufacture and commercialization of consumables for the laboratory.
Commercialization and distribution of diagnostic kits.
Commercialization, distribution, installation and technical service of equipment and instrumentation for the laboratory.

ENVASES FARMACÉUTICOS, S.A.

C/ Paralela, 15 - 28860 Paracuellos de Jarama (Madrid)

Design, manufacture and commercialization of laboratory material for the collection, transport and conservation of samples for analysis, laboratory material for general use, containers and products for personal care
Commercialisation and distribution of laboratory material for general use, products and equipment for personal care, syringes and cosmetic products.

Certificate ES19/86440.01



DELTALAB, S.L.

Pol. Ind. La Llana
Plaza de la Verneda, 1
08191 Rubí, Barcelona

has been assessed as part of the management system of DELTALAB GROUP
certified organization as meeting the requirements of

ISO 14001:2015



For the following activities:

- Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, hematology, biochemistry, histology, microscopy and colorimetric analysis.
- Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.
- Commercialization of equipment and instrumentation for the laboratory, diagnostic kits, healthcare products, cosmetics and food for special medical purposes.

in / from the following sites

Pol. Ind. La Llana, Plaza de la Verneda, 1 - 08191 Rubí (Barcelona)

Valid from
29 August 2019 until 29 August 2022
Issue 1.

This document is part of Certificate N°. ES19/86440.
The validity of this document is subject to the certificate.



Authorized by

Certification Management

SGS INTERNATIONAL CERTIFICATION SERVICES IBERICA, S.A.U.
C/Trespaderne, 29. 28042 Madrid. España.
t 34 91 313 8115 f 34 91 313 8102 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DICHIARAZIONE DI CONFORMITÀ CE / EC DECLARATION OF CONFORMITY

DICHIARAZIONE DI CONFORMITÀ CE

La società Liofilchem® S.r.l., con Sede Legale in Via Scozia, 64026 Roseto degli Abruzzi (TE) Italia, in qualità di fabbricante del dispositivo medico-diagnostico *in vitro* elencato nella tabella allegata Revisione 31.0 del 08.01.2016

dichiara sotto la propria responsabilità

1. che il dispositivo sopra indicato soddisfa tutte le disposizioni applicabili della Direttiva 98/79/CE (Allegato III) recepita nella Legislazione Italiana dal Decreto Legislativo n° 332 del 8 settembre 2000;
2. che il dispositivo in oggetto non è incluso nell'Allegato II, lista A e B della Direttiva 98/79/CE
3. che la documentazione tecnica di cui all'allegato III della direttiva Direttiva 98/79/CE è a disposizione delle autorità nazionali presso la sua sede e sarà conservata per 5 anni dall'ultima data di fabbricazione del prodotto;
4. che il processo di fabbricazione segue adeguati principi di assicurazione della qualità;
5. di aver attivato e di mantenere aggiornato, un sistema di sorveglianza post-produzione per il monitoraggio dei prodotti;
6. che il dispositivo in oggetto è stato messo in commercio munito di marcatura CE.

EC DECLARATION OF CONFORMITY

The company Liofilchem® S.r.l., registered office in Via Scozia, 64026 Roseto degli Abruzzi (TE) Italy, as a manufacturer of the *in vitro* medical-diagnostic device listed in the attached table, Revision 31.0 of 08.01.2016

hereby certifies under its own responsibility

1. that the above mentioned device complies with all the applicable provisions of Directive 98/79/EC (Annex III) and its relevant transposition into national law;
2. the above mentioned is not included in Annex II, List A and B of Directive 98/79/EC;
3. that the technical documentation referred to at Annex III of the Directive 98/79/EC is available for the national authorities in its facility and that this documentation shall be kept for 5 years after the last product has been manufactured;
4. that the manufacturing process follows suitable principles of quality assurance;
5. that, has implemented and keep up to date, a post-production surveillance system for monitoring the products;
6. that the device in question, was introduced into the market provided with CE mark.

Roseto, 08.01.2016

Direttore Tecnico/ Technical Director
Dott. Silvio Brocco



PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---------------------------------------|
| 10002 | DNA AGAR + BLU DI TOLUIDINA |
| 10004 | CLED ANDRADE AGAR |
| 10004* | CLED ANDRADE AGAR |
| 10005 | MAC CONKEY SORBITOL AGAR |
| 10005* | MAC CONKEY SORBITOL AGAR |
| 10006 | TRYPTIC SOY AGAR + 0,6% YEAST EXTRACT |
| 10007 | BACILLUS CEREUS AGAR (PEMBA) |
| 10007* | BACILLUS CEREUS AGAR (PEMBA) |
| 10011 | YEAST GLUCOSE CHLORAMPHENICOL AGAR |
| 10011* | YEAST GLUCOSE CHLORAMPHENICOL AGAR |
| 10013 | DNase TEST AGAR |
| 10013* | DNase TEST AGAR |
| 10014 | Purple Lactose Agar |
| 10014* | Purple Lactose Agar |
| 10017 | CZAPEK DOX AGAR |
| 10018 | DRIGALSKY LACTOSE AGAR |
| 10021 | BIGGY (NICKERSON) AGAR |
| 10021* | BIGGY (NICKERSON) AGAR |
| 10022 | BRILLIANT GREEN AGAR |
| 10022* | BRILLIANT GREEN AGAR |
| 10023 | Chocolate Agar |
| 10023* | Chocolate Agar |
| 10024 | TRYPTOSE AGAR |
| 10024* | TRYPTOSE AGAR |
| 10025 | COLUMBIA AGAR (Horse Blood 5%) |
| 10025* | COLUMBIA AGAR (Horse Blood 5%) |
| 10026 | CLED AGAR |
| 10026* | CLED AGAR |
| 10027 | BACILLUS CEREUS AGAR (Mossel) |
| 10027* | BACILLUS CEREUS AGAR (Mossel) |
| 10028 | ISOSENSITEST AGAR |
| 10028* | ISOSENSITEST AGAR |
| 10029 | MAC CONKEY AGAR |
| 10029* | MAC CONKEY AGAR |
| 10030 | MANNITOL SALT AGAR |
| 10030* | MANNITOL SALT AGAR |
| 10031 | MUELLER HINTON II AGAR |
| 10031* | MUELLER HINTON II AGAR |
| 10033 | PSEUDOMONAS (CETRIMIDE) AGAR |
| 10033* | PSEUDOMONAS (CETRIMIDE) AGAR |
| 10035 | SABOURAUD AGAR |
| 10035* | SABOURAUD AGAR |
| 10035S | SABOURAUD AGAR Irradiated |
| 10036 | S.S. AGAR |
| 10036* | S.S. AGAR |
| 10037 | TRYPTIC SOY AGAR |
| 10037* | TRYPTIC SOY AGAR |
| 10037S | TRYPTIC SOY AGAR Irradiated |
| 10039 | ROGOSA AGAR |
| 10039* | ROGOSA AGAR |
| 10040 | NEW YORK CITY AGAR |
| 10040* | NEW YORK CITY AGAR |
| 10041 | LISTERIA PALCAM AGAR |
| 10041* | LISTERIA PALCAM AGAR |
| 10042 | CRYSTAL VIOLET AGAR (Sheep Blood 5%) |
| 10042* | CRYSTAL VIOLET AGAR (Sheep 5%) |
| 10043 | HEKTOEN ENTERIC AGAR |
| 10043* | HEKTOEN ENTERIC AGAR |
| 10044 | NUTRIENT AGAR |
| 10044* | NUTRIENT AGAR |

| | |
|--------|---|
| 10046 | SERUM TELLURITE AGAR |
| 10047 | BISMUTH SULFITE AGAR |
| 10047* | BISMUTH SULFITE AGAR |
| 10048 | E.M.B. LEVINE AGAR |
| 10048* | E.M.B. LEVINE AGAR |
| 10050 | CAMPYLOBACTER AGAR (Sheep Blood 5%) |
| 10050* | CAMPYLOBACTER AGAR (Sheep Blood 5%) |
| 10051 | Legionella BCYE Agar |
| 10051* | Legionella BCYE Agar |
| 10052 | YERSINIA SELECTIVE AGAR |
| 10052* | YERSINIA SELECTIVE AGAR |
| 10053 | WILKINS CHALGREEN AGAR |
| 10053* | WILKINS CHALGREEN AGAR |
| 10054 | WURTZ LACTOSE AGAR |
| 10054* | WURTZ LACTOSE AGAR |
| 10056 | X.L.D. AGAR |
| 10056* | X.L.D. AGAR |
| 10057 | BILE AESCULIN AGAR |
| 10057* | BILE AESCULIN AGAR |
| 10058S | TRYPTIC SOY AGAR Irradiated -30 mL- |
| 10060 | BRAIN HEART INFUSION AGAR |
| 10060* | BRAIN HEART INFUSION AGAR |
| 10064 | CHRISTENSEN UREA AGAR |
| 10065 | SCHAEDLER KKV AGAR(Sheep Blood 5%) |
| 10065* | SCHAEDLER KKV AGAR(Sheep Blood 5%) |
| 10067 | SCHAEDLER KVN AGAR (Sheep Blood 5%) |
| 10069 | X.L.T. 4 AGAR |
| 10069* | X.L.T. 4 AGAR |
| 10074S | TRYPTIC SOY AGAR+NEUTRALIZING Irradiated |
| 10078 | MUELLER HINTON II MOD. AGAR |
| 10078* | MUELLER HINTON II MOD. AGAR |
| 10079 | CASITONE AGAR |
| 10079* | CASITONE AGAR |
| 10080 | HAEMOPHYLUS TEST AGAR |
| 10080* | HAEMOPHYLUS TEST AGAR |
| 10082 | HELICOBACTER PYLORI AGAR |
| 10082* | HELICOBACTER PYLORI AGAR |
| 10090 | M.R.S. Agar |
| 10090* | M.R.S. Agar |
| 10095 | BRAIN HEART AGAR FOR HAEMOPHILUS |
| 10129 | MAC CONKEY AGAR MMG |
| 10129* | MAC CONKEY AGAR MMG |
| 10131 | Mueller Hinton II Agar (Sheep Blood 5%) |
| 10131* | Mueller Hinton II Agar (Sheep Blood 5%) |
| 10132 | MUELLER HINTON FASTIDIOUS AGAR 90 mm |
| 10134 | Legionella BMPA Agar |
| 10141 | SALMONELLA TEST AGAR |
| 10141* | SALMONELLA TEST AGAR |
| 10142 | BLOOD AGAR (Sheep Blood 7%)(ISO 10560) |
| 10142* | BLOOD AGAR (Sheep Blood 7%)(ISO 10560) |
| 10143 | Mueller Hinton Agar + 5 % Horse Blood Lysed |
| 10145 | CAMPYLOBACTER KARMALI AGAR |
| 10146 | CAMPYLOBACTER PRESTON AGAR |
| 10148 | CAMPYLOBACTER AGAR (Sheep Blood 10%) |
| 10225 | LISTERIA PALCAM AGAR 140 mm |
| 10231 | MUELLER HINTON II AGAR 140 mm |
| 10233 | R.P.M.I. AGAR |
| 10235 | SABOURAUD CAF AGAR + GENTAMICIN |
| 10235* | SABOURAUD CAF AGAR + GENTAMICIN |
| 10236 | CLED AGAR 140 mm |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|--|
| 10240 | SCHAEDLER K AGAR (Sheep Blood 5%) 140mm |
| 10241 | SCHAEDLER KKV AGAR(Sheep blood 5%) 140mm |
| 10242 | SABOURAUD CAF AGAR 140 mm |
| 10243 | SABOURAUD CAF AGAR + GENTAMICIN 140mm |
| 10244 | DERMATOPHYTE (D.T.M.) AGAR 140 mm |
| 10245 | BRUCELLA BLOOD AGAR w HEMIN AND VITAMIN K1 |
| 10246 | Chromatic™ MH |
| 10247 | Brucella Blood Agar with Hemin and Vitamin K1 |
| 10249 | Purple Lactose Agar 140 mm |
| 10334 | NEOMYCIN BLOOD AGAR (Sheep Blood 5%) |
| 10334* | NEOMYCIN BLOOD AGAR (Sheep Blood 5%) |
| 10335 | MUELLER HINTON CHOCOLATE AGAR |
| 10353 | BORDET GENGOU AGAR (Sheep Blood 15%) |
| 10353* | BORDET GENGOU AGAR (Sheep Blood 15%) |
| 10405 | SCHAEDLER CNA AGAR (Sheep Blood 5%) |
| 10407 | VANCOMYCIN SCREEN AGAR |
| 10408 | WILKINS CHALGREN AGAR +5% SHEEP BLOOD |
| 10409 | CAMPYLOBACTER CCDA AGAR |
| 10410 | MUELLER HINTON AGAR w VITALEX |
| 10411 | BILE ESCULIN AZIDE AGAR w VANCOMYCIN |
| 10412 | Legionella BCYE Agar w/o Cysteine |
| 10413 | XLD Agar EP, USP, JP Formulation |
| 10416 | MIDDLEBROOK 7H11 AGAR |
| 10424 | Legionella BCYE Agar w Vancomycin + Colistin |
| 10425 | SCEDOSPORIUM SELECTIVE AGAR |
| 10438 | MacConkey Agar No.2 |
| 10438* | MacConkey Agar No.2 |
| 10439 | Group A Selective Strep Agar w/ 5% Sheep Blood |
| 10599 | CHROMATIC™ MRSA |
| 10600 | OXACILLIN RESISTANCE STAPHYLOCOCCUS AGAR |
| 10601 | CHOCOLATE AGAR w/o VITOX |
| 10602 | CAMPYLOBACTER SKIRROW AGAR |
| 10605 | HELICOBACTER PYLORI EGG YOLK EMULSION AGAR |
| 10620 | O.A.LISTERIA |
| 11023 | CHOCOLATE BACITRACIN AGAR |
| 11023* | CHOCOLATE BACITRACIN AGAR |
| 11024 | COLUMBIA CNA AGAR (Sheep Blood 5%) |
| 11024* | COLUMBIA CNA AGAR (Sheep Blood 5%) |
| 11025 | COLUMBIA AGAR (Sheep Blood 5%) |
| 11025* | COLUMBIA AGAR (Sheep Blood 5%) |
| 11027 | DESOXYCHOLATE AGAR |
| 11027* | DESOXYCHOLATE AGAR |
| 11030 | ANAEROBIC AGAR |
| 11033 | PSEUDOMONAS ISOLATION AGAR |
| 11033* | PSEUDOMONAS ISOLATION AGAR |
| 11035 | SABOURAUD CAF AGAR |
| 11035* | SABOURAUD CAF AGAR |
| 11035S | SABOURAUD CAF AGAR Irradiated |
| 11037 | TRYPTIC SOY AGAR (Sheep Blood 5%) |
| 11037* | TRYPTIC SOY AGAR (Sheep Blood 5%) |
| 11038 | TRYPTIC SOY AGAR (Horse Blood 5%) |
| 11038* | TRYPTIC SOY AGAR (Horse Blood 5%) |
| 11040 | THAYER MARTIN AGAR |
| 11040* | THAYER MARTIN AGAR |
| 11041 | AZIDE AGAR (Sheep Blood 5%) |
| 11041* | AZIDE AGAR (Sheep Blood 5%) |
| 11052 | DERMATOPHYTE (D.T.M.) AGAR |
| 11052* | DERMATOPHYTE (D.T.M.) AGAR |
| 11054 | GARDNERELLA AGAR (Sheep Blood 5%) |
| 11054* | GARDNERELLA AGAR (Sheep Blood 5%) |

| | |
|--------|---|
| 11057 | ENTEROCOCCO AGAR |
| 11057* | ENTEROCOCCO AGAR |
| 11058 | SLANETZ BARTLEY AGAR(m-ENTEROCOCCUS) |
| 11058* | SLANETZ BARTLEY AGAR(m-ENTEROCOCCUS) |
| 11060 | CLOSTRIDIUM AGAR (Sheep Blood 5%) |
| 11060* | CLOSTRIDIUM AGAR (Sheep Blood 5%) |
| 11065 | SCHAEDLER K AGAR (Sheep Blood 5%) |
| 11065* | SCHAEDLER K AGAR (Sheep Blood 5%) |
| 11070 | MYCOSEL AGAR |
| 11070* | MYCOSEL AGAR |
| 11132 | MUELLER HINTON FASTIDIOUS AGAR (140mm) |
| 11124 | COLUMBIA CNA MOD. AGAR (Sheep blood 5%) |
| 11124* | COLUMBIA CNA MOD. AGAR (Sheep blood 5%) |
| 11135 | SABOURAUD AGAR MODIFIED |
| 11135* | SABOURAUD AGAR MODIFIED |
| 11143 | HERELLEA AGAR |
| 11143* | HERELLEA AGAR |
| 11185 | VOGEL JOHNSON AGAR |
| 11185* | VOGEL JOHNSON AGAR |
| 11195 | T.C.B.S. AGAR |
| 11195* | T.C.B.S. AGAR |
| 11196 | SPS AGAR |
| 11196* | SPS AGAR |
| 11200 | PAR TEST AGAR |
| 11200* | PAR TEST AGAR |
| 11205 | MYCOPLASMA AGAR |
| 11206 | Mueller Hinton II Agar + 2% NaCl |
| 11231 | Mueller Hinton II Agar (Sheep Blood 5%) 140mm |
| 11235 | SABOURAUD CAF AGAR + TTC |
| 11235* | SABOURAUD CAF AGAR + TTC |
| 11236 | Sabouraud CAF Agar + Actidione |
| 11250 | TINSDALE AGAR |
| 11250* | TINSDALE AGAR |
| 11335 | SABOURAUD AGAR + GENTAMICIN |
| 11335* | SABOURAUD AGAR + GENTAMICIN |
| 11501 | ENTEROCOCCUS AGAR + VANCOMYCIN |
| 11506 | BURKHOLDERIA CEPACIA SELECTIVE AGAR |
| 11509 | R.P.M.I. AGAR |
| 11510 | M.HINTON+GLUCOSE+METHYLEN BLUE |
| 11511 | NEISSERIA-MORAXELLA MEDIUM |
| 11512 | NUTRIENT AGAR acc.to ISO 21528 |
| 11513 | NUTRIENT AGAR acc.to ISO 6579 |
| 11517 | COLUMBIA AGAR(Sheep Blood 5%)+VANCOMYCIN |
| 11518 | Mueller Hinton Agar + Cloxacillin |
| 11610 | Chromatic™ E.coli O157 |
| 11611 | CHROMATIC™ DETECTION |
| 11612 | CHROMATIC™ CANDIDA |
| 11614 | CHROMATIC™ SALMONELLA |
| 11616 | CHROMATIC™ STAPH AUREUS |
| 11617 | CHROMATIC™ STREPTO B |
| 11618 | CHROMATIC™ MH |
| 11619 | CHROMATIC™ CRE |
| 11621 | CHROMATIC™ VRE |
| 11622 | CHROMATIC™ ESBL |
| 11627 | Chromatic™ Enterococcus |
| 11629 | CHROMATIC™ ESBL + AmpC |
| 11629* | CHROMATIC™ ESBL + AmpC |
| 11631 | Chromatic™ OXA-48 |
| 11632 | Chromatic™ Clostridium difficile |
| 11634 | Chromatic™ Detection opaque |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 12031 | MUELLER HINTON II AGAR (120X120 mm) |
| 12032 | Mueller Hinton II Agar (Sheep Blood 5%) (120 mm x 120 mm) |
| 12033 | Mueller Hinton Fastidious Agar (Horse blood 5% + 20 mg/L β-NAD) (120 mm x 120 mm) |
| 13012 | CLED/MACCONKEY/TSA BLOOD AGAR |
| 13012* | CLED/MACCONKEY/TSA BLOOD AGAR |
| 13013 | BAIRD PARKER/BIGGY/MACCONKEY |
| 13013* | BAIRD PARKER/BIGGY/MACCONKEY |
| 13014 | COLUMBIA CNA/CIOCCOLATO/THAYER MARTIN |
| 13014* | COLUMBIA CNA/CIOCCOLATO/THAYER MARTIN |
| 13017 | CLED/MACCONKEY MMG/MALTO |
| 13017* | CLED/MACCONKEY MMG/MALTO |
| 13018 | BROM CRESOL PURPLE/COLUMBIA CNA/M.CONKEY |
| 13018* | BROM CRESOL PURPLE/COLUMBIA CNA/M.CONKEY |
| 13019 | CLED/MACCONKEY/CETRIMIDE |
| 13019* | CLED/MACCONKEY/CETRIMIDE |
| 13020 | MAC CONKEY/B.PARKER/TSA BLOOD |
| 13345 | GARDNERELLA V./ROGOSA/THAYER MARTIN |
| 13345* | GARDNERELLA V./ROGOSA/THAYER MARTIN |
| 13356 | Gard.V. / Chocolate / Thayer Martin |
| 13371 | BAIRD PARKER/MACCONKEY/SABOURAUD CAF |
| 13371* | BAIRD PARKER/MACCONKEY/SABOURAUD CAF |
| 13480 | MACCONKEY/VOGEL JOHNSON/SABOURAUD |
| 13480* | MACCONKEY/VOGEL JOHNSON/SABOURAUD |
| 13602 | SABOURAUD CAF/BAIRD PARKER/BILE ESCULINE |
| 13602* | SABOURAUD CAF/BAIRD PARKER/BILE ESCULINE |
| 13607 | CHOC. BAC./COLUMBIA/MAC CONKEY |
| 13607* | CHOC. BAC./COLUMBIA/MAC CONKEY |
| 13614 | CLED/MACCONKEY/ENTEROCOCCO |
| 13614* | CLED/MACCONKEY/ENTEROCOCCO |
| 165312 | MYCOPLASMA AGAR |
| 18007 | CHROMATIC™ STAPH AUREUS/ MRSA |
| 18008 | TSA BLOOD/CROMagar ORIENTATION |
| 18008* | TSA BLOOD/CROMagar ORIENTATION |
| 18009 | Chromatic™ Salmonella/Hektoen Enteric |
| 18011 | CHROMATIC™ DETECTION/ESBL |
| 18012 | BRILLIANT GREEN / SS AGAR |
| 18012* | BRILLIANT GREEN / SS AGAR |
| 18015 | BIGGY (NICKERSON) / MALT AGAR |
| 18015* | BIGGY (NICKERSON) / MALT AGAR |
| 18017 | COLUMBIA CNA BLOOD/CHROMAGAR |
| 18017* | COLUMBIA CNA BLOOD/CHROMAGAR |
| 18018 | MAC CONKEY/ SABOURAUD CAF |
| 18020 | EMB LEVINE / TSA BLOOD |
| 18020* | EMB LEVINE / TSA BLOOD |
| 18021 | Chromatic™ CRE / Chromatic™ ESBL |
| 18021* | Chromatic™ CRE / Chromatic™ ESBL |
| 18022 | TSA Blood/Columbia CNA |
| 18327 | COLUMBIA CNA / MAC CONKEY |
| 18327* | COLUMBIA CNA / MAC CONKEY |
| 18379 | GARDNERELLA V. / THAYER MARTIN |
| 18379* | GARDNERELLA V. / THAYER MARTIN |
| 18380 | MAC CONKEY / TSA BLOOD |
| 18380* | MAC CONKEY / TSA BLOOD |
| 18390 | BAIRD PARKER / SABOURAUD CAF |
| 18390* | BAIRD PARKER / SABOURAUD CAF |
| 18391 | HEKTOEN ENTERIC / YERSINIA |
| 18391* | HEKTOEN ENTERIC / YERSINIA |
| 18422 | COLUMBIA CNA / GARDNERELLA |
| 18422* | COLUMBIA CNA / GARDNERELLA |

| | |
|--------|---|
| 18500 | BAIRD PARKER / MAC CONKEY |
| 18500* | BAIRD PARKER / MAC CONKEY |
| 18502 | CLED / MAC CONKEY |
| 18502* | CLED / MAC CONKEY |
| 18503 | HEKTOEN ENTERIC / SS |
| 18503* | HEKTOEN ENTERIC / SS |
| 18505 | MAC CONKEY / S.S.AGAR |
| 18505* | MAC CONKEY / S.S.AGAR |
| 18507 | COLUMBIA CNA / CHOCOLATE |
| 18507* | COLUMBIA CNA / CHOCOLATE |
| 18595 | D.T.M. / SABOURAUD |
| 18595* | D.T.M. / SABOURAUD |
| 18700 | Group A Selective/TSA II + Sheep Blood 5% |
| 18703 | CHOCOLATE AGAR /THAYER MARTIN |
| 20075 | MAC CONKEY BROTH(7516MC2) 20x5ml |
| 20077 | PHYSIOLOGICAL SOLUTION 2.5 ml |
| 20079 | PHYSIOLOGICAL SOLUTION 4.5 ML |
| 20081 | INOCULUM SOLUTION 5 ML |
| 20089 | SUSPENSION BROTH |
| 20090 | HELICOBACTER PYLORI TEST |
| 20095 | PHYSIOLOGICAL SOLUTION |
| 20098 | PEPTONE WATER |
| 20105 | Glucose Broth |
| 20121 | INOCULUM BROTH 7 ML |
| 20129 | TRYPTIC SOY BROTH 15 ml |
| 20136 | TRYPTONE WATER |
| 20140 | PURPLE LACTOSE BROTH |
| 20156 | SUSPENSION MEDIUM 7 ML |
| 20158 | MYCOPLASMA TRANSPORT BROTH |
| 20159 | TRICHOMONAS BROTH w/o CLORAMPHENICOL |
| 20171 | Thioglycollate Medium w Vit.K1 & Hemin |
| 20340 | VAGITUBE |
| 21104 | TRYPTIC SOY BROTH |
| 21110 | SELENITE BROTH |
| 21241 | Fluid Thioglycollate Medium |
| 22130 | SCHAEDLER BROTH |
| 23001 | F.B. FASTIDIOUS BROTH |
| 23002 | MUELLER HINTON BROTH w HORSE BLOOD (11ml) |
| 23003 | MUELLER HINTON BROTH |
| 24070 | MYCOSEL BROTH 20PV |
| 24071 | Cooked Meat Medium |
| 24091 | HAEMOPHILUS TEST BROTH 20 PV |
| 24098 | PEPTONE WATER 20PV |
| 24100 | ALKALINE PEPTONE WATER 20PV |
| 24103 | NUTRIENT BROTH 20PV |
| 24104 | BRAIN HEART INFUSION BROTH 20PV |
| 20105 | Glucose Broth |
| 24107 | MUELLER HINTON II BROTH 20 PV |
| 24108 | MULLER KAUFFMANN BROTH 20PV |
| 24109 | SABOURAUD BROTH (Harm.EP) 20PV |
| 24110 | SELENITE BROTH 20PV |
| 24111 | TODD HEWITT BROTH 20PV |
| 24112 | TRYPTOSE BROTH 20PV |
| 24115 | TRICHOMONAS BROTH 20PV |
| 24117 | Pergola Broth |
| 24119 | GN HAJNA BROTH 20PV |
| 24120 | BILE AESCULIN BROTH 20PV |
| 24124 | Fluid Thioglycollate Medium |
| 24125 | SERUM BROTH 20PV |
| 24127 | Fluid Thioglycollate Medium + 1% Tween 80 |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|-------|---|
| 24128 | TRYPTIC SOY BROTH + TWEEN 80 1% 20PV |
| 24135 | SALMONELLA DIFFERENTIAL BROTH 20PV |
| 24136 | TRYPTONE WATER 20PV |
| 24137 | MALONATE BROTH 20PV |
| 24139 | LYSINE DECARBOXYLASE BROTH 20PV |
| 24141 | BRAIN HEART INFUSION BROTH 2 ml 20PV |
| 24142 | PHYSIOLOGICAL SOLUTION 3ml 20PV |
| 24144 | TODD HEWITT w Gentam/Nalidixic acid 20PV |
| 24145 | TODD HEWITT B. w Colistin/Nalid.a. 20PV |
| 24146 | THIOGLYCOLLATE M w/o INDICATOR acc.USP 20PV |
| 24147 | Thioglycollate Bile |
| 24149 | MR-VP MEDIUM 20PV |
| 24161 | Sabouraud Dextrose Broth + CAF |
| 24241 | Fluid Thioglycollate Medium |
| 24342 | MOTILITY TEST MEDIUM 20PV |
| 24345 | O.F. Medium with Glucose |
| 24400 | RAPPAPORT VASSILIADIS SOY (RSV) BROTH 20PV |
| 24403 | BIOTONE BROTH 20PV |
| 24404 | CAMPYLOBACTER BROTH 20PV |
| 24411 | S.F. BROTH 20PV |
| 24412 | STREPTOCOCCUS BROTH 20PV |
| 24413 | MOSEL AND MARTIN w MANNITOL 20PV |
| 24416 | UREA BROTH 20PV |
| 24417 | Wilkins Chalgren Broth |
| 24430 | SCHAEDLER BROTH 20PV |
| 24432 | YERSINIA BROTH 20PV |
| 24433 | EUGON BROTH 20PV |
| 24436 | MIDDLEBROOK 7H9 BROTH 20PV |
| 24446 | PHENOL RED BROTH 20PV |
| 24450 | Rappaport Broth w/o Soy |
| 24451 | Tetrathionate Broth |
| 24459 | CASO BROTH (Double Concentration) CE 20PV |
| 24461 | RPMI Broth |
| 24462 | RPMI Broth (double strength) |
| 24513 | TRYPTIC SOY BROTH (Harm.EP) |
| 24514 | TRYPTIC SOY BROTH |
| 24516 | UREA BROTH |
| 26105 | Glucose Broth |
| 26124 | Fluid Thioglycollate Medium 100 x 10 ml |
| 26400 | RAPPAPORT VASSILIADIS SOY (RSV) BROTH |
| 26513 | Tryptic Soy Broth |
| 27001 | GESA MEDIUM |
| 27500 | Triptic Soy Broth |
| 27501 | Todd Hewitt Broth |
| 27502 | Brain Heart Infusion Broth |
| 27503 | Nutrient Broth |
| 29000 | CHECK-SET BROTH Irradiated 20 Tests |
| 30007 | CAMPYLOBACTER SELECTIVE THIOGLYCOLLATE MEDIUM |
| 30008 | CLOSTRIDIUM AGAR (Sheep Blood 5%) |
| 30009 | HELICOBACTER PYLORI AGAR |
| 30010 | STREPTOCOCCAL KF + TTC AGAR |
| 30011 | SIMMONS CITRATE AGAR |
| 30013 | NITRATI AGAR |
| 30014 | MOSEL AGAR |
| 30022 | T.C.B.S. AGAR |
| 30023 | SABOURAUD CAF AGAR |
| 30024 | SABOURAUD CAF + ACTIDIONE AGAR |
| 30030 | M.R.S. AGAR |
| 30080 | BORDET GENGOU AGAR (Sheep Blood 15%) |
| 30081 | CHRISTENSEN UREA AGAR |

| | |
|---------|---|
| 30082 | TRYPTIC SOY AGAR |
| 30083 | NUTRIENT AGAR |
| 30084 | BRAIN HEART INFUSION AGAR |
| 30085 | PHENYLALANINE AGAR |
| 30087 | KLIGLER IRON AGAR |
| 30088 | KLIGLER IRON AGAR + NaCl 2% |
| 30090 | Mueller Hinton II Agar |
| 30091 | BIGGY (NICKERSON) AGAR |
| 30093 | SABOURAUD AGAR |
| 30095 | SIM MEDIUM |
| 30096 | T.S.I. AGAR |
| 30097 | Tryptose Agar |
| 30098 | LYSINE IRON AGAR |
| 30099 | Chocolate Agar |
| 30116 | LOEFFLER MEDIUM |
| 30117 | PERGOLA MEDIUM |
| 30118 | Lowenstein Jensen Medium |
| 30119 | LOWENSTEIN JENSEN MEDIUM w/o GLYCEROL |
| 30121 | Stonebrink Medium |
| 30125 | DORSET EGG MEDIUM |
| 30368 | MIDDLEBROOK 7H10 AGAR |
| 31065 | SPS Agar |
| 31075 | Mueller Hinton II Agar |
| 31090 | Mueller Hinton II Agar |
| 31097 | Tryptose Agar |
| 31099 | Chocolate Agar |
| 31121 | Stonebrink Medium |
| 33040 | THAYER MARTIN AGAR |
| 33055 | MYCOSEL AGAR |
| 33060 | SERUM TELLURITE AGAR |
| 33066 | O.N.P.G. AGAR |
| 33085 | BILE AESCULIN AGAR |
| 33086 | DERMATHOPHYTE (D.T.M.) AGAR |
| 33118 | I.U.T.M. MEDIUM |
| 33120 | PETRAGNANI MEDIUM |
| 34070 | CAMPYLOBACTER AGAR |
| 34071 | CYSTINE TRYPTIC AGAR (CTA) |
| 34075 | Mueller Hinton II Agar |
| 34121 | LOWENSTEIN JENSEN + RIFAMPICIN 15 µg/mL |
| 34121/1 | LOWENSTEIN JENSEN + RIFAMPICIN 5 µg/mL |
| 34121/2 | LOWENSTEIN JENSEN + RIFAMPICIN 10 µg/mL |
| 34121/3 | LOWENSTEIN JENSEN + RIFAMPICIN 25 µg/mL |
| 34121/4 | LOWENSTEIN JENSEN + RIFAMPICIN 50 µg/mL |
| 34121/5 | LOWENSTEIN JENSEN + RIFAMPICIN 40 µg/mL |
| 34121/6 | LOWENSTEIN JENSEN + RIFAMPICIN 20 µg/mL |
| 34122 | LOWENSTEIN JENSEN + RIFAPENTIN 9 µg/mL |
| 34123 | LOWENSTEIN JENSEN + ISONIAZID 0.1 µg/mL |
| 34123/1 | LOWENSTEIN JENSEN + ISONIAZID 0.2 µg/mL I |
| 34123/2 | LOWENSTEIN JENSEN + ISONIAZID 1 µg/mL |
| 34123/3 | LOWENSTEIN JENSEN + ISONIAZID 5 µg/mL |
| 34123/4 | LOWENSTEIN JENSEN + ISONIAZID 10 µg/mL |
| 34124/1 | LOWENSTEIN JENSEN + PYRAZINAMIDE 5 µg/mL |
| 34124/2 | LOWENSTEIN JENSEN + PYRAZINAMIDE 15 µg/mL |
| 34124/3 | LOWENSTEIN JENSEN + PYRAZINAMIDE 20 µg/mL |
| 34124/4 | LOWENSTEIN JENSEN+PYRAZINAMIDE 200 µg/mL |
| 34125/1 | LOWENSTEIN JENSEN + STREPTOMYCIN 4 µg/mL |
| 34125/2 | LOWENSTEIN JENSEN + STREPTOMYCIN 10 µg/mL |
| 34125/3 | LOWENSTEIN JENSEN + STREPTOMYCIN 25 µg/mL |
| 34125/4 | LOWENSTEIN JENSEN + STREPTOMYCIN 2 µg/mL |
| 34125/5 | LOWENSTEIN JENSEN + STREPTOMYCIN 50 µg/mL |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|---------|---|
| 34126/1 | LOWENSTEIN JENSEN + ETHAMBUTOL 2 µg/mL |
| 34126/2 | LOWENSTEIN JENSEN + ETHAMBUTOL 4 µg/mL |
| 34126/3 | LOWENSTEIN JENSEN + ETHAMBUTOL 5 µg/mL |
| 34126/4 | LOWENSTEIN JENSEN + ETHAMBUTOL 1 µg/mL |
| 34126/5 | LOWENSTEIN JENSEN + ETHAMBUTOL 3 µg/mL |
| 34126/6 | LOWENSTEIN JENSEN + ETHAMBUTOL 10 µg/mL |
| 34127 | LOWENSTEIN JENSEN + AMIKACIN 5 µg/mL |
| 34127/1 | LOWENSTEIN JENSEN + AMIKACIN 40 µg/mL |
| 34128/1 | LOWENSTEIN JENSEN + OFLOXACIN 5 µg/mL |
| 34128/2 | LOWENSTEIN JENSEN + OFLOXACIN 10 µg/mL |
| 34128/3 | LOWENSTEIN JENSEN + OFLOXACIN 25 µg/mL |
| 34128/4 | LOWENSTEIN JENSEN + OFLOXACIN 2 µg/mL |
| 34128/5 | LOWENSTEIN JENSEN + OFLOXACIN 20 µg/mL |
| 34129/1 | LOWENSTEIN JENSEN + PAS 1 µg/mL |
| 34129/2 | LOWENSTEIN JENSEN + PAS 10 µg/mL |
| 34129/3 | LOWENSTEIN JENSEN + PAS 0.5 µg/mL |
| 34129/4 | LOWENSTEIN JENSEN + PAS 0.1 µg/mL |
| 34129/5 | LOWENSTEIN JENSEN + PAS 5 µg/mL |
| 34130/1 | LOWENSTEIN JENSEN + RIFABUTIN 10 µg/mL |
| 34130/2 | LOWENSTEIN JENSEN + RIFABUTIN 30 µg/mL |
| 34130/3 | LOWENSTEIN JENSEN + RIFABUTIN 50 µg/mL |
| 34131/1 | LOWENSTEIN JENSEN+CLARITHROMICIN 4 µg/mL |
| 34131/2 | LOWENSTEIN JENSEN+CLARITHROMYCIN 32 µg/mL |
| 34132/1 | LOWENSTEIN JENSEN + ETHIONAMIDE 10 µg/mL |
| 34132/2 | LOWENSTEIN JENSEN + ETHIONAMIDE 20 µg/mL |
| 34132/3 | LOWENSTEIN JENSEN + ETHIONAMIDE 30 µg/mL |
| 34132/4 | LOWENSTEIN JENSEN + ETHIONAMIDE 40 µg/mL |
| 34135/1 | LOWENSTEIN JENSEN + NICOTINAMIDE 10 µg/mL |
| 34135/2 | LOWENSTEIN JENSEN + NICOTINAMIDE 20 µg/mL |
| 34135/3 | LOWENSTEIN JENSEN + NICOTINAMIDE 30 µg/mL |
| 34136 | LOWENSTEIN JENSEN + PEFLOXACIN 2 µg/mL |
| 34137/1 | LOWENSTEIN JENSEN + CYCLOSERINE 30 µg/mL |
| 34137/2 | LOWENSTEIN JENSEN + CYCLOSERINE 10 µg/mL |
| 34137/3 | LOWENSTEIN JENSEN + CYCLOSERINE 20 µg/mL |
| 34137/4 | LOWENSTEIN JENSEN + CYCLOSERINE 40 µg/mL |
| 34137/5 | LOWENSTEIN JENSEN + CYCLOSERINE 50 µg/mL |
| 34138/1 | LOWENSTEIN JENSEN + CAPREOMYCIN 10 µg/mL |
| 34138/2 | LOWENSTEIN JENSEN + CAPREOMYCIN 40 µg/mL |
| 34138/3 | LOWENSTEIN JENSEN + CAPREOMYCIN 20 µg/mL |
| 34138/4 | LOWENSTEIN JENSEN + CAPREOMYCIN 30 µg/mL |
| 34139/1 | LOWENSTEIN JENSEN + CLOFAZIMINE 5 µg/mL |
| 34139/2 | LOWENSTEIN JENSEN + CLOFAZIMINE 10 µg/mL |
| 34143/1 | LOWENSTEIN JENSEN + KANAMYCIN 10 µg/mL |
| 34143/2 | LOWENSTEIN JENSEN + KANAMYCIN 20 µg/mL |
| 34143/3 | LOWENSTEIN JENSEN + KANAMYCIN 30 µg/mL |
| 34144 | LOWENSTEIN JENSEN + PYRUVATE 0.2% |
| 34145 | LOWENSTEIN JENSEN + PACT |
| 34146/1 | Lowenstein Jensen + Levofloxacin 2 µg/ml |
| 35000 | LOWENSTEIN JENSEN MEDIUM |
| 35001 | LOWENSTEIN JENSEN + ISONIAZID 0.20 µg/mL |
| 35002 | LOWENSTEIN JENSEN + ISONIAZID 1 µg/ml |
| 35010 | LOWENSTEIN JENSEN + RIFAMPICIN 40 µg/mL |
| 35011 | LOWENSTEIN JENSEN + RIFAMPICIN 20 µg/mL |
| 35020 | LOWENSTEIN JENSEN + STREPTOMYCIN 4 µg/mL |
| 35021 | LOWENSTEIN JENSEN + STREPTOMYCIN 10µg/ml |
| 35030 | LOWENSTEIN JENSEN + ETHAMBUTOL 2 µg/mL |
| 35040 | LOWENSTEIN JENSEN + ETHIONAMIDE 20 µg/mL |
| 35041 | LOWENSTEIN JENSEN + ETHIONAMIDE 30µg/ml |
| 35050 | LOWENSTEIN JENSEN + PYRAZINAMIDE 1 µg/mL |
| 35060 | LOWENSTEIN JENSEN + KANAMYCIN 20 µg/mL |

| | |
|---------|--|
| 35061 | LOWENSTEIN JENSEN + KANAMYCIN 30µg/ml |
| 35070 | LOWENSTEIN JENSEN + PAS 1 µg/mL |
| 35071 | LOWENSTEIN JENSEN + PAS 0.5 µg/mL |
| 35080 | LOWENSTEIN JENSEN + OFLOXACIN 2 µg/ml |
| 35081 | LOWENSTEIN JENSEN + OFLOXACIN 10 µg/ml |
| 35082 | LOWENSTEIN JENSEN + OFLOXACIN 40 µg/ml |
| 35090 | LOWENSTEIN JENSEN + CAPREOMYCIN 30 µg/ml |
| 35091 | LOWENSTEIN JENSEN + CAPREOMYCIN 20 µg/ml |
| 35147 | LOWENSTEIN JENSEN + PNB 500 µg/ml |
| 35148 | LOWENSTEIN JENSEN + TCH 2 µg/ml |
| 36001/1 | IUTM + STREPTOMYCIN 2 µg/mL |
| 36001/2 | IUTM + STREPTOMYCIN 4 µg/mL |
| 36001/3 | IUTM + STREPTOMYCIN 10 µg/mL |
| 36001/4 | IUTM + STREPTOMYCIN 25 µg/mL |
| 36001/5 | IUTM + STREPTOMYCIN 50 µg/mL |
| 36002/1 | IUTM + ISONIAZID 0.1 µg/mL |
| 36002/2 | IUTM + ISONIAZID 0.2 µg/mL |
| 36002/3 | IUTM + ISONIAZID 1 µg/mL |
| 36002/4 | IUTM + ISONIAZID 5 µg/mL |
| 36002/5 | IUTM + ISONIAZID 10 µg/mL |
| 36003/1 | IUTM + ETHAMBUTOL 1 µg/mL |
| 36003/2 | IUTM + ETHAMBUTOL 2 µg/mL |
| 36003/3 | IUTM + ETHAMBUTOL 3 µg/mL |
| 36003/4 | IUTM + ETHAMBUTOL 5 µg/mL |
| 36003/5 | IUTM + ETHAMBUTOL 10 µg/mL |
| 36004/1 | IUTM + RIFAMPICIN 5 µg/mL |
| 36004/2 | IUTM + RIFAMPICIN 10 µg/mL |
| 36004/3 | IUTM + RIFAMPICIN 20 µg/mL |
| 36004/4 | IUTM + RIFAMPICIN 40 µg/mL |
| 36004/5 | IUTM + RIFAMPICIN 50 µg/mL |
| 36005/1 | IUTM + RIFABUTIN 10 µg/mL |
| 36005/2 | IUTM + RIFABUTIN 20 µg/mL |
| 36005/3 | IUTM + RIFABUTIN 30 µg/mL |
| 36005/4 | IUTM + RIFABUTIN 40 µg/mL |
| 36005/5 | IUTM + RIFABUTIN 50 µg/mL |
| 36006/1 | IUTM + CYCLOSERINE 10 µg/mL |
| 36006/2 | IUTM + CYCLOSERINE 20 µg/mL |
| 36006/3 | IUTM + CYCLOSERINE 30 µg/mL |
| 36006/4 | IUTM + CYCLOSERINE 40 µg/mL |
| 36006/5 | IUTM + CYCLOSERINE 50 µg/mL |
| 36007/1 | IUTM + OFLOXACIN 1.25 µg/mL |
| 36007/2 | IUTM + OFLOXACIN 2.5 µg/mL |
| 36007/3 | IUTM + OFLOXACIN 10 µg/mL |
| 36007/4 | IUTM + OFLOXACIN 25 µg/mL |
| 36007/5 | IUTM + OFLOXACIN 50 µg/mL |
| 36008/1 | IUTM + PAS 0.1 µg/mL |
| 36008/2 | IUTM + PAS 0.5 µg/mL |
| 36008/3 | IUTM + PAS 1 µg/mL |
| 36008/4 | IUTM + PAS 5 µg/mL |
| 36008/5 | IUTM + PAS 10 µg/mL |
| 36009/1 | IUTM + PYRAZINAMIDE 10 µg/mL |
| 36009/2 | IUTM + PYRAZINAMIDE 30 µg/mL |
| 36009/3 | IUTM + PYRAZINAMIDE 50 µg/mL |
| 36009/4 | IUTM + PYRAZINAMIDE 70 µg/mL |
| 36009/5 | IUTM + PYRAZINAMIDE 90 µg/mL |
| 37000 | MIDDLEBROOK 7H11 |
| 37001 | MIDDLEBROOK 7H11 + AMIKACIN 2 µg/mL |
| 37002 | MIDDLEBROOK 7H11 + AMIKACIN 4 µg/mL |
| 37006 | MIDDLEBROOK 7H11 + ETHAMBUTOL 7.5 µg/mL |
| 37011 | MIDDLEBROOK 7H11 + ETHIONAMIDE 10 µg/mL |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 37016 | MIDDLEBROOK 7H11 + ISONIAZIDE 0.2 µg/mL |
| 37017 | MIDDLEBROOK 7H11 + ISONIAZIDE 1 µg/mL |
| 37021 | MIDDLEBROOK 7H11 + KANAMYCIN 6 µg/mL |
| 37026 | MIDDLEBROOK 7H11 + PAS 8 µg/mL |
| 37031 | MIDDLEBROOK 7H11 + PYRAZINAMIDE 25 µg/mL |
| 37036 | MIDDLEBROOK 7H11 + RIFABUTIN 1 µg/mL |
| 37037 | MIDDLEBROOK 7H11 + RIFABUTIN 0.5 µg/mL |
| 37041 | MIDDLEBROOK 7H11 + RIFAMPICIN 1 µg/mL |
| 37046 | MIDDLEBROOK 7H11 + STREPTOMYCIN 2 µg/mL |
| 37051 | MIDDLEBROOK 7H11 + OFLOXACIN 2 µg/mL |
| 37056 | MIDDLEBROOK 7H11 + CYCLOSERINE 30 µg/mL |
| 400020 | Fluid Thioglycollate Medium 6 x 100 ml |
| 400120 | Fluid Thioglycollate Medium 6 x 300 ml |
| 400220 | Fluid Thioglycollate Medium 6 x 1000 ml |
| 401890 | BUFFER SOLUTION pH 7 6X100 ml |
| 401930 | SPS Agar 6X150 ml |
| 401980 | TRYPTONE WATER 6X100 ml |
| 401990 | ALKALINE PEPTONE WATER 6X100 ml |
| 402000 | NUTRIENT BROTH 6X100 ml |
| 402020 | MUELLER HINTON II BROTH 6X100 ml |
| 402030 | MULLER KAUFFMANN BROTH 6X100 ml |
| 402040 | SABOURAUD BROTH 6X100 ml |
| 402050 | Selenite Broth 6X100 ml |
| 402060 | SALMONELLA DIFF.BROTH 6X90 ml |
| 402070 | TRYPTOSE BROTH 6X100 ml |
| 402120 | MRS AGAR 6X100 ml |
| 402130 | PEPTONE WATER 6X100 ml |
| 402140 | BLOOD AGAR BASE 6X100 ml |
| 402170 | AZIDE BLOOD AGAR BASE 6X100 ml |
| 402180 | CLED AGAR 6X100 ml |
| 402190 | NUTRIENT AGAR 6X100 ml |
| 402200 | DERMATHOPHYTE (D.T.M.) AGAR 6X100 ml |
| 402210 | COLUMBIA CNA AGAR BASE 6X100 ml |
| 402220 | DRIGALSKI LACTOSE AGAR 6X100 ml |
| 402230 | HEKTOEN ENTERIC AGAR 6X100 ml |
| 402240 | MAC CONKEY AGAR 6X100 ml |
| 402250 | MUELLER HINTON II AGAR 6X100 ml |
| 402270 | PSEUDOMONAS CETRIMIDE AGAR 6X100 ml |
| 402280 | SABOURAUD AGAR 6X100 ml |
| 402290 | MANNITOL SALT AGAR 6X100 ml |
| 402300 | S.S. AGAR 6X100 ml |
| 402320 | TRYPTOSE AGAR 6X100 ml |
| 402330 | BRILLIANT GREEN AGAR 6X100 ml |
| 402340 | DESOXYCHOLATE AGAR 6X100 ml |
| 402350 | E.M.B. LEVINE AGAR 6X100 ml |
| 402360 | SALMONELLA RAPID TEST 6X100 ml |
| 402370 | SABOURAUD CAF AGAR 6X100 ml |
| 402380 | BRAIN HEART INFUSION AGAR 6X100 ml |
| 402430 | PEPTONE DILUTIONS 6X100 ml |
| 402450 | MAC CONKEY SORBITOL AGAR 6X100 ml |
| 402500 | Fluid Thioglycollate Medium + 1% Tween 80 |
| 402570 | X.L.D. AGAR 6X100 ml |
| 403030 | BIOTONE BROTH 6X100 ml |
| 403050 | S.I.M. MEDIUM 6X100 ml |
| 403060 | UREA INDOLE BROTH 6X100 ml |
| 412010 | BRAIN HEART INFUSION BROTH 6X200 ml |
| 412030 | SIMMONS CITRATE AGAR 6X200 ml |
| 412040 | LYSINE IRON AGAR 6X200 ml |
| 412050 | Selenite Broth 6X200 ml |
| 412060 | TODD HEWITT BROTH 6X200 ml |

| | |
|--------|---|
| 412080 | TRICHOMONAS BROTH 6X200 ml |
| 412100 | CHRISTENSEN UREA AGAR 5X200 ml |
| 412110 | TRYPTIC SOY BROTH + TWEEN80 1% 6x200ml |
| 412130 | PSEUDOMONAS AGAR BASE 6x200ml |
| 412150 | AZIDE BLOOD AGAR BASE 6X200 ml |
| 412170 | PHENILALANINE AGAR 6X200 ml |
| 412180 | CLED AGAR 6X200 ml |
| 412190 | NUTRIENT AGAR 6X200 ml |
| 412210 | COLUMBIA CNA AGAR BASE 6X200 ml |
| 412230 | HEKTOEN ENTERIC AGAR 6X200 ml |
| 412240 | MAC CONKEY AGAR 6X200 ml |
| 412250 | MUELLER HINTON II AGAR 6X200 ml |
| 412270 | PSEUDOMONAS CETRIMIDE AGAR 6X200 ml |
| 412280 | SABOURAUD AGAR 6X200 ml |
| 412290 | MANNITOL SALT AGAR 6X200 ml |
| 412300 | S.S. AGAR 6X200 ml |
| 412370 | SABOURAUD CAF AGAR 6X200 ml |
| 413010 | ISOSENSITEST AGAR 6X200 ml |
| 413030 | CAMPYLOBACTER AGAR 6X200 ml |
| 413040 | CLOSTRIDIUM AGAR BASE 6X200 ml |
| 413080 | NUTRIENT AGAR acc. to ISO 6579 |
| 414010 | PEPTONE WATER pH 8.4 + NaCl 1% 6X225 ml |
| 432050 | SELENITE BROTH (DOUBLE CONCENT.) 6X200ml |
| 432080 | TRYPTIC SOY BROTH 6X225 ml |
| 432250 | D-Nase TEST AGAR 6X200 ml |
| 432290 | TRYPTIC SOY AGAR 6X200 ml |
| 442080 | TRYPTIC SOY BROTH 6X200 ml |
| 442220 | Chocolate Agar 6x 100 ml |
| 442280 | SABOURAUD MODIFIED AGAR 6X100 ml |
| 442290 | TRYPTIC SOY AGAR 6X100 ml |
| 442300 | WURTZ LACTOSE AGAR 6X100 ml |
| 442320 | BILE AESCULIN AGAR 6X100 ml |
| 442350 | BIGGY (NICKERSON) AGAR 6X100 ml |
| 442490 | SPS AGAR 6X100 ml |
| 452060 | Fluid Thioglycollate Medium 6 x 100 ml |
| 452080 | TRYPTIC SOY BROTH 6X100 ml |
| 452210 | COLUMBIA AGAR BASE 6X200 ml |
| 452500 | Fluid Thioglycollate Medium + 1% Tween 80 25 x 100 ml |
| 453060 | Fluid Thioglycollate Medium 25 x 100 ml |
| 463100 | Fluid Thioglycollate Medium 6 x 900 ml |
| 463130 | Selenite Broth 6X1000 ml |
| 470010 | TRYPTIC SOY AGAR 6X500 ml |
| 470020 | Selenite Broth 6X500 ml |
| 470030 | DESOXYCHOLATE AGAR 6X500 ml |
| 470040 | SABOURAUD AGAR 6X500 ml |
| 470050 | NUTRIENT BROTH 6X500 ml |
| 470060 | NUTRIENT AGAR 6X500 ml |
| 470070 | Mueller Hinton II Agar 6X500 ml |
| 470080 | MANNITOL SALT AGAR 6X500 ml |
| 470090 | MAC CONKEY AGAR 6X500 ml |
| 470100 | COLUMBIA AGAR BASE 6X500 ml |
| 470110 | CLED AGAR 6X500 ml |
| 470120 | Chocolate Agar 6 x 500 ml |
| 470130 | BLOOD AGAR BASE 6X500 ml |
| 470140 | BILE AESCULIN AGAR 6X500 ml |
| 470150 | TRICHOMONAS BROTH 6X500 ml |
| 470160 | DESOXYCHOLATE CITRATE AGAR 6X500 ml |
| 470210 | ALKALINE PEPTONE WATER 6X500 ml |
| 470220 | CZAPEK DOX AGAR 6X500 ml |
| 470280 | DRIGALSKI LACTOSE AGAR 6X500 ml |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|---------|---|
| 470290 | CARY BLAIR TRANSPORT MEDIUM 6X500 ml |
| 470300 | Fluid Thioglycollate Medium 6 x 500 ml |
| 470320 | PEPTONE WATER 6X500 ml |
| 470370 | TRYPTIC SOY BROTH 6 x 500 ml |
| 471070 | SABOURAUD BROTH 6X500 ml |
| 471120 | PHYSIOLOGICAL SOLUTION 6X240 ml |
| 473000 | PHYSIOLOGICAL SOLUTION 6X500 ml |
| 481110 | CHROMATIC™ CANDIDA 6X100 ml |
| 481130 | CHROMATIC™ DETECTION 6X100 ml |
| 481140 | CHROMATIC™ SALMONELLA 6X100 ml |
| 481160 | CHROMATIC™ STAPH AUREUS 6X100 ml |
| 481180 | CHROMATIC™ STREP B 6X100ml |
| 482190 | Chromatic™ E.coli O157 6 x 200 ml |
| 490010 | HEMO-AEROBIC culturing 6X80 ml |
| 490020 | HEMO-ANAEROBIC culturing 6X80 ml |
| 490030 | HEMO-AEROBIC culturing-Pediatric 6X40 ml |
| 490040 | HEMO-ANAEROBIC culturing-Pediatric 6X40ml |
| 490050 | HEMO-AEROBIC culturing NEONATAL 6x9 ml |
| 490060 | HEMO-ANAEROBIC culturing NEONATAL 6x9 ml |
| 493000 | Fluid Thioglycollate Medium 6 x 100 ml |
| 495010 | TRYPTIC SOY BROTH 6x100 ml |
| 495020 | Fluid Thioglycollate Medium 6 x 100 ml |
| 500142 | URITEST PENTA |
| 500152 | URITEST |
| 500182 | URITEST M |
| 500702 | URITEST EF |
| 50020 | VAGITEST |
| 50021 | DERMATEST |
| 500232 | URITEST N |
| 500302 | URITEST 2 |
| 500402 | URITEST MALTO |
| 500412 | URITEST EC |
| 51014 | URITEST PENTA |
| 51015 | URITEST |
| 51018 | URITEST M |
| 51020 | VAGITEST 120 slide |
| 51021 | DERMATEST |
| 51023 | URITEST N |
| 51024 | URITEST C |
| 51030 | URITEST 2 |
| 51040 | URITEST MALTO |
| 51041 | URITEST EC |
| 51070 | URITEST EF |
| 51118 | URITEST M |
| 51123 | URITEST N 500 slide |
| 51130 | URITEST 2 500 slide |
| 51140 | URITEST MALTO |
| 51170 | CLED/MAC CONKEY/ BILE AESCULIN |
| 52115 | CLED/MAC CONKEY/SLANETZ 120 slide |
| 52119 | URITEST SF 500 slide |
| 610001 | BILE AESCULIN AZIDE AGAR |
| 610002 | DEXTROSE AGAR |
| 610005 | BLOOD AGAR BASE |
| 610006 | BORDET GENGOU AGAR BASE |
| 610007 | BRAIN HEART INFUSION AGAR |
| 610008 | BRAIN HEART INFUSION BROTH |
| 6100085 | BRAIN HEART INFUSION BROTH |
| 610009 | BRILLIANT GREEN AGAR |
| 610012 | CLED AGAR |
| 6100125 | CLED AGAR |

| | |
|---------|---|
| 610013 | COLUMBIA AGAR BASE |
| 6100135 | COLUMBIA AGAR BASE |
| 610014 | DESOXYCHOLATE AGAR |
| 6100145 | DESOXYCHOLATE AGAR |
| 610015 | DESOXYCHOLATE CITRATE AGAR |
| 610016 | DRIGALSKI LACTOSE AGAR |
| 610019 | E.M.B. LEVINE AGAR |
| 610021 | HEKTOEN ENTERIC AGAR |
| 6100215 | HEKTOEN ENTERIC AGAR |
| 610022 | G.C. MEDIUM |
| 610023 | KLIGLER IRON AGAR |
| 610024 | M.R.S. AGAR (ISO/FDIS 15214) |
| 610025 | M.R.S. BROTH (ISO/FDIS 15214) |
| 610026 | LOWENSTEIN JENSEN MEDIUM |
| 6100265 | LOWENSTEIN JENSEN MEDIUM |
| 610027 | LYSINE IRON AGAR |
| 610028 | MAC CONKEY AGAR |
| 6100285 | MAC CONKEY AGAR |
| 610029 | MANNITOL SALT AGAR |
| 6100295 | MANNITOL SALT AGAR |
| 610032 | MR-VP BROTH |
| 610033 | MUELLER HINTON AGAR |
| 6100335 | MUELLER HINTON AGAR |
| 610034 | MUELLER HINTON BROTH |
| 610035 | MULLER KAUFFMANN BROTH |
| 610036 | NUTRIENT AGAR |
| 610037 | NUTRIENT BROTH |
| 6100375 | NUTRIENT BROTH |
| 610038 | PEPTONE WATER |
| 610039 | PHENYLALANINE AGAR |
| 610041 | PSEUDOMONAS CETRIMIDE AGAR (ISO 8360-1) |
| 6100415 | PSEUDOMONAS CETRIMIDE AGAR |
| 610042 | SS AGAR (MODIFIED) |
| 6100425 | SS AGAR (MODIFIED) |
| 610043 | SCHAEDLER AGAR BASE |
| 610044 | PURPLE LACTOSE AGAR |
| 610046 | SIMMONS CITRATE AGAR |
| 610047 | MONSUR AGAR |
| 610048 | AEROMONAS AGAR BASE |
| 610049 | LEGIONELLA BCYE AGAR BASE (ISO 11731) |
| 610050 | Fluid Thioglycollate Medium |
| 6100505 | Fluid Thioglycollate Medium |
| 610051 | TODD HEWITT BROTH |
| 6100515 | TODD HEWITT BROTH |
| 610052 | TRYPTIC SOY AGAR |
| 6100525 | TRYPTIC SOY AGAR (Harm.EP) 5 KG |
| 610053 | TRYPTIC SOY BROTH |
| 6100535 | TRYPTIC SOY BROTH |
| 610055 | T.S.I. AGAR USP |
| 610056 | CLOSTRIDIUM BROTH |
| 6100565 | CLOSTRIDIUM BROTH |
| 610057 | MAC CONKEY AGAR No.2 |
| 6100575 | MAC CONKEY AGAR No.2 5 KG |
| 610060 | X.L.D. AGAR (ISO 6579) |
| 6100605 | X.L.D. AGAR |
| 610061 | TRICHOMONAS BROTH |
| 610065 | GSB AGAR BASE (ISLAM) |
| 610070 | YEAST GLUCOSE CHLORAMPHENICOL AGAR |
| 6100705 | YEAST GLUCOSE CHLORAMPHENICOL AGAR 5 Kg |
| 610071 | PSEUDOMONAS AGAR BASE |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|---------|---|
| 610072 | CZAPEK DOX BROTH |
| 610074 | TRYPTONE SULFITE NEOMYCIN AGAR |
| 610075 | PHENYLALANINE MALONATE BROTH |
| 610079 | BRUCELLA AGAR BASE |
| 610080 | WORT BROTH W/O NaCl |
| 610092 | XLT 4 AGAR |
| 610095 | CZAPEK DOX AGAR |
| 610096 | REINFORCED CLOSTRIDIAL AGAR |
| 610097 | STAPHYLOCOCCUS BROTH |
| 610098 | ALKALINE PEPTONE WATER |
| 610101 | MALT AGAR |
| 610103 | SABOURAUD AGAR |
| 6101035 | SABOURAUD AGAR |
| 610104 | SABOURAUD BROTH |
| 610107 | UREA AGAR BASE (ISO 6785) |
| 610108 | MAC CONKEY SORBITOL AGAR |
| 610109 | P.P.L.O. BROTH |
| 610110 | MUELLER HINTON AGAR MODIFIED |
| 610111 | YERSINIA SELECTIVE AGAR BASE |
| 610112 | CLED ANDRADE AGAR |
| 610113 | COLUMBIA CNA AGAR BASE |
| 610114 | BACILLUS CEREUS AGAR BASE (MOSSEL) ISO 7932 |
| 610115 | CLOSTRIDIUM DIFFICILE AGAR BASE |
| 610117 | TRYPTONE YEAST AGAR |
| 610118 | ANDRADE LACTOSE PEPTONE WATER |
| 610123 | CORN MEAL AGAR |
| 610125 | LEGIONELLA CYE AGAR BASE |
| 610128 | MAC CONKEY AGAR w/o BILE SALT |
| 610130 | CAMPYLOBACTER BLOOD FREE MEDIUM BASE |
| 610131 | CAMPYLOBACTER ENRICHMENT BROTH BASE |
| 610132 | MOTILITY TEST AGAR |
| 610134 | SLANETZ BARTLEY AGAR BASE ISO 7899-2 |
| 610135 | BIGGY (NICKERSON) AGAR |
| 610136 | BACILLUS CEREUS AGAR BASE (PEMBA) |
| 610137 | SCHAEDLER BROTH |
| 610140 | E.M.B. AGAR w LACTOSE + SUCROSE |
| 610143 | LIVER BROTH |
| 610144 | MRS BROTH w/o GLUCOSE |
| 610145 | SELENITE BROTH |
| 6101455 | SELENITE BROTH |
| 610146 | SABOURAUD MALTOSE AGAR |
| 610147 | SLANETZ AND BARTLEY AGAR + TTC |
| 6101475 | SLANETZ AND BARTLEY AGAR + TTC |
| 610148 | SPS AGAR |
| 610151 | BILE AESCULIN BROTH |
| 610152 | AMIES TRANSPORT MEDIUM + CHARC. |
| 6101525 | AMIES TRANSPORT MEDIUM + CHARC. |
| 610153 | AZIDE BLOOD AGAR BASE |
| 610155 | AZIDE VIOLET BLOOD AGAR BASE |
| 610157 | BIOTONE AGAR |
| 610158 | BIOTONE BROTH |
| 610159 | CPLM SELECTIVE WITH CAF |
| 610160 | DERMATOPHYTE (D.T.M.) AGAR |
| 610161 | DEXTROSE BROTH |
| 610163 | G.N. HAJNA BROTH |
| 610164 | HERELLEA AGAR |
| 6101645 | HERELLEA AGAR |
| 610165 | KOSER CITRATE MEDIUM |
| 610168 | LISTERIA PALCAM AGAR |
| 610169 | I.U.T.M. MEDIUM |

| | |
|---------|---|
| 610170 | MAC CONKEY MMG AGAR |
| 6101705 | MAC CONKEY MMG AGAR |
| 610172 | MALONATE BROTH |
| 610174 | PHENOL RED BROTH BASE |
| 610175 | RAPPAPORT VASSILIADIS BROTH (ISO 6785-6579) |
| 610176 | ROGOSA AGAR |
| 610177 | ROGOSA BROTH |
| 610179 | SABOURAUD CAF AGAR + ACTIDIONE |
| 610180 | S.F. BROTH |
| 610181 | S.I.M. MEDIUM |
| 610182 | STUART TRANSPORT MEDIUM |
| 610183 | TETRATHIONATE BROTH BASE |
| 610185 | TRYPTIC (CTA) MEDIUM |
| 610186 | VOGEL JOHNSON AGAR |
| 610188 | BLOOD AGAR BASE N. 2 |
| 610191 | AMIES TRANSPORT MEDIUM (w/o CHARCOAL) |
| 6101915 | AMIES TRANSPORT MEDIUM (w/o CHARCOAL) |
| 610193 | TRYPTOSE AGAR |
| 610195 | MAC CONKEY AGAR w/o CRYSTAL VIOLET |
| 610196 | TRYPTIC BILE AGAR |
| 610197 | TRYPTOFAN BROTH |
| 610200 | CAMPYLOBACTER KARMALI AGAR BASE |
| 610203 | SABOURAUD CAF AGAR |
| 6102035 | SABOURAUD CAF AGAR 5 KG |
| 610205 | DNase TEST AGAR |
| 610206 | TRYPTONE WATER (ISO/DIS 3811) |
| 610207 | CLOSTRIDIUM PERFRINGENS AGAR BASE |
| 610210 | BILE AESCULIN AGAR |
| 610211 | KLIGLER IRON AGAR MOD. |
| 610214 | MIDDLEBROOK 7H9 BROTH BASE |
| 610217 | NUTRIENT BROTH N.2 |
| 610218 | Mueller Hinton II Broth |
| 610221 | ANTIBIOTIC TEST MEDIUM |
| 610222 | CLOSTRIDIUM BROTH w/o AGAR |
| 6102225 | CLOSTRIDIUM BROTH w/o AGAR |
| 610223 | MAC CONKEY AGAR w/o Salt |
| 610227 | PHENOL RED AGAR BASE |
| 610229 | ANTIBIOTIC MEDIUM E |
| 610230 | OXIDATIVE/FERMENTATIVE MEDIUM |
| 610233 | TRYPTOSE BROTH |
| 610235 | MANNITOL MOTILITY TEST MEDIUM |
| 610236 | MOTILITY INDOLE UREA AGAR (M.I.U.) |
| 610241 | TRYPTONE SOYA YEAST EXTRACT BROTH |
| 610245 | LB AGAR |
| 610301 | BISMUTH SULPHITE AGAR |
| 610303 | Lysine Decarboxylase Broth |
| 610304 | OF BASAL MEDIUM |
| 610305 | ORNITHINE DECARBOXYLASE BROTH |
| 610306 | ARGININE DECARBOXYLASE BROTH |
| 610308 | PHENOL RED AGAR BASE |
| 610309 | PSEUDOMONAS AGAR F |
| 610310 | PSEUDOMONAS AGAR P |
| 610311 | UREA BROTH |
| 610315 | ANTIBIOTIC AGAR N.11 |
| 610319 | PFIZER SELECTIVE ENTEROCOCCUS AGAR |
| 610322 | NITRATE BROTH |
| 610331 | DIAGNOSTIC SENSITIVITY TEST AGAR (D.S.T.) |
| 610339 | T.S.I. AGAR acc.EP |
| 610341 | EMGON BROTH |
| 610343 | MANNITOL SALT BROTH |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|---------|-------------------------------------|
| 610363 | Yeast Extract Sodium Lactate medium |
| 610364 | Tryptose Phosphate Broth |
| 6103645 | Tryptose Phosphate Broth |
| 610372 | Cooked Meat Medium |
| 610492 | POLYPEPTONE |
| 610495 | BRAIN HEART INFUSION |
| 6104955 | BRAIN HEART INFUSION |
| 610496 | ACID HYDROLISATE OF CASEIN |
| 610497 | BEEF EXTRACT |
| 6104975 | BEEF EXTRACT |
| 610498 | LACTOSE |
| 6104985 | LACTOSE |
| 610506 | CYSTINE HEART AGAR |
| 610611 | CHROMATIC™ SALMONELLA |
| 610612 | CHROMATIC™ DETECTION |
| 6106125 | CHROMATIC™ DETECTION |
| 610613 | CHROMATIC™ CANDIDA |
| 610614 | Chromatic™ E.coli O157 |
| 610615 | CHROMATIC™ MRSA |
| 610616 | CHROMATIC™ STAPH AUREUS |
| 610617 | CHROMATIC™ STREP B |
| 610625 | SABOURAUD CAF (50 mg/L) AGAR |
| 610627 | MUELLER HINTON II AGAR |
| 6106275 | MUELLER HINTON II AGAR |
| 610629 | CHROMATIC™ ESBL |
| 611000 | SODIUM CHLORIDE |
| 611001 | AGAR |
| 6110015 | AGAR |
| 611002 | GELATIN BACTERIOLOGICAL |
| 6110025 | GELATIN BACTERIOLOGICAL |
| 611003 | SODIUM SELENITE |
| 6110035 | SODIUM SELENITE |
| 611004 | TRYPTONE |
| 6110045 | TRYPTONE |
| 611005 | YEAST EXTRACT |
| 6110055 | YEAST EXTRACT |
| 611006 | MALT EXTRACT |
| 6110065 | MALT EXTRACT |
| 611007 | CAMPYLOBACTER AGAR BASE |
| 611008 | TRYPTOSE |
| 6110085 | TRYPTOSE |
| 611009 | GLUCOSIO |
| 611010 | T.C.B.S. AGAR |
| 611015 | SIERRA LIPOLYTIC AGAR |
| 611016 | YEAST EXTRACT AGAR (ISO 6222) |
| 611021 | HEART INFUSION BROTH |
| 6110215 | HEART INFUSION BROTH |
| 611022 | MIDDLEBROOK 7H10 AGAR BASE |
| 611203 | SABOURAUD CAF (1g/l) AGAR |
| 611210 | WURTZ LACTOSE AGAR |
| 611265 | ISOSENSITEST AGAR |
| 611366 | STAPHYLOCOCCUS 110 AGAR |
| 611367 | BILE BACTERIOLOGICAL |
| 611401 | IRON SULPHITE AGAR |
| 611402 | CARY BLAIR TRANSPORT MEDIUM |
| 611502 | CASEIN PEPTONE |
| 611601 | GLUCOSE |
| 6116015 | GLUCOSE |
| 611618 | CHROMATIC™ MH |
| 611619 | CHROMATIC™ CRE AGAR BASE |

| | |
|---------|---|
| 611701 | PEPTONE BACTERIOLOGICAL |
| 6117015 | PEPTONE BACTERIOLOGICAL |
| 611801 | SUCROSE |
| 6118015 | SUCROSE |
| 611901 | BILE SALT N.3 |
| 6119015 | BILE SALT N.3 |
| 612001 | LIVER EXTRACT |
| 6120015 | LIVER EXTRACT |
| 612101 | PEPTONE MYCOLOGICAL |
| 6121015 | PEPTONE MYCOLOGICAL |
| 612201 | PROTEOSE PEPTONE |
| 6122015 | PROTEOSE PEPTONE |
| 612202 | STREPTOCOCCUS SELECTIVE AGAR |
| 612203 | STREPTOCOCCUS BROTH |
| 612501 | SOY PEPTONE |
| 6125015 | SOY PEPTONE |
| 620001 | BILE AESCULIN AZIDE AGAR |
| 620002 | DEXTROSE AGAR |
| 620005 | BLOOD AGAR BASE |
| 620006 | BORDET GENGOU AGAR BASE |
| 620007 | BRAIN HEART INFUSION AGAR |
| 620008 | BRAIN HEART INFUSION BROTH |
| 620009 | BRILLIANT GREEN AGAR |
| 620012 | CLED AGAR |
| 620013 | COLUMBIA AGAR BASE |
| 620014 | DESOXYCHOLATE AGAR |
| 620015 | DESOXYCHOLATE CITRATE AGAR |
| 620016 | DRIGALSKY LACTOSE AGAR |
| 620019 | E.M.B. LEVINE AGAR |
| 620021 | HEKTOEN ENTERIC AGAR |
| 620022 | G.C. MEDIUM |
| 620023 | KLIGLER IRON AGAR |
| 620024 | M.R.S. AGAR (ISO/FDIS 15214) |
| 620025 | M.R.S. BROTH (ISO/FDIS 15214) |
| 620026 | LOWENSTEIN JENSEN MEDIUM |
| 620027 | LYSINE IRON AGAR |
| 620028 | MAC CONKEY AGAR |
| 620029 | MANNITOL SALT AGAR |
| 620032 | MR-VP BROTH |
| 620033 | MUELLER HINTON AGAR |
| 620034 | MUELLER HINTON BROTH |
| 620035 | MULLER KAUFFMANN BROTH |
| 620036 | NUTRIENT AGAR |
| 620037 | NUTRIENT BROTH |
| 620038 | PEPTONE WATER |
| 620039 | PHENYLALANINE AGAR |
| 620041 | PSEUDOMONAS CETRIMIDE AGAR (ISO 8360-1) |
| 620042 | SS AGAR (MODIFIED) |
| 620043 | SCHAEDLER AGAR BASE |
| 620044 | PURPLE LACTOSE AGAR |
| 620046 | SIMMONS CITRATE AGAR |
| 620047 | MONSUR AGAR |
| 620048 | AEROMONAS AGAR BASE |
| 620049 | LEGIONELLA BCYE AGAR BASE (ISO 11731) |
| 620050 | Fluid Thioglycollate Medium |
| 620051 | TODD HEWITT BROTH |
| 620052 | TRYPTIC SOY AGAR |
| 620053 | TRYPTIC SOY BROTH |
| 620055 | T.S.I. AGAR USP |
| 620056 | CLOSTRIDIUM BROTH |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 620057 | MAC CONKEY AGAR No.2 |
| 620060 | X.L.D. AGAR (ISO 6579) |
| 620061 | TRICHOMONAS BROTH |
| 620065 | GSB AGAR BASE (ISLAM) |
| 620070 | YEAST GLUCOSE CHLORAMPHENICOL AGAR |
| 620071 | PSEUDOMONAS AGAR BASE |
| 620072 | CZAPEK DOX BROTH |
| 620074 | TRYPTONE SULFITE NEOMYCIN AGAR |
| 620075 | PHENYLALANINE MALONATE BROTH |
| 620079 | BRUCELLA AGAR BASE |
| 620092 | XLT 4 AGAR |
| 620095 | CZAPEK DOX AGAR |
| 620096 | REINFORCED CLOSTRIDIAL AGAR |
| 620097 | STAPHYLOCOCCUS BROTH |
| 620098 | ALKALINE PEPTONE WATER |
| 620101 | MALT AGAR |
| 620103 | SABOURAUD AGAR |
| 620104 | SABOURAUD BROTH |
| 620107 | UREA AGAR BASE (ISO 6785) |
| 620108 | MAC CONKEY SORBITOL AGAR |
| 620109 | P.P.L.O. BROTH |
| 620110 | MUELLER HINTON AGAR MODIFIED |
| 620111 | YERSINIA SELECTIVE AGAR BASE |
| 620112 | CLED ANDRADE AGAR |
| 620113 | COLUMBIA CNA AGAR BASE |
| 620114 | BACILLUS CEREUS AGAR BASE (MOSSEL) ISO 7932 |
| 620115 | CLOSTRIDIUM DIFFICILE AGAR BASE |
| 620117 | TRYPTONE YEAST AGAR |
| 620118 | ANDRADE LACTOSE PEPTONE WATER |
| 620122 | MIDDLEBROOK 7H10 AGAR BASE |
| 620123 | CORN MEAL AGAR |
| 620125 | LEGIONELLA CYE AGAR BASE |
| 620130 | CAMPYLOBACTER BLOOD FREE MEDIUM BASE |
| 620131 | CAMPYLOBACTER ENRICHMENT BROTH BASE |
| 620132 | MOTILITY TEST AGAR |
| 620134 | SLANETZ BARTLEY AGAR BASE ISO 7899-2 |
| 620135 | BIGGY (NICKERSON) AGAR |
| 620136 | BACILLUS CEREUS AGAR BASE (PEMBA) |
| 620137 | SCHAEDLER BROTH |
| 620140 | E.M.B. AGAR w LACTOSE + SUCROSE |
| 620143 | LIVER BROTH |
| 620144 | MRS BROTH w/o GLUCOSE |
| 620145 | SELENITE BROTH |
| 620146 | SABOURAUD MALTOSE AGAR |
| 620147 | SLANETZ AND BARTLEY AGAR + TTC |
| 620148 | SPS AGAR |
| 620151 | BILE AESCULIN BROTH |
| 620152 | AMIES TRANSPORT MEDIUM + CHARC. |
| 620153 | AZIDE BLOOD AGAR BASE |
| 620155 | AZIDE VIOLET BLOOD AGAR BASE |
| 620157 | BIOTONE AGAR |
| 620158 | BIOTONE BROTH |
| 620159 | CPLM SELECTIVE WITHCAF |
| 620160 | DERMATOPHYTE (D.T.M.) AGAR |
| 620161 | DEXTROSE BROTH |
| 620163 | G.N. HAJNA BROTH |
| 620164 | HERELLEA AGAR |
| 620165 | KOSER CITRATE BROTH |
| 620168 | LISTERIA PALCAM AGAR |
| 620169 | I.U.T.M. MEDIUM |

| | |
|--------|---------------------------------------|
| 620170 | MAC CONKEY MMG AGAR |
| 620172 | MALONATE BROTH |
| 620174 | PHENOL RED BROTH BASE |
| 620175 | RAPPAPORT VASSILIADIS BROTH |
| 620176 | ROGOSA AGAR |
| 620177 | ROGOSA BROTH |
| 620179 | SABOURAUD CAF AGAR + ACTIDIONE |
| 620180 | S.F. BROTH |
| 620181 | S.I.M. MEDIUM |
| 620182 | STUART TRANSPORT MEDIUM |
| 620183 | TETRATHIONATE BROTH BASE |
| 620185 | TRYPTIC (CTA) MEDIUM |
| 620186 | VOGEL JOHNSON AGAR |
| 620188 | BLOOD AGAR BASE N. 2 |
| 620191 | AMIES TRANSPORT MEDIUM (w/o CHARCOAL) |
| 620193 | TRYPTOSE AGAR |
| 620195 | MAC CONKEY AGSAR w/o CRYSTAL VIOLET |
| 620196 | TRYPTIC BILE AGAR |
| 620197 | TRYPTOFAN BROTH |
| 620200 | CAMPYLOBACTER KARMALI AGAR BASE |
| 620203 | SABOURAUD CAF AGAR |
| 620205 | DNase TEST AGAR |
| 620206 | TRYPTONE WATER (ISO/DIS 3811) |
| 620207 | CLOSTRIDIUM PERFRIGENS AGAR BASE |
| 620210 | BILE AESCULIN AGAR |
| 620211 | KLIGLER IRON AGAR MOD. |
| 620214 | MIDDLEBROOK 7H9 BROTH BASE |
| 620217 | NUTRIENT BROTH N.2 |
| 620218 | Mueller Hinton II Broth |
| 620227 | PHENOL RED AGAR BASE |
| 620229 | ANTIBIOTIC MEDIUM E |
| 620233 | TRYPTOSE BROTH |
| 620235 | MANNITOL MOTILITY TEST MEDIUM |
| 620241 | TRYPTONE SOYA YEAST EXTRACT BROTH |
| 620303 | Lysine Decarboxylase Broth |
| 620309 | PSEUDOMONAS AGAR F |
| 620311 | UREA BROTH |
| 620495 | BRAIN HEART INFUSION |
| 620496 | ACID HYDROLISATE OF CASEIN |
| 620497 | BEEF EXTRACT |
| 620498 | LACTOSE |
| 620611 | CHROMATIC™ SALMONELLA |
| 620612 | CHROMATIC™ DETECTION |
| 620613 | CHROMATIC™ CANDIDA |
| 620614 | Chromatic™ E.coli O157 |
| 620615 | CHROMATIC™ MRSA |
| 620616 | CHROMATIC™ STAPH AUREUS |
| 620617 | CHROMATIC™ STREP B |
| 620627 | MUELLER HINTON II AGAR |
| 620629 | CHROMATIC™ ESBL |
| 621000 | SODIUM CHLORIDE |
| 621001 | AGAR |
| 621003 | SODIUM SELENITE |
| 621004 | TRYPTONE |
| 621005 | YEAST EXTRACT |
| 621006 | MALT EXTRACT |
| 621007 | CAMPYLOBACTER AGAR BASE |
| 621010 | TCBS AGAR |
| 621015 | SIERRA LIPOLYTIC AGAR |
| 621016 | YEAST EXTRACT AGAR (ISO 6222) |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 621021 | HEART INFUSION BROTH |
| 621022 | MIDDLEBROOK 7H10 AGAR BASE |
| 621210 | WURTZ LACTOSE AGAR |
| 621265 | ISOSENSITEST AGAR |
| 621367 | BILE BACTERIOLOGICAL |
| 621401 | IRON SULPHITE AGAR |
| 621402 | CARY BLAIR TRANSPORT MEDIUM |
| 621601 | GLUCOSE |
| 621618 | CHROMATIC™ MH |
| 621619 | CHROMATIC™ CRE AGAR BASE |
| 621701 | PEPTONE BACTERIOLOGICAL |
| 622202 | STREPTOCOCCUS SELECTIVE AGAR |
| 630026 | LOWENSTEIN JENSEN MEDIUM w GLYCEROL 1 litre |
| 71618 | ENTEROSYSTEM 18R 20 Tests |
| 71630 | STAF SYSTEM 18 R 20 Tests |
| 71670 | COPRO SYSTEM 40 Tests |
| 71675 | COPRO SYSTEM Plus 20 Tests |
| 71678 | PATHOGENIC SYSTEM DOUBLE 40 Tests |
| 71679 | PATHOGENIC SYSTEM 20 Tests |
| 71681 | PATHOGENIC SYSTEM AST |
| 71714 | INTEGRAL SYSTEM ENTEROBATTERI 20 Tests |
| 71718 | INTEGRAL SYSTEM STAFILOCOCCI 20 Tests |
| 71720 | INTEGRAL SYSTEM STREPTOCOCCI 20 Tests |
| 71724 | INTEGRAL SYSTEM GARDNERELLA 20 TESTS |
| 71822 | INTEGRAL SYSTEM YEASTS Plus 20 Tests |
| 72560 | STREPTO SYSTEM 12 R 40 Tests |
| 72592 | MYCOPLASMA SYSTEM Plus 20 Tests |
| 74156 | A.F. GENITAL SYSTEM 20 Tests |
| 74160 | URIN SYSTEM Plus 20 Tests |
| 74161 | URIN SYSTEM Chrom 20 Tests |
| 76010 | Sensi Test gram-negative 20 Tests |
| 76020 | Sensi Test gram-positive 20 Tests |
| 76031 | SensiQuattro Gram-negative 20 Tests |
| 76032 | SensiQuattro Gram-positive 20 Tests |
| 76033 | SensiQuattro Candida EU 20 Tests |
| 78618 | ENTERO PLURI TEST 10 Tests |
| 78619 | ENTERO PLURI TEST 25 Tests |
| 78620 | OXI/FERM PLURI TEST 10 Tests |
| 78621 | OXI/FERM PLURI TEST 25 Tests |
| 79010 | Sensi Test gram-negative 4 Tests |
| 79020 | Sensi Test gram-positive 4 Tests |
| 79031 | SensiQuattro Gram-negative 4 Tests |
| 79032 | SensiQuattro Gram-positive 4 Tests |
| 79033 | SensiQuattro Candida EU 4 Tests |
| 79156 | A.F. GENITAL SYSTEM 4 Tests |
| 79160 | URIN SYSTEM Plus 4 Tests |
| 79161 | URIN SYSTEM Chrom 4 Tests |
| 79560 | STREPTO SYSTEM 12 R 8 Tests |
| 79592 | MYCOPLASMA SYSTEM Plus 4 Tests |
| 79618 | ENTEROSYSTEM 18R 4 Tests |
| 79630 | STAF SYSTEM 18 R 4 Tests |
| 79670 | COPRO SYSTEM 8 Tests |
| 79675 | COPRO SYSTEM Plus 4 Tests |
| 79678 | PATHOGENIC SYSTEM DOUBLE 8 Tests |
| 79679 | PATHOGENIC SYSTEM 4 Tests |
| 79681 | PATHOGENIC SYSTEM AST |
| 79714 | INTEGRAL SYSTEM ENTEROBATTERI 4 Tests |
| 79718 | INTEGRAL SYSTEM STAFILOCOCCI 4 Tests |
| 79720 | INTEGRAL SYSTEM STREPTOCOCCI 4 Tests |
| 79724 | INTEGRAL SYSTEM GARDNERELLA 4 Tests |

| | |
|-------|--|
| 79822 | INTEGRAL SYSTEM YEASTS Plus 4 Tests |
| 80009 | IODINE MKTT SOLUTION 10 x 10 ml |
| 80010 | XLT 4 supplement 2 x 50 ml |
| 80021 | GLYCEROL supplement 4 x 50 ml |
| 80022 | POTASSIUM TELLURITE 1% suppl. 5 x 10 ml |
| 80031 | TWEEN 80 supplement 2 x 50 ml |
| 80040 | CHROMATIC™ SALMONELLA Supplement 2x50 ml |
| 80047 | MULLER KAUFFMANN 3X50 ml (Iodio/B.G.O.1%) |
| 80053 | VITAMIN K 1% supplement 5 x 5 ml |
| 80056 | LEGIONELLA growth supplement 10 vials |
| 80057 | H2O2 REAGENT 1 x 10 ml |
| 80060 | DECONTAM-KIT |
| 80110 | UREA 40% 6X100 ml |
| 80219 | EGG YOLK emulsion 4 x 50 ml |
| 80252 | ENTEROSYSTEM 18R REAGENT 100/200 Tests |
| 80253 | COPRO SYSTEM REAGENTS (antisera) |
| 80257 | LISTERIA SYSTEM 18R -REAG 100/200 Tests |
| 80258 | AF GENITAL SYSTEM REAGENT |
| 80260 | IDENTIF. SYSTEM-REAGENT 100/200 Tests |
| 80271 | KOVAC'S REAGENT 4x25 ml |
| 80272 | FERRIC CHLORIDE 10% 2x 25 ml |
| 80273 | NINHYDRIN 7% 10 ml |
| 80275 | MIF COLOR KIT 50 Tests |
| 80276 | ZIEHL-NEELEN 3 x 250 ml |
| 80277 | METHYLENE BLUE Solution 250 ml |
| 80279 | VASELINE OIL 4 x 50 ml |
| 80280 | V.P. TEST-Reagent 10x10ml |
| 80281 | V.P. TEST EP 10 x 10 mL |
| 80282 | Kit May-Grünwald Giemsa |
| 80290 | SAFRANIN SOLUTION 1000 ml |
| 80291 | POTASSIUM TELLURITE 3.5% suppl.5x10 ml |
| 80292 | UREA 40 % supplement 10 x 5 ml |
| 80293 | GRAM COLOR KIT 4 x 250 ml |
| 80294 | KIT COLOR ALBERT 2 x 250 ml |
| 80295 | DECOLOURIZING SOLUTION 1000 ml |
| 80296 | LUGOL PVP SOLUTION 1000 ML |
| 80297 | SAFRANIN SOLUTION 500 ml |
| 80298 | LUGOL PVP SOLUTION 250 ml |
| 80299 | CRYSTAL VIOLET SOLUTION 1000 ml |
| 80300 | TTC 1% supplement 5 x 10 ml |
| 80350 | ANTIBIOTIC TEST |
| 80351 | RAPID ANTIBIOTIC TEST 50 Tests |
| 80380 | KINYOUN COLOR KIT 2 x 250 ml |
| 80390 | FIXUR 1 |
| 80409 | IODINE SOLUTION 10 x 10 ml |
| 80410 | XLT 4 SUPPLEMENT 4 x 50 ml |
| 80422 | POTASSIUM TELLURITE 1% Supplement 10 x 10 ml |
| 80430 | TTC 1% supplement 10 x 10 ml |
| 80431 | TWEEN 80 Supplement 4 x 50 ml |
| 80453 | VITAMIN K 1% SUPPLEMENT 10 x 5 ml |
| 80491 | POTASSIUM TELLURITE 3.5% Supplement 10 x 10 |
| 81001 | AMPICILLIN supplement 10 vials |
| 81002 | LEGIONELLA (BMPA) supplement 10 vials |
| 81003 | BRUCELLA supplement 10 vials |
| 81004 | CAMPYLOBACTER Preston supplem 10 vials |
| 81006 | CN (Pseudomonas) supplement 10 vials |
| 81007 | CLOSTRIDIUM difficile supleme 10 vials |
| 81008 | LEGIONELLA (GVPC) supplement 10 vials |
| 81009 | IODINE solution 5 x 10 ml |
| 81011 | CLOSTRIDIUM perfringens (T.S.C.) sup.10 v. |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|-------|--|
| 81012 | LCAT supplement 10 vials |
| 81013 | BORDETELLA supplement 10 vials |
| 81014 | HAEMOPHILUS supplement 10 vials |
| 81015 | CAMPYLOBACTER Butzler supplement 10 vials |
| 81016 | BACILLUS Cereus Supplement 10 Vials |
| 81017 | CHLORAMPHENICOL supplement 10 vials |
| 81019 | LEGIONELLA (MWY) supplement 10 vials |
| 81020 | MMG Supplement 10 vials |
| 81022 | V.C.N. supplement 10 vials |
| 81023 | VITALEX growth supplement 10 vials |
| 81024 | V.C.N.T. supplement 10 vials |
| 81025 | DERMATOPHYTE supplement 10 vials |
| 81026 | LISTERIA PALCAM supplement 10 vials |
| 81032 | ONPG 1.5% Supplement 10 vials |
| 81033 | GENTAMYCIN supplement 10 vials |
| 81035 | MIDDLEBROOK 7H 10 supplement 4 x 50 ml |
| 81036 | CAMPYLOBACTER KARMALI Supplement 10 vials |
| 81037 | CAMPYLOBACTER CGDA supplement 10 vials |
| 81038 | CAMPYLOBACTER C.T.V.N. Supplement 10 vials |
| 81039 | YERSINIA supplement 10 vials |
| 81040 | GARDNERELLA vaginalis Supplement 10vials |
| 81041 | V.C.A.T. supplement 10 vials |
| 81042 | LISTERIA FRASER supplement (1125mg)10 vials |
| 81048 | CNA (Staf/Strep) supplement 10 vials |
| 81050 | CAMPYLOBACTER growth supplement 10 vials |
| 81051 | CAMPYLOBACTER Blaser Wang supp 10 vials |
| 81054 | SCHAEDLER supplement 10 vials |
| 81055 | CAMPYLOBACTER Skirrow suppl 10 vials |
| 81056 | LEGIONELLA (BCYE) growth suppl.10 vials |
| 81062 | VANCOMYCIN Supplement for VRE 10 vials |
| 81077 | CAMPYLOBACTER C.T.V.A. Supplement 10 vials |
| 81078 | CHROMATIC™ MRSA Supplement |
| 81079 | UREA-ARGININE SCREEN |
| 81082 | CEFIXIME TELLURITE Supplement |
| 81083 | MEROPENEM Supplement |
| 81084 | NEOMYCIN Solution |
| 81085 | CHROMATIC™ STAPH AUREUS Supplement |
| 81086 | VCC MOD SELECTIVE Supplement |
| 81088 | CHROMATIC™ CRE Supplement |
| 81089 | Chromatic™ ESBL Supplement |
| 81090 | CHROMATIC™ ESBL+AmpC Supplement |
| 81091 | Legionella BCYE Growth Supplement w/o L-Cysteine |
| 83810 | HORSE SERUM 1 x 100 ml |
| 85501 | COPRO KIT (SELENITE BROTH) |
| 85502 | COPRO KIT 2 (SALMONELLA BROTH) |
| 87001 | KOVAC'S Reagent |
| 87002 | VP (NaOH) Reagent |
| 87003 | CATALASE Reagent |
| 87004 | PHENYLALANINE Reagent |
| 87005 | OXIDASE Reagent |
| 87006 | Vaseline Oil |
| 87007 | VP (KOH) Reagent |
| 87008 | Lactophenol Cotton Blue Droppers |
| 87101 | GRAM COLOR KIT |
| 88001 | BETA LACTAMASE TEST 30 Tests |
| 88003 | OXIDASE TEST SWABS 30 Tests |
| 88004 | OXIDASE TEST DISCS 30 Discs |
| 88005 | O.N.P.G. TEST 30 Tests |
| 88006 | E. COLI TEST 30 Tests |
| 88007 | HIPPURATE TEST 30 Tests |

| | |
|-------|---|
| 88008 | AESCULIN BILE TEST 30 Tests |
| 88009 | NITRATI TEST 30 Tests 30 Tests |
| 88010 | LISTERIA MONO TEST 20 Tests |
| 88011 | UREA RAPID TEST 30 Tests |
| 88013 | H2S RAPID TEST 30 Tests |
| 88014 | LYSINE DECARBOXYLASE TEST 30 Tests |
| 88015 | ORNITHINE DECARBOXYLASE TEST 30 Tests |
| 88016 | ARGININE DECARBOXYLASE TEST 30 Tests |
| 88017 | INDOLE TEST 30 Tests |
| 88020 | S F RAPID TEST 30 Tests |
| 88021 | CAMP TEST-S 30 Tests |
| 88023 | CATALASI/OXY TEST 30 Tests |
| 88024 | UREA / INDOLO TEST 30 Tests |
| 88027 | CAMP TEST-R 30 Tests |
| 88028 | PEPTIDASE A TEST 30 Tests |
| 88029 | OXIDASE TEST STICKS 50 Tests |
| 88030 | COAGULASE TEST 40 Tests |
| 88031 | GRAM TEST STICK 30 Tests |
| 88032 | INDOLO TEST STICK 30 Tests |
| 88033 | BETA LACTAMASE STICKS 30 Tests |
| 88034 | PEPTIDASE A STICKS 30 Tests |
| 88035 | VP TEST KIT |
| 88040 | C 390 50 Discs |
| 88041 | Brilliant Green 100 µg |
| 88042 | CITRATE TEST |
| 88043 | O129 Disc 150 µg |
| 88044 | O129 Disc 10 µg |
| 88105 | O.N.P.G. TEST |
| 88201 | GALACTOSE TEST 30 Tests |
| 88202 | GLUCOSE TEST 30 Tests |
| 88203 | LACTOSE TEST 30 Tests |
| 88204 | MALTOSE TEST 30 Tests |
| 88205 | RAFFINOSE TEST 30 Tests |
| 88206 | SUCROSE TEST 30 Tests |
| 88207 | ARABITOL TEST 30 Tests |
| 88208 | ADONITOL TEST 30 Tests |
| 88209 | ARABINOSE TEST 30 Tests |
| 88210 | DULCITOL TEST 30 Tests |
| 88211 | INOSITOL TEST 30 Tests |
| 88212 | INULIN TEST 30 Tests |
| 88213 | LEVULOSE TEST 30 Tests |
| 88214 | MANNITOL TEST 30 Tests |
| 88215 | MANNOSE TEST 30 Tests |
| 88216 | RHAMNOSE TEST 30 Tests |
| 88217 | SALICIN TEST 30 Tests |
| 88218 | SORBITOL TEST 30 Tests |
| 88219 | TREHALOSE TEST 30 Tests |
| 88220 | XYLOSE TEST 30 Tests |
| 89021 | CultiControl™ Aspergillus brasiliensis ATCC® 16404™ |
| 89022 | CultiControl™ Bacillus Cereus ATCC® 11778™ |
| 89023 | CultiControl™ Bacillus subtilis ATCC® 6633™ |
| 89024 | CultiControl™ Candida albicans ATCC® 10231™ |
| 89025 | CultiControl™ Enterococcus faecalis ATCC® 19433™ |
| 89026 | CultiControl™ Enterococcus faecalis ATCC® 29212™ |
| 89027 | CultiControl™ Escherichia coli ATCC® 25922™ |
| 89028 | CultiControl™ Escherichia coli ATCC® 8739™ |
| 89029 | CultiControl™ Listeria innocua ATCC® 33090™ |
| 89030 | CultiControl™ Listeria ivanovii ATCC® 19119™ |
| 89031 | CultiControl™ Listeria monocytogenes ATCC® 19111™ |
| 89032 | CultiControl™ Proteus mirabilis ATCC® 25933™ |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|-------|--|
| 89033 | CultiControl™ <i>Pseudomonas aeruginosa</i> ATCC® 27853™ |
| 89034 | CultiControl™ <i>Pseudomonas aeruginosa</i> ATCC® 9027™ |
| 89035 | CultiControl™ <i>Rhodococcus equi</i> ATCC® 6939™ |
| 89036 | CultiControl™ <i>Saccharomyces cerevisiae</i> ATCC® 9763™ |
| 89037 | CultiControl™ <i>Salmonella typhimurium</i> ATCC® 14028™ |
| 89038 | CultiControl™ <i>Shigella flexneri</i> ATCC® 12022™ |
| 89039 | CultiControl™ <i>Staphylococcus aureus</i> NCTC 12493 |
| 89040 | CultiControl™ <i>Staphylococcus aureus</i> ATCC® 25923™ |
| 89041 | CultiControl™ <i>Staphylococcus aureus</i> ATCC® 29213™ |
| 89042 | CultiControl™ <i>Staphylococcus aureus</i> ATCC® 33862™ |
| 89043 | CultiControl™ <i>Staphylococcus aureus</i> ATCC® 43300™ |
| 89044 | CultiControl™ <i>Staphylococcus aureus</i> ATCC® 6538™ |
| 89045 | CultiControl™ <i>Staphylococcus epidermidis</i> ATCC® 12228™ |
| 89046 | CultiControl™ <i>Streptococcus agalactiae</i> ATCC® 13813™ |
| 89047 | CultiControl™ <i>Streptococcus pneumoniae</i> ATCC® 49619™ |
| 89048 | CultiControl™ <i>Streptococcus pyogenes</i> ATCC® 19615™ |
| 89049 | CultiControl™ <i>Proteus mirabilis</i> ATCC® 12453™ |
| 89050 | CultiControl™ <i>Yersinia enterocolitica</i> ATCC® 9610™ |
| 89051 | CultiControl™ <i>Listeria monocytogenes</i> ATCC® 19115™ |
| 89052 | CultiControl™ <i>Legionella pneumophila</i> subsp. <i>pneumophila</i> ATCC® 33152™ |
| 89053 | CultiControl™ <i>Clostridium perfringens</i> ATCC® 13124™ |
| 89054 | CultiControl™ <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> ATCC® 13311™ |
| 89055 | CultiControl™ <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> ATCC ® BAA-52™ |
| 89056 | CultiControl™ <i>Vibrio parahaemolyticus</i> ATCC ® 17802™ |
| 89057 | CultiControl™ <i>Aspergillus fumigatus</i> ATCC ® 204305™ |
| 89058 | CultiControl™ <i>Shigella sonnei</i> ATCC ® 25931™ |
| 89059 | CultiControl™ <i>Clostridium sordellii</i> ATCC ® 9714™ |
| 89060 | CultiControl™ <i>Listeria monocytogenes</i> ATCC ® 7644™ |
| 89061 | CultiControl™ <i>Streptococcus bovis</i> ATCC ® 33317™ |
| 89062 | CultiControl™ <i>Streptococcus mutans</i> ATCC ® 25175™ |
| 89063 | CultiControl™ <i>Streptococcus pneumoniae</i> ATCC ® 27336™ |
| 89064 | CultiControl™ <i>Streptococcus sanguinis</i> ATCC ® 10556™ |
| 89065 | CultiControl™ <i>Enterobacter cloacae</i> subsp. <i>cloacae</i> ATCC ® BAA-1143™ |
| 89066 | CultiControl™ <i>Enterococcus faecalis</i> ATCC ® 49532™ |
| 89067 | CultiControl™ <i>Enterococcus faecalis</i> ATCC ® 49533™ |
| 89068 | CultiControl™ <i>Escherichia coli</i> NCTC 11954™ |
| 89069 | CultiControl™ <i>Klebsiella pneumoniae</i> ATCC ® BAA-2146™ |
| 89070 | CultiControl™ <i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> ATCC ® 700603™ |
| 89071 | CultiControl™ <i>Candida parapsilosis</i> ATCC ® 22019™ |
| 89072 | CultiControl™ <i>Candida albicans</i> ATCC ® 90028™ |
| 89073 | CultiControl™ <i>Issatchenkia orientalis</i> ATCC ® 6258™ |
| 89074 | CultiControl™ <i>Neisseria gonorrhoeae</i> ATCC ® 19424™ |
| 89075 | CultiControl™ <i>Neisseria gonorrhoeae</i> ATCC ® 31426™ |
| 89076 | CultiControl™ <i>Haemophilus influenzae</i> ATCC® 49766™ |
| 89077 | CultiControl™ <i>Haemophilus influenzae</i> ATCC® 49247™ |
| 89078 | CultiControl™ <i>Bacteroides fragilis</i> ATCC® 25285™ |
| 89079 | CultiControl™ <i>Bacteroides thetaiotaomicron</i> ATCC® 29741™ |
| 89080 | CultiControl™ <i>Lactobacillus acidophilus</i> ATCC ® 4356™ |
| 89081 | CultiControl™ <i>Lactobacillus leichmannii</i> ATCC ® 4797™ |
| 89082 | CultiControl™ <i>Lactococcus lactis</i> ATCC ® 19435™ |
| 89083 | CultiControl™ <i>Proteus mirabilis</i> ATCC ® 29906™ |
| 89084 | CultiControl™ <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Enteritidis</i> ATCC ® 13076™ |
| 89085 | CultiControl™ <i>Listeria monocytogenes</i> ATCC ® 13932™ |
| 89086 | CultiControl™ <i>Campylobacter jejuni</i> ATCC ® 33291™ |
| 89087 | CultiControl™ <i>Klebsiella pneumoniae</i> ATCC ® BAA-1706™ |

| | |
|-------|--|
| 89088 | CultiControl™ <i>Klebsiella pneumoniae</i> ATCC ® BAA-1705™ |
| 89089 | CultiControl™ <i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> ATCC ® 13883™ |
| 89090 | CultiControl™ <i>Clostridium difficile</i> ATCC ® 9689™ |
| 89091 | CultiControl™ <i>Aggregatibacter aphrophilus</i> ATCC ® 7901™ |
| 89092 | CultiControl™ <i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC® 700698™ |
| 89093 | CultiControl™ <i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC ® 700699™ |
| 89094 | CultiControl™ <i>Plesiomonas shigelloides</i> ATCC ® 14029™ |
| 89095 | CultiControl™ <i>Clostridium sporogenes</i> ATCC ® 19404™ |
| 89096 | CultiControl™ <i>Micrococcus luteus</i> ATCC ® 10240™ |
| 89097 | CultiControl™ <i>Candida tropicalis</i> ATCC ® 750™ |
| 89098 | CultiControl™ <i>Candida krusei</i> ATCC ® 14243™ |
| 89099 | CultiControl™ <i>Gardnerella vaginalis</i> ATCC ® 14018™ |
| 89100 | CultiControl™ <i>Lactobacillus fermentum</i> ATCC ® 9338™ |
| 89101 | CultiControl™ <i>Listeria grayi</i> ATCC ® 25401™ |
| 89102 | CultiControl™ <i>Micrococcus luteus</i> ATCC ® 4698™ |
| 89103 | CultiControl™ <i>Moraxella (Branhamella) catarrhalis</i> ATCC ® 25238™ |
| 89104 | CultiControl™ <i>Neisseria gonorrhoeae</i> ATCC ® 49226™ |
| 89105 | CultiControl™ <i>Proteus mirabilis</i> ATCC ® 35659™ |
| 89106 | CultiControl™ <i>Proteus mirabilis</i> ATCC ® 43071™ |
| 89107 | CultiControl™ <i>Proteus vulgaris</i> ATCC ® 6380™ |
| 89108 | CultiControl™ <i>Pseudomonas aeruginosa</i> ATCC ® 10145™ |
| 89109 | CultiControl™ <i>Pseudomonas aeruginosa</i> ATCC ® 15442™ |
| 89110 | CultiControl™ <i>Pseudomonas fluorescens</i> ATCC ® 13525™ |
| 89111 | CultiControl™ <i>Bacteroides ovatus</i> ATCC ® 8483™ |
| 89112 | CultiControl™ <i>Clostridium histolyticum</i> ATCC ® 19401™ |
| 89113 | CultiControl™ <i>Bacteroides fragilis</i> ATCC ® 23745™ |
| 89114 | CultiControl™ <i>Actinomyces odontolyticus</i> ATCC ® 17929™ |
| 89115 | CultiControl™ <i>Enterococcus faecalis</i> ATCC ® 33186™ |
| 89116 | CultiControl™ <i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC ® 33591™ |
| 89117 | CultiControl™ <i>Enterococcus faecium</i> ATCC ® 51559™ |
| 89118 | CultiControl™ <i>Fusobacterium nucleatum</i> ATCC ® 25586™ |
| 89119 | CultiControl™ <i>Aeromonas hydrophila</i> ATCC ® 7966™ |
| 89120 | CultiControl™ <i>Haemophilus influenzae</i> ATCC ® 10211™ |
| 89121 | CultiControl™ <i>Serratia marcescens</i> ATCC ® 8100™ |
| 89122 | CultiControl™ <i>Neisseria gonorrhoeae</i> ATCC ® 49981™ |
| 89123 | CultiControl™ <i>Haemophilus haemolyticus</i> ATCC ® 33390™ |
| 89124 | CultiControl™ <i>Haemophilus influenzae</i> ATCC ® 33533™ |
| 89125 | CultiControl™ <i>Providencia stuartii</i> ATCC ® 33672™ |
| 89126 | CultiControl™ <i>Staphylococcus haemolyticus</i> ATCC ® 29970™ |
| 89127 | CultiControl™ <i>Streptococcus anginosus</i> ATCC ® 33397™ |
| 89128 | CultiControl™ <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> ATCC ® 12388™ |
| 89129 | CultiControl™ <i>Streptococcus mitis</i> ATCC ® 6249™ |
| 89130 | CultiControl™ <i>Streptococcus pyogenes</i> ATCC ® 49399™ |
| 89131 | CultiControl™ <i>Streptococcus salivarius</i> ATCC® 13419™ |
| 89132 | CultiControl™ <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Abony</i> NCTC 6017 |
| 89133 | CultiControl™ <i>Staphylococcus xylosum</i> ATCC ® 29971™ |
| 89135 | CultiControl™ <i>Propionibacterium acnes</i> ATCC® 11827™ |
| 89136 | CultiControl™ <i>Haemophilus influenzae</i> NCTC 8468 |
| 89137 | CultiControl™ <i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC ® 19095™ |
| 89138 | CultiControl™ <i>Cronobacter sakazakii</i> ATCC ® 29544™ |
| 89139 | CultiControl™ <i>Bordetella bronchiseptica</i> ATCC ® 4617™ |
| 89140 | CultiControl™ <i>Trichophyton mentagrophytes</i> ATCC ® 9533™ |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 89141 | CultiControl™ Acinetobacter baumannii ATCC ® BAA-747™ |
| 89144 | CultiControl™ Vibrio alginolyticus ATCC ® 17749™ |
| 89145 | CultiControl™ Campylobacter jejuni subsp. jejuni ATCC ® 33560™ |
| 89146 | CultiControl™ Citrobacter freundii ATCC ® 43864™ |
| 89147 | CultiControl™ Burkholderia cepacia ATCC ® 25416™ |
| 89148 | CultiControl™ Listeria monocytogenes ATCC ® 35152™ |
| 89149 | CultiControl™ Stenotrophomonas maltophilia ATCC® 13637™ |
| 89151 | CultiControl™ Legionella pneumophila subsp. fraseri ATCC ® 33156™ |
| 89152 | CultiControl™ Enterococcus faecium ATCC ® 6057™ |
| 89154 | CultiControl™ Salmonella enterica subsp. arizonae ATCC ® 13314™ |
| 89156 | CultiControl™ Enterobacter aerogenes ATCC ® 13048™ |
| 89160 | CultiControl™ Haemophilus influenzae ATCC ® 19418™ |
| 89163 | CultiControl™ Escherichia coli ATCC ® 35218™ |
| 89164 | CultiControl™ Neisseria meningitidis ATCC ® 13090™ |
| 89165 | CultiControl™ Peptostreptococcus anaerobius ATCC ® 27337™ |
| 89170 | CultiControl™ Staphylococcus aureus subsp. aureus ATCC ® BAA-44™ |
| 89171 | CultiControl™ Enterococcus faecium ATCC ® 19434™ |
| 89172 | CultiControl™ Enterococcus faecium ATCC ® BAA-2319™ |
| 89173 | CultiControl™ Enterococcus faecalis ATCC ® 51299™ |
| 89174 | CultiControl™ Acinetobacter baumannii ATCC ® 19606™ |
| 89175 | CultiControl™ Streptococcus pneumoniae ATCC ® 700671™ |
| 89176 | CultiControl™ Haemophilus influenzae ATCC ® 33391™ |
| 89177 | CultiControl™ Candida albicans ATCC ® 18804™ |
| 89178 | CultiControl™ Candida albicans ATCC ® 64124™ |
| 9001 | NALIDIXIC ACID NA 30 µg 250 Discs |
| 9001/1 | NALIDIXIC ACID NA 30 µg 50 Discs |
| 9002 | Oxolinic acid OA 2 µg 250 Discs |
| 9002/1 | Oxolinic acid OA 2 µg 50 Discs |
| 9003 | PIPEMIDIC ACID PI 20 µg 250 Discs |
| 9003/1 | PIPEMIDIC ACID PI 20 µg 50 Discs |
| 9004 | AMIKACIN AK 30 µg 250 Discs |
| 9004/1 | AMIKACIN AK 30 µg 50 Discs |
| 9005 | AMOXICILLIN AML 30 µg 250 Discs |
| 9005/1 | AMOXICILLIN AML 30 µg 50 Discs |
| 9006 | AMPICILLIN AMP 10 µg 250 Discs |
| 9006/1 | AMPICILLIN AMP 10 µg 50 Discs |
| 9007 | AZLOCILLIN AZL 75 µg 250 Discs |
| 9007/1 | AZLOCILLIN AZL 75 µg 50 Discs |
| 9008 | AZTREONAM ATM 30 µg 250 Discs |
| 9008/1 | AZTREONAM ATM 30 µg 50 Discs |
| 9009 | CARBENICILLIN CAR 100 µg 250 Discs |
| 9009/1 | CARBENICILLIN CAR 100 µg 50 Discs |
| 9010 | CEFACLOR CEC 30 µg 250 Discs |
| 9010/1 | CEFACLOR CEC 30 µg 50 Discs |
| 9011 | CEPHALEXIN CL 30 µg 250 Discs |
| 9011/1 | CEPHALEXIN CL 30 µg 50 Discs |
| 9013 | CEPHALOTHIN KF 30 µg 250 Discs |
| 9013/1 | CEPHALOTHIN KF 30 µg 50 Discs |
| 9014 | CEFAMANDOLE MA 30 µg 250 Discs |
| 9014/1 | CEFAMANDOLE MA 30 µg 50 Discs |
| 9015 | CEFAZOLIN KZ 30 µg 250 Discs |
| 9015/1 | CEFAZOLIN KZ 30 µg 50 Discs |
| 9016 | CEFOPERAZONE CFP 30 µg 250 Discs |
| 9016/1 | CEFOPERAZONE CFP 30 µg 50 Discs |
| 9017 | CEFOTAXIME CTX 30 µg 250 Discs |
| 9017/1 | CEFOTAXIME CTX 30 µg 50 Discs |
| 9018 | CEFOXITIN FOX 30 µg 250 Discs |

| | |
|--------|---|
| 9018/1 | CEFOXITIN FOX 30 µg 50 Discs |
| 9019 | CEFTAZIDIME CAZ 30 µg 250 Discs |
| 9019/1 | CEFTAZIDIME CAZ 30 µg 50 Discs |
| 9020 | CEFTRIAZONE CRO 30 µg 250 Discs |
| 9020/1 | CEFTRIAZONE CRO 30 µg 50 Discs |
| 9021 | CEFUROXIME CXM 30 µg 250 Discs |
| 9021/1 | CEFUROXIME CXM 30 µg 50 Discs |
| 9022 | CHLORAMPHENICOL C 30 µg 250 Discs |
| 9022/1 | CHLORAMPHENICOL C 30 µg 50 Discs |
| 9023 | COLISTIN SULFATE CS 10 µg 250 Discs |
| 9023/1 | COLISTIN SULFATE CS 10 µg 50 Discs |
| 9024 | ERYTHROMYCIN E 15 µg 250 Discs |
| 9024/1 | ERYTHROMYCIN E 15 µg 50 Discs |
| 9025 | FOSFOMYCIN FOS 50 µg 250 Discs |
| 9025/1 | FOSFOMYCIN FOS 50 µg 50 Discs |
| 9026 | GENTAMICIN CN 10 µg 250 Discs |
| 9026/1 | GENTAMICIN CN 10 µg 50 Discs |
| 9027 | KANAMYCIN K 30 µg 250 Discs |
| 9027/1 | KANAMYCIN K 30 µg 50 Discs |
| 9028 | LINCOMYCIN MY 2 µg 250 Discs |
| 9028/1 | LINCOMYCIN MY 2 µg 50 Discs |
| 9029 | METHICILLIN MET 5 µg 250 Discs |
| 9029/1 | METHICILLIN MET 5 µg 50 Discs |
| 9030 | MINOCYCLINE MN 30 µg 250 Discs |
| 9030/1 | MINOCYCLINE MN 30 µg 50 Discs |
| 9031 | AMPICILLIN-SULBACTAM AMS 20 µg 250 Discs |
| 9031/1 | AMPICILLIN-SULBACTAM AMS 20µg 50 DISCS |
| 9032 | NEOMYCIN N 30 µg 250 Discs |
| 9032/1 | NEOMYCIN N 30 µg 50 Discs |
| 9033 | NETILMICIN NET 30 µg 250 Discs |
| 9033/1 | NETILMICIN NET 30 µg 50 Discs |
| 9034 | NITROFURANTOIN F 300 µg 250 Discs |
| 9034/1 | NITROFURANTOIN F 300 µg 50 Discs |
| 9035 | NORFLOXACIN NOR 10µg 250 Discs |
| 9035/1 | NORFLOXACIN NOR 10 µg 50 Discs |
| 9036 | OXACILLIN OX 1µg 250 Discs |
| 9036/1 | OXACILLIN OX 1 µg 50 Discs |
| 9037 | PENICILLIN G P 10 IU 250 Discs |
| 9037/1 | PENICILLIN G P 10 IU 50 Discs |
| 9038 | PIPERACILLIN PRL 100 µg 250 Discs |
| 9038/1 | PIPERACILLIN PRL 100 µg 50 Discs |
| 9039 | RIFAMPICIN RD 30 µg 250 Discs |
| 9039/1 | RIFAMPICIN RD 30 µg 50 Discs |
| 9040 | STREPTOMYCIN S 10 µg 250 Discs |
| 9040/1 | STREPTOMYCIN S 10 µg 50 Discs |
| 9041 | SULFAMURAZOLE SF 300 µg 250 Discs |
| 9041/1 | SULFAMURAZOLE SF 300 µg 50 Discs |
| 9042 | TRIMETHOPRIM-SULFAMETHOXAZOLE SXT 25 µg 250 Discs |
| 9042/1 | TRIMETHOPRIM-SULFAMETHOXAZOLE SXT 25 µg 50 Discs |
| 9043 | TETRACYCLINE TE 30 µg 250 Discs |
| 9043/1 | TETRACYCLINE TE 30 µg 50 Discs |
| 9044 | TOBRAMYCIN TOB 10 µg 250 Discs |
| 9044/1 | TOBRAMYCIN TOB 10 µg 50 Discs |
| 9045 | VANCOMYCIN VA 30 µg 250 Discs |
| 9045/1 | VANCOMYCIN VA 30 µg 50 Discs |
| 9046 | SISOMYCIN SIS 30µg 250 Discs |
| 9046/1 | SISOMYCIN SIS 30 µg 50 Discs |
| 9047 | CLINDAMYCIN CD 2 µg 250 Discs |
| 9047/1 | CLINDAMYCIN CD 2 µg 50 Discs |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 9048 | AMOXICILLIN-CLAVULANIC ACID AUG 30 µg 250 Discs |
| 9048/1 | AMOXICILLIN-CLAVULANIC ACID AUG 30 µg 50 Discs |
| 9049 | FUSIDIC ACID FC 10 µg 250 Discs |
| 9049/1 | FUSIDIC ACID FC 10 µg 50 Discs |
| 9050 | TEICOPLANIN TEC 30 µg 250 Discs |
| 9050/1 | TEICOPLANIN TEC 30 µg 50 Discs |
| 9051 | BACITRACIN BA 10 IU 250 Discs |
| 9051/1 | BACITRACIN BA 10 IU 50 Discs |
| 9052 | CEFADROXIL CDX 30 µg 250 Discs |
| 9052/1 | CEFADROXIL CDX 30 µg 50 Discs |
| 9053 | CEFSULODIN CSD 30 µg 250 Discs |
| 9053/1 | CEFSULODIN CSD 30 µg 50 Discs |
| 9054 | CEFTIZOXIME CZX 30 µg 250 Discs |
| 9054/1 | CEFTIZOXIME CZX 30 µg 50 Discs |
| 9055 | CEPHRADINE CE 30 µg 250 Discs |
| 9055/1 | CEPHRADINE CE 30 µg 50 Discs |
| 9056 | CIPROFLOXACIN CIP 5 µg 250 Discs |
| 9056/1 | CIPROFLOXACIN CIP 5 µg 50 Discs |
| 9057 | CINOXACIN CIN 100 µg 250 Discs |
| 9057/1 | CINOXACIN CIN 100 µg 50 Discs |
| 9058 | CLOXACILLIN CX 5 µg 250 Discs |
| 9058/1 | CLOXACILLIN CX 5 µg 50 Discs |
| 9059 | DOXYCYCLINE DXT 30 µg 250 Discs |
| 9059/1 | DOXYCYCLINE DXT 30 µg 50 Discs |
| 9060 | ROXITROMYCIN RXT 15 µg 250 Discs |
| 9060/1 | ROXITROMYCIN RXT 15 µg 50 Discs |
| 9061 | ERTAPENEM ETP 10 µg 250 Discs |
| 9061/1 | ERTAPENEM ETP 10 µg 50 Discs |
| 9062 | MEZLOCILLIN MEZ 75 µg 250 Discs |
| 9062/1 | MEZLOCILLIN MEZ 75 µg 50 Discs |
| 9063 | NOVOBIOCIN NO 30 µg 250 Discs |
| 9063/1 | NOVOBIOCIN NO 30 µg 50 Discs |
| 9064 | CEFPODOXIME PX 10 µg 250 Discs |
| 9064/1 | CEFPODOXIME PX 10 µg 50 Discs |
| 9065 | OXYTETRACYCLINE OT 30 µg 250 Discs |
| 9065/1 | OXYTETRACYCLINE OT 30 µg 50 Discs |
| 9066 | POLYMYXIN B PB 100 IU 250 Discs |
| 9066/1 | POLYMYXIN B PB 100 IU 50 Discs |
| 9067 | SPECTINOMYCIN SPC 100 µg 250 Discs |
| 9067/1 | SPECTINOMYCIN SPC 100 µg 50 Discs |
| 9068 | MEROPENEM MRP 10 µg 250 Discs |
| 9068/1 | MEROPENEM MRP 10 µg 50 Discs |
| 9069 | FLUCONAZOLE FLU 100 µg 250 Discs |
| 9069/1 | FLUCONAZOLE FLU 100 µg 50 Discs |
| 9070 | TICARCILLIN TC 75 µg 250 Discs |
| 9070/1 | TICARCILLIN TC 75 µg 50 Discs |
| 9071 | AMPHOTERICIN B AMB 20 µg 250 Discs |
| 9071/1 | AMPHOTERICIN B AMB 20 µg 50 Discs |
| 9072 | ECONAZOLE ECN 10 µg 250 Discs |
| 9072/1 | ECONAZOLE ECN 10 µg 50 Discs |
| 9073 | FLUCYTOSINE AFY 1 µg 250 Discs |
| 9073/1 | FLUCYTOSINE AFY 1 µg 50 Discs |
| 9074 | GRISEOFULVIN AGF 10 µg 250 Discs |
| 9074/1 | GRISEOFULVIN AGF 10 µg 50 Discs |
| 9075 | KETOCONAZOLE KCA 10 µg 250 Discs |
| 9075/1 | KETOCONAZOLE KCA 10 µg 50 Discs |
| 9076 | METRONIDAZOLE MTZ 5 µg 250 Discs |
| 9076/1 | METRONIDAZOLE MTZ 5 µg 50 Discs |
| 9077 | MICONAZOLE MCL 10 µg 250 Discs |
| 9077/1 | MICONAZOLE MCL 10 µg 50 Discs |

| | |
|--------|--|
| 9078 | NYSTATIN NY 100 IU 250 Discs |
| 9078/1 | NYSTATIN NY 100 IU 50 Discs |
| 9079 | IMIPENEM IMI 10 µg 250 Discs |
| 9079/1 | IMIPENEM IMI 10 µg 50 Discs |
| 9080 | OFLOXACIN OFX 5 µg 250 Discs |
| 9080/1 | OFLOXACIN OFX 5 µg 50 Discs |
| 9081 | CEFOTETAN CTT 30 µg 250 Discs |
| 9081/1 | CEFOTETAN CTT 30 µg 50 Discs |
| 9082 | TYLOSIN TY 30 µg 250 Discs |
| 9082/1 | TYLOSIN TY 30 µg 50 Discs |
| 9083 | TRIMETHOPRIM TM 2.5 µg 250 Discs |
| 9083/1 | TRIMETHOPRIM TM 2.5 µg 50 Discs |
| 9084 | SULFAMETHOXAZOLE SMX 50 µg 250 Discs |
| 9084/1 | SULFAMETHOXAZOLE SMX 50 µg 50 Discs |
| 9085 | Imipenem + Phenylboronic acid IMI + BO 250 Discs |
| 9085/1 | Imipenem + Phenylboronic acid IMI + BO 50 Discs |
| 9086 | Imipenem + Cloxacillin IMI + CL 250 Discs |
| 9086/1 | Imipenem + Cloxacillin IMI + CL 50 Discs |
| 9087 | EDTA ED 250 Discs |
| 9087/1 | EDTA ED 50 Discs |
| 9088 | SPIRAMYCIN SP 100 µg 250 Discs |
| 9088/1 | SPIRAMYCIN SP 100 µg 50 Discs |
| 9089 | CEFIXIME CFM 5 µg 250 Discs |
| 9089/1 | CEFIXIME CFM 5 µg 50 Discs |
| 9090 | Daptomycin DAP 30 µg 250 Discs |
| 9090/1 | Daptomycin DAP 30 µg 50 Discs |
| 9091 | PEFLOXACIN PEF 5 µg 250 Discs |
| 9091/1 | PEFLOXACIN PEF 5 µg 50 Discs |
| 9093 | DICLOXACILLIN DCX 1 µg 250 Discs |
| 9093/1 | DICLOXACILLIN DCX 1 µg 50 Discs |
| 9094 | TIAMULIN T 30 µg 250 Discs |
| 9094/1 | TIAMULIN T 30 µg 50 Discs |
| 9095 | IMIPENEM/CILASTATIN IMC 20 µg 250 Discs |
| 9095/1 | IMIPENEM/CILASTATIN IMC 20 µg 50 Discs |
| 9096 | TICARCILLIN-CLAVULINIC ACID TTC 85 µg 250 Discs |
| 9096/1 | TICARCILLIN-CLAVULINIC ACID TTC 85 µg 50 Discs |
| 9097 | CLOTRIMAZOLE CLO 50 µg 250 Discs |
| 9097/1 | CLOTRIMAZOLE CLO 50 µg 50 Discs |
| 9098 | CLARITHROMYCIN CLR 15 µg 250 Discs |
| 9098/1 | CLARITHROMYCIN CLR 15 µg 50 Discs |
| 9099 | FURAZOLIDON FR 50 µg 250 Discs |
| 9099/1 | FURAZOLIDON FR 50 µg 50 Discs |
| 9100 | PIPERACILLIN-TAZOBACTAM TZP 110 µg 250 Discs |
| 9100/1 | PIPERACILLIN-TAZOBACTAM TZP 110 µg 50 Discs |
| 9101 | CEFTIBUTEN CTB 30 µg 250 Discs |
| 9101/1 | CEFTIBUTEN CTB 30 µg 50 Discs |
| 9102 | LEVOFLOXACIN LEV 5 µg 250 Discs |
| 9102/1 | LEVOFLOXACIN LEV 5 µg 50 Discs |
| 9103 | MOXIFLOXACIN MOX 5 µg 250 Discs |
| 9103/1 | MOXIFLOXACIN MOX 5 µg 50 Discs |
| 9104 | CEFEPIME FEP 30 µg 250 Discs |
| 9104/1 | CEFEPIME FEP 30 µg 50 Discs |
| 9105 | AZITHROMYCIN AZM 15 µg 250 Discs |
| 9105/1 | AZITHROMYCIN AZM 15 µg 50 Discs |
| 9106 | MYOKAMYCIN MK 15 µg 250 Discs |
| 9106/1 | MYOKAMYCIN MK 15 µg 50 Discs |
| 9107 | ITRACONAZOLE ITC 50 µg 250 Discs |
| 9107/1 | ITRACONAZOLE ITC 50 µg 50 Discs |
| 9108 | CEFOPERAZONE CFP 75 µg 250 Discs |
| 9108/1 | CEFOPERAZONE CFP 75 µg 50 Discs |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|--|
| 9109 | FOSFOMYCIN (includes G-6-p) FOS 200 µg 250 Discs |
| 9109/1 | FOSFOMYCIN (includes G-6-p) FOS 200 µg 50 Discs |
| 9110 | TRIMETHOPRIM TM 5 µg 250 Discs |
| 9110/1 | TRIMETHOPRIM TM 5 µg 50 Discs |
| 9111 | FUSIDIC ACID FC 30 µg 250 Discs |
| 9111/1 | FUSIDIC ACID FC 30 µg 50 Discs |
| 9112 | CEFPROZIL CPR 30 µg 250 Discs |
| 9112/1 | CEFPROZIL CPR 30 µg 50 Discs |
| 9113 | LOMEFLOXACIN LOM 10 µg 250 Discs |
| 9113/1 | LOMEFLOXACIN LOM 10 µg 50 Discs |
| 9115 | AMPICILLIN AMP 2 µg 250 Discs |
| 9115/1 | AMPICILLIN AMP 2 µg 50 Discs |
| 9116 | LINCOMYCIN MY 15 µg 250 Discs |
| 9116/1 | LINCOMYCIN MY 15 µg 50 Discs |
| 9117 | NOVOBIOCIN NO 5 µg 250 Discs |
| 9117/1 | NOVOBIOCIN NO 5 µg 50 Discs |
| 9118 | RIFAMPICIN RD 5 µg 250 Discs |
| 9118/1 | RIFAMPICIN RD 5µg 50 Discs |
| 9119 | METRONIDAZOLE MTZ 50 µg 250 Discs |
| 9119/1 | METRONIDAZOLE MTZ 50 µg 50 Discs |
| 9120 | POLYMYXIN B PB 300 UI 250 Discs |
| 9120/1 | POLYMYXIN B PB 300 UI 50 Discs |
| 9121 | FOSFOMYCIN (includes G-6-p) FOS 100 µg 250 Discs |
| 9121/1 | FOSFOMYCIN (includes G-6-p) FOS 100 µg 50 Discs |
| 9122 | AMPLICLOX (Ampicillin-Cloxacillin) ACL 30 µg 250 Discs |
| 9122/1 | AMPLICLOX (Ampicillin-Cloxacillin) ACL 30 µg 50 Discs |
| 9124 | GENTAMICIN CN 120 µg 250 Discs |
| 9124/1 | GENTAMICIN CN 120 µg 50 Discs |
| 9125 | GENTAMICIN CN 30 µg 250 Discs |
| 9125/1 | GENTAMICIN CN 30 µg 50 Discs |
| 9126 | SULFONAMIDE S3 300 µg 250 Discs |
| 9126/1 | SULFONAMIDE S3 300 µg 50 Discs |
| 9127 | PENICILLIN G P 2 IU 250 Discs |
| 9127/1 | PENICILLIN G P 2 IU 50 Discs |
| 9128 | CHLORAMPHENICOL C 10 µg 250 Discs |
| 9128/1 | CHLORAMPHENICOL C 10 µg 50 Discs |
| 9129 | SULBACTAM SU 20µg 250 Discs |
| 9129/1 | SULBACTAM SU 20µg 50 Discs |
| 9130 | PENICILLIN G P 1 IU 250 Discs |
| 9130/1 | PENICILLIN G P 1 IU 50 Discs |
| 9131 | SODIUM FUSIDATE FC 30 250 Discs |
| 9132 | SULFAPRIM SXT 50 µg 250 Discs |
| 9132/1 | SULFAPRIM SXT 50 µg 50 Discs |
| 9133 | AMOXICILLIN AML 10 µg 250 Discs |
| 9133/1 | AMOXICILLIN AML 10 µg 50 Discs |
| 9134 | CEFOTAXIME CTX 75 µg 250 Discs |
| 9134/1 | CEFOTAXIME CTX 75 µg 50 Discs |
| 9135 | OXACILLIN OX 5µg 250 Discs |
| 9135/1 | OXACILLIN OX 5µg 50 Discs |
| 9136 | LINEZOLID LNZ 30µg 250 Discs |
| 9136/1 | LINEZOLID LNZ 30µg 50 Discs |
| 9137 | AMPHOTERICIN B AMB 10 µg 250 Discs |
| 9137/1 | AMPHOTERICIN B AMB 10 µg 50 Discs |
| 9139 | ITRACONAZOLE ITC 8 µg 250 Discs |
| 9139/1 | ITRACONAZOLE ITC 8 µg 50 Discs |
| 9140 | KETOCONAZOLE KCA 15 µg 250 Discs |
| 9140/1 | KETOCONAZOLE KCA 15 µg 50 Discs |
| 9141 | COLISTIN SULFATE CS 30 UI 250 Discs |
| 9141/1 | COLISTIN SULFATE CS 30 UI 50 Discs |
| 9142 | STREPTOMYCIN S 300 µg 250 Discs |

| | |
|--------|---|
| 9142/1 | STREPTOMYCIN S 300 µg 50 Discs |
| 9143 | CEFEPIME+CLAVULANIC ACID FEL 40 µg 250 Discs |
| 9144 | Cefoxitin+Cloxacillin FOC 230 µg 250 Discs |
| 9144/1 | Cefoxitin+Cloxacillin FOC 230 µg 50 Discs |
| 9145 | CEFTAZIDIME+CLAVULANIC ACID CAL 40 µg 250 Discs |
| 9145/1 | CEFTAZIDIME+CLAVULANIC ACID CAL 40 µg 50 Discs |
| 9146 | CLINDAMYCIN CD 10 µg 250 Discs |
| 9146/1 | CLINDAMYCIN CD 10 µg 50 Discs |
| 9147 | TIGECYCLIN TGC 15 µg 250 Discs |
| 9147/1 | TIGECYCLIN TGC 15 µg 50 Discs |
| 9148 | FLUCYTOSINE AFY 10 µg 250 Discs |
| 9148/1 | FLUCYTOSINE AFY 10 µg 50 Discs |
| 9150 | SULFADIAZINE SUZ 300 ug 250 Discs |
| 9150/1 | SULFADIAZINE SUZ 300 ug 50 Discs |
| 9151 | AMOXICILLIN AML 2 µg 250 Discs |
| 9151/1 | AMOXICILLIN AML 2 µg 50 Discs |
| 9152 | CEFOTAXIME CTX 5 µg 250 Discs |
| 9152/1 | CEFOTAXIME CTX 5 µg 50 Discs |
| 9153 | CEFTAZIDIME CAZ 10 µg 250 Discs |
| 9153/1 | CEFTAZIDIME CAZ 10 µg 50 Discs |
| 9154 | DORIPENEM DOR 10 µg 250 Discs |
| 9154/1 | DORIPENEM DOR 10 µg 50 Discs |
| 9155 | LINEZOLID LNZ 10 µg 250 Discs |
| 9155/1 | LINEZOLID LNZ 10 µg 50 Discs |
| 9156 | MECILLINAM MEC 10 µg 250 Discs |
| 9156/1 | MECILLINAM MEC 10 µg 50 Discs |
| 9157 | MUPIROCIN MUP 200 µg 250 Discs |
| 9157/1 | MUPIROCIN MUP 200 µg 50 Discs |
| 9158 | NITROFURANTOIN F 100 µg 250 Discs |
| 9158/1 | NITROFURANTOIN F 100 µg 50 Discs |
| 9159 | PIPERACILLIN PRL 30 µg 250 Discs |
| 9159/1 | PIPERACILLIN PRL 30 µg 50 Discs |
| 9160 | PIPERACILLIN-TAZOBACTAM TZP 36 µg 250 Discs |
| 9160/1 | PIPERACILLIN-TAZOBACTAM TZP 36 µg 50 Discs |
| 9161 | QUINUPRISTIN-DALFOPRISTIN QDA 15 µg 250 Discs |
| 9161/1 | QUINUPRISTIN-DALFOPRISTIN QDA 15 µg 50 Discs |
| 9162 | STREPTOMYCIN S 300 µg 250 Discs |
| 9162/1 | STREPTOMYCIN S 300 µg 50 Discs |
| 9163 | TOBRAMYCIN TOB 30 ug 250 Discs |
| 9163/1 | TOBRAMYCIN TOB 30 ug 50 Discs |
| 9164 | VANCOMYCIN VA 5 µg 250 Discs |
| 9164/1 | VANCOMYCIN VA 5 µg 50 Discs |
| 9165 | CASPOFUNGIN CAS 5 µg 250 Discs |
| 9165/1 | CASPOFUNGIN CAS 5 µg 50 Discs |
| 9166 | FLUCONAZOLE FLU 25 µg 250 Discs |
| 9166/1 | FLUCONAZOLE FLU 25 µg 50 Discs |
| 9167 | POSACONAZOLE POS 5 µg 250 Discs |
| 9167/1 | POSACONAZOLE POS 5 µg 50 Discs |
| 9168 | VORICONAZOLE VO 1 µg 250 Discs |
| 9168/1 | VORICONAZOLE VO 1 µg 50 Discs |
| 9169 | GATIFLOXACIN GAT 5 µg 250 Discs |
| 9169/1 | GATIFLOXACIN GAT 5 µg 50 Discs |
| 9170 | NETILMICIN NET 10 µg 250 Discs |
| 9170/1 | NETILMICIN NET 10 µg 50 Discs |
| 9171 | PHENOXYMETHYLPENICILLIN PV 10 µg 250 Discs |
| 9171/1 | PHENOXYMETHYLPENICILLIN PV 10 µg 50 Discs |
| 9172 | TELITHROMYCIN TEL 15 µg 250 Discs |
| 9172/1 | TELITHROMYCIN TEL 15 µg 50 Discs |
| 9173 | LORACARBEF LOR 30 µg 250 Discs |
| 9173/1 | LORACARBEF LOR 30 µg 50 Discs |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|--|
| 9174 | NAFCILLIN NAF 1 µg 250 Discs |
| 9174/1 | NAFCILLIN NAF 1 µg 50 Discs |
| 9175 | MEROPENEM+CLOXACILLIN MR+CL 250 Discs |
| 9175/1 | MEROPENEM+CLOXACILLIN MR+CL 50 Discs |
| 9176 | Meropenem + Phenylboronic acid MR + BO 250 Discs |
| 9176/1 | Meropenem + Phenylboronic acid MR + BO 50 Discs |
| 9177 | MEROPENEM+DIPICOLINIC ACID MR+DP 250 Discs |
| 9177/1 | MEROPENEM+DIPICOLINIC ACID MR+DP 50 Discs |
| 9178 | Meropenem + EDTA MR + ED 250 Discs |
| 9178/1 | Meropenem + EDTA MR + ED 50 Discs |
| 9179 | AMOXICILLIN AML 25 µg 250 Discs |
| 9179/1 | AMOXICILLIN AML 25 µg 50 Discs |
| 9181 | NITROFURANTOIN F 50 µg 250 Discs |
| 9181/1 | NITROFURANTOIN F 50 µg 50 Discs |
| 9182 | CEFOTAXIME+CLAVULANIC ACID CTL 40 µg 250 Discs |
| 9182/1 | CEFOTAXIME+CLAVULANIC ACID CTL 40 µg 50 Discs |
| 9183 | Imipenem + EDTA IMI + ED 250 Discs |
| 9183/1 | Imipenem + EDTA IMI + ED 50 Discs |
| 9184 | COLISTIN SULFATE CS 25 µg 250 Discs |
| 9184/1 | COLISTIN SULFATE CS 25 µg 50 Discs |
| 9185 | CEFTAZIDIME CR 30 µg 250 Discs |
| 9185/1 | CEFTAZIDIME CR 30 µg 50 Discs |
| 9186 | TEMOCCILLIN TMO 30 µg 250 Discs |
| 9186/1 | TEMOCCILLIN TMO 30 µg 50 Discs |
| 9187 | Sulfamethoxazole SMX 100 µg 250 Discs |
| 9187/1 | Sulfamethoxazole SMX 100 µg 50 Discs |
| 9188 | Metronidazole MTZ 10 µg 250 Discs |
| 9188/1 | Metronidazole MTZ 10 µg 50 Discs |
| 9189 | MUPIROCIN MUP 5 µg 250 Discs |
| 9190 | CEFTAZIDIME+CLAVULANIC ACID PXL 11 µg 250 Discs |
| 9190/1 | CEFTAZIDIME+CLAVULANIC ACID PXL 11 µg 50 Discs |
| 9191 | AMOXICILLIN-CLAVULANIC ACID AUG 3 µg 250 Discs |
| 9191/1 | AMOXICILLIN-CLAVULANIC ACID AUG 3 µg 50 Discs |
| 9192 | ROKITAMYCIN ROK 30 µg 250 Discs |
| 9192/1 | ROKITAMYCIN ROK 30 µg 50 Discs |
| 9193 | Phenylboronic acid BO 250 Discs |
| 9193/1 | Phenylboronic acid BO 50 Discs |
| 9194 | DIPICOLINIC ACID DP 250 Discs |
| 9194/1 | DIPICOLINIC ACID DP 50 Discs |
| 9195 | CEFTAZIDIME CPT 5 µg 250 Discs |
| 9195/1 | CEFTAZIDIME CPT 5 µg 50 Discs |
| 9198 | CEFTAZIDIME CPT 30 µg 250 Discs |
| 9198/1 | CEFTAZIDIME CPT 30 µg 50 Discs |
| 9199 | ERTAPENEM+CLOXACILLIN ET+CL 250 Discs |
| 9199/1 | ERTAPENEM+CLOXACILLIN ET+CL 50 Discs |
| 9201 | ORITAVANCIN ORI 25 µg 250 Discs |
| 9201/1 | ORITAVANCIN ORI 25 µg 50 Discs |
| 9202 | Ertapenem+Phenylboronic acid ET+BO 250 Discs |
| 9202/1 | Ertapenem+Phenylboronic acid ET+BO 50 Discs |
| 9203 | Cefotaxime+Clavulanic acid+Cloxacillin CTLC 250 Discs |
| 9203/1 | Cefotaxime+Clavulanic acid+Cloxacillin CTLC 50 Discs |
| 9204 | Ceftazidime+Clavulanic acid+Cloxacillin CALC 250 Discs |
| 9204/1 | Ceftazidime+Clavulanic acid+Cloxacillin CALC 50 Discs |
| 9205 | Ceftazidime-avibactam CZA 50 µg 250 Discs |
| 9205/1 | Ceftazidime-avibactam CZA 50 µg 50 Discs |
| 9206 | Ceftazidime-avibactam CZA 14 µg 250 Discs |
| 9206/1 | Ceftazidime-avibactam CZA 14 µg 50 Discs |
| 9207 | Ulifloxacin ULI 5 µg 250 Discs |
| 9207/1 | Ulifloxacin ULI 5 µg 50 Discs |

| | |
|--------|---|
| 91200 | DISC DISPENSER 8 CARTRIDGES |
| 91203 | DISC DISPENSER 6 CARTRIDGES |
| 92000 | AMOX*/SULB 2/1 AXS 0.016-256* 30 MIC Tests |
| 920000 | AMOX*/SULB 2/1 AXS 0.016-256* 100 MIC Tests |
| 92001 | RIFAMPICIN RD 0.002-32 30 MIC Tests |
| 920010 | RIFAMPICIN RD 0.002-32 100 MIC Tests |
| 920011 | RIFAMPICIN RD 0.002-32 10 MIC Tests |
| 92002 | FUSIDIC ACID FU 0.016-256 30 MIC Tests |
| 920020 | FUSIDIC ACID FU 0.016-256 100 MIC Tests |
| 920021 | FUSIDIC ACID FU 0.016-256 10 MIC Tests |
| 92003 | AMPICILLIN AMP 0.016-256 30 MIC Tests |
| 920030 | AMPICILLIN AMP 0.016-256 100 MIC Tests |
| 920031 | AMPICILLIN AMP 0.016-256 10 MIC Tests |
| 92004 | POLYMYXIN B PB 0.064-1024 30 MIC Tests |
| 920040 | POLYMYXIN B PB 0.064-1024 100 MIC Tests |
| 920041 | POLYMYXIN B PB 0.064-1024 10 MIC Tests |
| 92005 | CEFPODOXIME PX 0.016-256 30 MIC Tests |
| 920050 | CEFPODOXIME PX 0.016-256 100 MIC Tests |
| 920051 | CEFPODOXIME PX 0.016-256 10 MIC Tests |
| 92006 | CEFOTAXIME CTX 0.016-256 30 MIC Tests |
| 920060 | CEFOTAXIME CTX 0.016-256 100 MIC Tests |
| 920061 | CEFOTAXIME CTX 0.016-256 10 MIC Tests |
| 92007 | CEFOTAXIME CTX 0.002-32 30 MIC Tests |
| 920070 | CEFOTAXIME CTX 0.002-32 100 MIC Tests |
| 920071 | CEFOTAXIME CTX 0.002-32 10 MIC Tests |
| 92008 | CEFTAZIDIME CR 0.016-256 30 MIC Tests |
| 920080 | CEFTAZIDIME CR 0.016-256 100 MIC Tests |
| 920081 | CEFTAZIDIME CR 0.016-256 10 MIC Tests |
| 92009 | GENTAMICIN CN 0.016-256 30 MIC Tests |
| 920090 | GENTAMICIN CN 0.016-256 100 MIC Tests |
| 920091 | GENTAMICIN CN 0.016-256 10 MIC Tests |
| 92010 | GENTAMICIN CN 0.064-1024 30 MIC Tests |
| 920100 | GENTAMICIN CN 0.064-1024 100 MIC Tests |
| 920101 | GENTAMICIN CN 0.064-1024 10 MIC Tests |
| 92011 | GATIFLOXACIN GAT 0.002-32 30 MIC Tests |
| 920110 | GATIFLOXACIN GAT 0.002-32 100 MIC Tests |
| 920111 | GATIFLOXACIN GAT 0.002-32 10 MIC Tests |
| 92012 | TEICoplanin TEC 0.016-256 30 MIC Tests |
| 920120 | TEICoplanin TEC 0.016-256 100 MIC Tests |
| 920121 | TEICoplanin TEC 0.016-256 10 MIC Tests |
| 92013 | ENROFLOXACIN ENR 0.002-32 30 MIC Tests |
| 920130 | ENROFLOXACIN ENR 0.002-32 100 MIC Tests |
| 920131 | ENROFLOXACIN ENR 0.002-32 10 MIC Tests |
| 92014 | SPECTINOMYCIN SPC 0.064-1024 30 MIC Tests |
| 920140 | SPECTINOMYCIN SPC 0.064-1024 100 MIC Tests |
| 920141 | SPECTINOMYCIN SPC 0.064-1024 10 MIC Tests |
| 92015 | OXACILLIN OX 0.016-256 30 MIC Tests |
| 920150 | OXACILLIN OX 0.016-256 100 MIC Tests |
| 920151 | OXACILLIN OX 0.016-256 10 MIC Tests |
| 92016 | CEFTAZIDIME CZX 0.016-256 30 MIC Tests |
| 920160 | CEFTAZIDIME CZX 0.016-256 100 MIC Tests |
| 920161 | CEFTAZIDIME CZX 0.016-256 10 MIC Tests |
| 92017 | MECILLINAM MEC 0.002-32 30 MIC Tests |
| 920170 | MECILLINAM MEC 0.002-32 100 MIC Tests |
| 920171 | MECILLINAM MEC 0.002-32 10 MIC Tests |
| 92018 | AMIKACIN AK 0.016-256 30 MIC Tests |
| 920180 | AMIKACIN AK 0.016-256 100 MIC Tests |
| 920181 | AMIKACIN AK 0.016-256 10 MIC Tests |
| 92019 | BACITRACIN BA 0.016-256 30 MIC Tests |
| 920190 | BACITRACIN BA 0.016-256 100 MIC Tests |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|--|
| 920191 | BACITRACIN BA 0.016-256 10 MIC Tests |
| 92020 | CEFOTETAN CTT 0.016-256 30 MIC Tests |
| 920200 | CEFOTETAN CTT 0.016-256 100 MIC Tests |
| 920201 | CEFOTETAN CTT 0.016-256 10 MIC Tests |
| 92021 | AMOXICILLIN AML 0.016-256 30 Tests |
| 920210 | AMOXICILLIN AML 0.016-256 100 MIC Tests |
| 920211 | AMOXICILLIN AML 0.016-256 10 MIC Tests |
| 92022 | NITROFURANTOIN F 0.032-512 30 MIC Tests |
| 920220 | NITROFURANTOIN F 0.032-512 100 MIC Tests |
| 920221 | NITROFURANTOIN F 0.032-512 10 MIC Tests |
| 92023 | CEFOB*/SULB 2/1 CPS 0.016-256* 30 MIC Tests |
| 920230 | CEFOB*/SULB 2/1 CPS 0.016-256* 100 MIC Tests |
| 920231 | CEFOB*/SULB 2/1 CPS 0.016-256* 10 MIC Tests |
| 92024 | AMOX*/CLAV 2/1 AMG 0.016-256* 30 MIC Tests |
| 920240 | AMOX*/CLAV 2/1 AMG 0.016-256* 100 MIC Tests |
| 920241 | AMOX*/CLAV 2/1 AMG 0.016-256* 10 MIC Tests |
| 92025 | RIFAMPICIN RD 0.016-256 30 MIC Tests |
| 920250 | RIFAMPICIN RD 0.016-256 100 MIC Tests |
| 920251 | RIFAMPICIN RD 0.016-256 10 MIC Tests |
| 92026 | QUIN-DALFOPRIST QDA 0.002-32 30 MIC Tests |
| 920260 | QUIN-DALFOPRIST QDA 0.002-32 100 MIC Tests |
| 920261 | QUIN-DALFOPRIST QDA 0.002-32 10 MIC Tests |
| 92027 | AMPIC*/SULB 2/1 AMS 0.016-256* 30 MIC Tests |
| 920270 | AMPIC*/SULB 2/1 AMS 0.016-256* 100 MIC Tests |
| 920271 | AMPIC*/SULB 2/1 AMS 0.016-256* 10 MIC Tests |
| 92028 | SULBACTAM SUL 0.016-256 30 MIC Tests |
| 920280 | SULBACTAM SUL 0.016-256 100 MIC Tests |
| 920281 | SULBACTAM SUL 0.016-256 10 MIC Tests |
| 92029 | TEMOCILLIN TMO 0.064-1024 30 MIC Tests |
| 920290 | TEMOCILLIN TMO 0.064-1024 100 MIC Tests |
| 920291 | TEMOCILLIN TMO 0.064-1024 10 MIC Tests |
| 92030 | AZITHROMYCIN AZM 0.016-256 30 MIC Tests |
| 920300 | AZITHROMYCIN AZM 0.016-256 100 MIC Tests |
| 920301 | AZITHROMYCIN AZM 0.016-256 10 MIC Tests |
| 92031 | SULFAMETOXAZOLE SMX 0.064-1024 30 MIC Tests |
| 920310 | SULFAMETOXAZOLE SMX 0.064-1024 100 MIC Tests |
| 920311 | SULFAMETOXAZOLE SMX 0.064-1024 10 MIC Tests |
| 92032 | MINOCYCLINE MN 0.016-256 30 MIC Tests |
| 920320 | MINOCYCLINE MN 0.016-256 100 MIC Tests |
| 920321 | MINOCYCLINE MN 0.016-256 10 MIC Tests |
| 92033 | AZTREONAM ATM 0.016-256 30 MIC Tests |
| 920330 | AZTREONAM ATM 0.016-256 100 MIC Tests |
| 920331 | AZTREONAM ATM 0.016-256 10 MIC Tests |
| 92034 | KANAMYCIN K 0.016-256 30 MIC Tests |
| 920340 | KANAMYCIN K 0.016-256 100 MIC Tests |
| 920341 | KANAMYCIN K 0.016-256 10 MIC Tests |
| 92035 | GEMIFLOXACIN GEM 0.002-32 30 MIC Tests |
| 920350 | GEMIFLOXACIN GEM 0.002-32 100 MIC Tests |
| 920351 | GEMIFLOXACIN GEM 0.002-32 10 MIC Tests |
| 92036 | CEFACLOR CEC 0,016-256 30 MIC Tests |
| 920360 | CEFACLOR CEC 0,016-256 100 MIC Tests |
| 920361 | CEFACLOR CEC 0,016-256 10 MIC Tests |
| 92037 | TRIMETHOPRIM TM 0.002-32 30 MIC Tests |
| 920370 | TRIMETHOPRIM TM 0.002-32 100 MIC Tests |
| 920371 | TRIMETHOPRIM TM 0.002-32 10 MIC Tests |
| 92038 | MUPIROCIN MUP 0.064-1024 30 MIC Tests |
| 920380 | MUPIROCIN MUP 0.064-1024 100 MIC Tests |
| 920381 | MUPIROCIN MUP 0.064-1024 10 MIC Tests |
| 92039 | CEPHALOTHIN KF 0.016-256 30 MIC Tests |
| 920390 | CEPHALOTHIN KF 0.016-256 100 MIC Tests |

| | |
|--------|---|
| 920391 | CEPHALOTHIN KF 0.016-256 10 MIC Tests |
| 92040 | DORIPENEM DOR 0.002-32 30 MIC Tests |
| 920400 | DORIPENEM DOR 0.002-32 100 MIC Tests |
| 920401 | DORIPENEM DOR 0.002-32 10 MIC Tests |
| 92041 | Pefloxacin PEF 0.016-256 mg/L 30 MIC Tests |
| 920410 | Pefloxacin PEF 0.016-256 mg/L 100 MIC Tests |
| 920411 | Pefloxacin PEF 0.016-256 mg/L 10 MIC Tests |
| 92042 | CEFTRIAZONE CRO 0.016-256 30 MIC Tests |
| 920420 | CEFTRIAZONE CRO 0.016-256 100 MIC Tests |
| 920421 | CEFTRIAZONE CRO 0.016-256 10 MIC Tests |
| 92043 | CEFTRIAZONE CRO 0.002-32 30 MIC Tests |
| 920430 | CEFTRIAZONE CRO 0.002-32 100 MIC Tests |
| 920431 | CEFTRIAZONE CRO 0.002-32 10 MIC Tests |
| 92044 | CLOXACILLIN CX 0.016-256 30 MIC Tests |
| 920440 | CLOXACILLIN CX 0.016-256 100 MIC Tests |
| 920441 | CLOXACILLIN CX 0.016-256 10 MIC Tests |
| 92045 | CIPROFLOXACIN CIP 0.002-32 30 MIC Tests |
| 920450 | CIPROFLOXACIN CIP 0.002-32 100 MIC Tests |
| 920451 | CIPROFLOXACIN CIP 0.002-32 10 MIC Tests |
| 92046 | SPIRAMYCIN SP 0.002-32 30 MIC Tests |
| 920460 | SPIRAMYCIN SP 0.002-32 100 MIC Tests |
| 920461 | SPIRAMYCIN SP 0.002-32 10 MIC Tests |
| 92048 | CLARITHROMYCIN CLR 0.016-256 30 MIC Tests |
| 920480 | CLARITHROMYCIN CLR 0.016-256 100 MIC Tests |
| 920481 | CLARITHROMYCIN CLR 0.016-256 10 MIC Tests |
| 92049 | CEFTAROLINE CPT 0.016-256 30 MIC Test |
| 920490 | CEFTAROLINE CPT 0.016-256 100 MIC Test |
| 920491 | CEFTAROLINE CPT 0.016-256 10 MIC Test |
| 92050 | FOSMIDOMYCIN FOM 0.016-256 30 MIC Tests |
| 920500 | FOSMIDOMYCIN FOM 0.016-256 100 MIC Tests |
| 920501 | FOSMIDOMYCIN FOM 0.016-256 10 MIC Tests |
| 92051 | ERYTHROMYCIN E 0.016-256 30 MIC Tests |
| 920510 | ERYTHROMYCIN E 0.016-256 100 MIC Tests |
| 920511 | ERYTHROMYCIN E 0.016-256 10 MIC Tests |
| 92052 | TELAVANCIN TLV 0.002-32 30 MIC Tests |
| 920520 | TELAVANCIN TLV 0.002-32 100 MIC Tests |
| 920521 | TELAVANCIN TLV 0.002-32 10 MIC Tests |
| 92053 | TELAVANCIN TLV 0.016-256 30 MIC Tests |
| 920530 | TELAVANCIN TLV 0.016-256 100 MIC Tests |
| 920531 | TELAVANCIN TLV 0.016-256 10 MIC Tests |
| 92054 | IMIPENEM IMI 0.002-32 30 MIC Tests |
| 920540 | IMIPENEM IMI 0.002-32 100 MIC Tests |
| 920541 | IMIPENEM IMI 0.002-32 10 MIC Tests |
| 92056 | Ceftaroline CPT 0.002-32 30 MIC Tests |
| 920560 | Ceftaroline CPT 0.002-32 100 MIC Tests |
| 920561 | Ceftaroline CPT 0.002-32 10 MIC Tests |
| 92057 | VANCOMYCIN VA 0.016-256 30 MIC Tests |
| 920570 | VANCOMYCIN VA 0.016-256 100 MIC Tests |
| 920571 | VANCOMYCIN VA 0.016-256 10 MIC Tests |
| 92058 | CEFTIBUTEN CTB 0.002-32 30 MIC Tests |
| 920580 | CEFTIBUTEN CTB 0.002-32 100 MIC Tests |
| 920581 | CEFTIBUTEN CTB 0.002-32 10 MIC Tests |
| 92060 | CEFIXIME CFM 0,016-256 30 MIC Tests |
| 920600 | CEFIXIME CFM 0,016-256 100 MIC Tests |
| 920601 | CEFIXIME CFM 0,016-256 10 MIC Tests |
| 92066 | CEFOXITIN FOX 0.016-256 30 MIC Tests |
| 920660 | CEFOXITIN FOX 0.016-256 100 MIC Tests |
| 920661 | CEFOXITIN FOX 0.016-256 10 MIC Tests |
| 92072 | CLINDAMYCIN CD 0.016-256 30 MIC Tests |
| 920720 | CLINDAMYCIN CD 0.016-256 100 MIC Tests |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|---|
| 920721 | CLINDAMYCIN CD 0,016-256 10 MIC Tests |
| 92075 | CHLORAMPHENICOL C 0,016-256 30 MIC Tests |
| 920750 | CHLORAMPHENICOL C 0,016-256 100 MIC Tests |
| 920751 | CHLORAMPHENICOL C 0,016-256 10 MIC Tests |
| 92078 | FOSFOMYCIN FOS 0,016-256 30 MIC Tests |
| 920780 | FOSFOMYCIN FOS 0,016-256 100 MIC Tests |
| 920781 | FOSFOMYCIN FOS 0,016-256 10 MIC Tests |
| 92079 | FOSFOMYCIN FOS 0,064-1024 30 MIC Tests |
| 920790 | FOSFOMYCIN FOS 0,064-1024 100 MIC Tests |
| 920791 | FOSFOMYCIN FOS 0,064-1024 10 MIC Tests |
| 92081 | LEVOFLOXACIN LEV 0.002-32 30 MIC Tests |
| 920810 | LEVOFLOXACIN LEV 0.002-32 100 MIC Tests |
| 920811 | LEVOFLOXACIN LEV 0.002-32 10 MIC Tests |
| 92084 | MEROPENEM MRP 0.002-32 30 MIC Tests |
| 920840 | MEROPENEM MRP 0.002-32 100 MIC Tests |
| 920841 | MEROPENEM MRP 0.002-32 10 MIC Tests |
| 92087 | METRONIDAZOLE MTZ 0.016-256 30 MIC Tests |
| 920870 | METRONIDAZOLE MTZ 0.016-256 100 MIC Tests |
| 920871 | METRONIDAZOLE MTZ 0.016-256 10 MIC Tests |
| 92090 | MOXIFLOXACIN MXF 0,002-32 30 MIC Tests |
| 920900 | MOXIFLOXACIN MXF 0,002-32 100 MIC Tests |
| 920901 | MOXIFLOXACIN MXF 0,002-32 10 MIC Tests |
| 92093 | NETILMICIN NET 0.016-256 30 MIC Tests |
| 920930 | NETILMICIN NET 0.016-256 100 MIC Tests |
| 920931 | NETILMICIN NET 0.016-256 10 MIC Tests |
| 92096 | NORFLOXACIN NOR 0.016-256 30 MIC Tests |
| 920960 | NORFLOXACIN NOR 0.016-256 100 MIC Tests |
| 920961 | NORFLOXACIN NOR 0.016-256 10 MIC Tests |
| 92099 | OFLOXACIN OFX 0.002-32 30 MIC Tests |
| 920990 | OFLOXACIN OFX 0.002-32 100 MIC Tests |
| 920991 | OFLOXACIN OFX 0.002-32 10 MIC Tests |
| 92102 | PENICILLIN G P 0.016-256 30 MIC Tests |
| 921020 | PENICILLIN G P 0.016-256 100 MIC Tests |
| 921021 | PENICILLIN G P 0.016-256 10 MIC Tests |
| 92103 | PENICILLIN G P 0.002-32 30 MIC Tests |
| 921030 | PENICILLIN G P 0.002-32 100 MIC Tests |
| 921031 | PENICILLIN G P 0.002-32 10 MIC Tests |
| 92105 | PIPERACILLIN PIP 0.016-256 30 MIC Tests |
| 921050 | PIPERACILLIN PIP 0.016-256 100 MIC Tests |
| 921051 | PIPERACILLIN PIP 0.016-256 10 MIC Tests |
| 92108 | PIPERAC*/TAZOB TZP 0.016-256* 30 MIC Tests |
| 921080 | PIPERAC*/TAZOB TZP 0.016-256* 100 MIC Tests |
| 921081 | PIPERAC*/TAZOB TZP 0.016-256* 10 MIC Tests |
| 92111 | STREPTOMYCIN S 0.064-1024 30 Tests |
| 921110 | STREPTOMYCIN S 0.064-1024 100 MIC Tests |
| 921111 | STREPTOMYCIN S 0.064-1024 10 MIC Tests |
| 92112 | Streptomycin S 0.016-256 mg/L 30 Tests |
| 921120 | Streptomycin S 0.016-256 mg/L 100 MIC Tests |
| 921121 | Streptomycin S 0.016-256 mg/L 10 MIC Tests |
| 92114 | TETRACYCLINE TE 0.016-25 30 MIC Tests |
| 921140 | TETRACYCLINE TE 0.016-25 100 MIC Tests |
| 921141 | TETRACYCLINE TE 0.016-25 10 MIC Tests |
| 92117 | TICARC*/CLAV TTC 0,016-256* 30MICTests |
| 921170 | TICARC*/CLAV TTC 0,016-256* 100 MIC Test |
| 921171 | TICARC*/CLAV TTC 0,016-256* 10 MIC Test |
| 92120 | TOBRAMYCIN TOB 0,064-1024 30 MIC Tests |
| 921200 | TOBRAMYCIN TOB 0,064-1024 100 MIC Tests |
| 921201 | TOBRAMYCIN TOB 0,064-1024 10 MIC Tests |
| 92121 | TOBRAMYCIN TOB 0,016-256 30 Tests |
| 921210 | TOBRAMYCIN TOB 0,016-256 100 Tests |

| | |
|--------|---|
| 921211 | TOBRAMYCIN TOB 0,016-256 10 Tests |
| 92123 | TRIM*/SULFAM SXT 0,002-32 30 MIC Tests |
| 921230 | TRIM*/SULFAM SXT 0,002-32 100 MIC Tests |
| 921231 | TRIM*/SULFAM SXT 0,002-32 10 MIC Tests |
| 92126 | CEFEPIME FEP 0.016-256 30 MIC Tests |
| 921260 | CEFEPIME FEP 0.016-256 100 MIC Tests |
| 921261 | CEFEPIME FEP 0.016-256 10 MIC Tests |
| 92127 | CEFEPIME FEP 0.002-32 µg/ml 30 MIC Tests |
| 921270 | CEFEPIME FEP 0.002-32 µg/ml 100 MIC Tests |
| 921271 | CEFEPIME FEP 0.002-32 µg/ml 10 MIC Tests |
| 92129 | CEFUROXIME CXM 0.016-256 30 MIC Tests |
| 921290 | CEFUROXIME CXM 0.016-256 100 MIC Tests |
| 921291 | CEFUROXIME CXM 0.016-256 10 MIC Tests |
| 92132 | NALIDIXIC ACID NA 0,016-256 30 MIC Tests |
| 921320 | NALIDIXIC ACID NA 0,016-256 100 MIC Tests |
| 921321 | NALIDIXIC ACID NA 0,016-256 10 MIC Tests |
| 92135 | LINEZOLID LNZ 0.016-256 30 MIC Tests |
| 921350 | LINEZOLID LNZ 0.016-256 100 MIC Tests |
| 921351 | LINEZOLID LNZ 0.016-256 10 MIC Tests |
| 92136 | TEDIZOLID TZD 0.002-32 30 MIC Tests |
| 921360 | TEDIZOLID TZD 0.002-32 100 MIC Tests |
| 921361 | TEDIZOLID TZD 0.002-32 10 MIC Tests |
| 92137 | Dalbavancin DAL 0.002-32 30 MIC Tests |
| 921370 | Dalbavancin DAL 0.002-32 100 MIC Tests |
| 921371 | Dalbavancin DAL 0.002-32 10 MIC Tests |
| 92138 | CEFTAZIDIME CAZ 0.016-256 30 MIC Tests |
| 921380 | CEFTAZIDIME CAZ 0.016-256 100 MIC Tests |
| 921381 | CEFTAZIDIME CAZ 0.016-256 10 MIC Tests |
| 92140 | Ceftobiprole BPR 0.002-32 mg/L 30 MIC Tests |
| 921400 | Ceftobiprole BPR 0.002-32 mg/L 100 MIC Tests |
| 921401 | Ceftobiprole BPR 0.002-32 mg/L 10 MIC Tests |
| 92141 | COLISTIN CS 0.016-256 30 MIC Tests |
| 921410 | COLISTIN CS 0.016-256 100 MIC Tests |
| 921411 | COLISTIN CS 0.016-256 10 MIC Tests |
| 92142 | COLISTIN CS 0.064-1024 30 MIC Tests |
| 921420 | COLISTIN CS 0.064-1024 100 MIC Tests |
| 921421 | COLISTIN CS 0.064-1024 10 MIC Tests |
| 92144 | TIGECYCLIN TGC 0.016-256 30 MIC Tests |
| 921440 | TIGECYCLIN TGC 0.016-256 100 MIC Tests |
| 921441 | TIGECYCLIN TGC 0.016-256 10 MIC Tests |
| 92145 | DAPTOMYCIN DAP 0.016-256 30 MIC Tests |
| 921450 | DAPTOMYCIN DAP 0.016-256 100 MIC Tests |
| 921451 | DAPTOMYCIN DAP 0.016-256 10 MIC Tests |
| 92146 | Ceftolozane*-tazobactam C/T 0.016-256* mg/L 30 MIC Tests |
| 921460 | Ceftolozane*-tazobactam C/T 0.016-256* mg/L 100 MIC Tests |
| 921461 | Ceftolozane*-tazobactam C/T 0.016-256* mg/L 10 MIC Tests |
| 92147 | FLUCONAZOLE FLU 0.016-256 30 MIC Tests |
| 921470 | FLUCONAZOLE FLU 0.016-256 100 MIC Tests |
| 921471 | FLUCONAZOLE FLU 0.016-256 10 MIC Tests |
| 92148 | ITRACONAZOLE ITC 0.002-32 30 MIC Tests |
| 921480 | ITRACONAZOLE ITC 0.002-32 100 MIC Tests |
| 921481 | ITRACONAZOLE ITC 0.002-32 10 MIC Tests |
| 92149 | FLUCYTOSIN FC 0.002-32 30 MIC Tests |
| 921490 | FLUCYTOSIN FC 0.002-32 100 MIC Tests |
| 921491 | FLUCYTOSIN FC 0.002-32 10 MIC Tests |
| 92150 | VORICONAZOLE VO 0.002-32 30 MIC Tests |
| 921500 | VORICONAZOLE VO 0.002-32 100 MIC Tests |
| 921501 | VORICONAZOLE VO 0.002-32 10 MIC Tests |
| 92151 | KETOCONAZOLE KE 0.002-32 30 MIC Tests |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|--------|--|
| 921510 | KETOCONAZOLE KE 0.002-32 100 MIC Tests |
| 921511 | KETOCONAZOLE KE 0.002-32 10 MIC Tests |
| 92152 | POSACONAZOLE POS 0,002-32 30 MIC Tests |
| 921520 | POSACONAZOLE POS 0,002-32 100 MIC Tests |
| 921521 | POSACONAZOLE POS 0,002-32 10 MIC Tests |
| 92153 | AMPHOTERICIN B AMB 0,002-32 30 MIC Tests |
| 921530 | AMPHOTERICIN B AMB 0,002-32 100 MIC Tests |
| 921531 | AMPHOTERICIN B AMB 0,002-32 10 MIC Tests |
| 92154 | CASPOFUNGIN CAS 0,002-32 30 MIC Tests |
| 921540 | CASPOFUNGIN CAS 0,002-32 100 MIC Tests |
| 921541 | CASPOFUNGIN CAS 0,002-32 10 MIC Tests |
| 92155 | ANIDULAFUNGIN AND 0.002-32 30 MIC Tests |
| 921550 | ANIDULAFUNGIN AND 0.002-32 100 MIC Tests |
| 921551 | ANIDULAFUNGIN AND 0.002-32 10 MIC Tests |
| 92156 | DOXYCYCLINE DXT 0,016-256 30 MIC Tests |
| 921560 | DOXYCYCLINE DXT 0,016-256 100 MIC Tests |
| 921561 | DOXYCYCLINE DXT 0,016-256 10 MIC Tests |
| 92157 | ERTAPENEM ETP 0,002-32 30 MIC Tests |
| 921570 | ERTAPENEM ETP 0,002-32 100 MIC Tests |
| 921571 | ERTAPENEM ETP 0,002-32 10 MIC Tests |
| 92159 | CEFTAZ/CEFTAZ+CLAV. CAZ/CAL MIC 30 Tests |
| 921590 | CEFTAZ/CEFTAZ+CLAV. CAZ/CAL MIC 100 Tests |
| 921591 | CEFTAZ/CEFTAZ+CLAV. CAZ/CAL MIC 10 Tests |
| 92160 | CEFOT./CEFOT.+ CLAV. CTX/CTL 30 MIC Tests |
| 921600 | CEFOT./CEFOT.+ CLAV. CTX/CTL 100 MIC Tests |
| 921601 | CEFOT./CEFOT.+ CLAV. CTX/CTL 10 MIC Tests |
| 92161 | CEFEP./CEFEP.+CLAV. FEP/FEL 30 MIC Tests |
| 921610 | CEFEP./CEFEP.+CLAV. FEP/FEL 100 MIC Tests |
| 921611 | CEFEP./CEFEP.+CLAV. FEP/FEL 10 MIC Tests |
| 92162 | IMIPEN./IMIP.+ EDTA IMI/IMD 30 MIC Tests |
| 921620 | IMIPEN./IMIP.+ EDTA IMI/IMD 100 MIC Tests |
| 921621 | IMIPEN./IMIP.+ EDTA IMI/IMD 10 MIC Tests |
| 92163 | VANCOM/TEICOPLANINA VA/TEC 30 MIC Tests |
| 921630 | VANCOM/TEICOPLANINA VA/TEC 100 MIC Tests |
| 921631 | VANCOM/TEICOPLANINA VA/TEC 10 MIC Tests |
| 92164 | CEFOT/CEFOT+CLOX CTT/CXT0,5-32/0,5-32 30 MIC Tests |
| 921640 | CEFOT/CEFOT+CLOX CTT/CXT 0,5-32/0,5-32 100 MIC Tests |
| 921641 | CEFOT/CEFOT+CLOX CTT/CXT 0,5-32/0,5-32 10 MIC Tests |
| 92165 | MEROPENEM/MEROPENEM + EDTA MRP/MRD 0.125-8/0.032-2 µg/ml 30 MIC Tests |
| 921650 | MEROPENEM/MEROPENEM + EDTA MRP/MRD 0.125-8/0.032-2 µg/ml 100 MIC Tests |
| 921651 | MEROPENEM/MEROPENEM + EDTA MRP/MRD 0.125-8/0.032-2 µg/ml 10 MIC Tests |
| 92166 | IMIPEN/IMIP+EDTA IMI/IMD 0.125-8/0.032-2 30 MIC Tests |
| 921660 | IMIPEN/IMIP+EDTA IMI/IMD 0.125-8/0.032-2 100 MIC Tests |
| 921661 | IMIPEN/IMIP+EDTA IMI/IMD 0.125-8/0.032-2 10 MIC Tests |
| 92167 | MEROPENEM / MEROPENEM + PHENYLBORONIC ACID MRP/MBO 0.125-8 / 0.032-2 30 MIC Tests |
| 921670 | MEROPENEM / MEROPENEM + PHENYLBORONIC ACID MRP/MBO 0.125-8 / 0.032-2 100 MIC Tests |
| 921671 | MEROPENEM / MEROPENEM + PHENYLBORONIC ACID MRP/MBO 0.125-8 / 0.032-2 10 MIC Tests |
| 92168 | ERTAPENEM / ERTAPENEM + PHENYLBORONIC ACID ETP/EBO 0.125-8 / 0.032-2 30 MIC Tests |
| 921680 | ERTAPENEM / ERTAPENEM + PHENYLBORONIC ACID ETP/EBO 0.125-8 / 0.032-2 100 MIC Tests |
| 921681 | ERTAPENEM / ERTAPENEM + PHENYLBORONIC ACID ETP/EBO 0.125-8 / 0.032-2 10 MIC Tests |
| 92169 | ERTAP/ERTAP+CLOXACILLIN ETP/ECX 0.125-8/0.032-2 30 MIC Tests |
| 921690 | ERTAP/ERTAP+CLOXACILLIN ETP/ECX 0.125-8/0.032-2 100 MIC Tests |
| 921691 | ERTAP/ERTAP+CLOXACILLIN ETP/ECX 0.125-8/0.032-2 10 MIC Tests |

| | |
|--------|--|
| 92170 | ETHAMBUTOL EB 0.016-256 30 MIC Tests |
| 921700 | ETHAMBUTOL EB 0.016-256 100 MIC Tests |
| 921701 | ETHAMBUTOL EB 0.016-256 10 MIC Tests |
| 92171 | ISONIAZIDE IZ 0.016-256 30 MIC Tests |
| 921710 | ISONIAZIDE IZ 0.016-256 100 MIC Tests |
| 921711 | ISONIAZIDE IZ 0.016-256 10 MIC Tests |
| 92172 | ETHIONAMIDE ET 0.016-256 30 MIC Tests |
| 921720 | ETHIONAMIDE ET 0.016-256 100 MIC Tests |
| 921721 | ETHIONAMIDE ET 0.016-256 10 MIC Tests |
| 92173 | AZTREONAM ATM 0.064-1024 30 MIC Tests |
| 921730 | AZTREONAM ATM 0.064-1024 100 MIC Tests |
| 921731 | AZTREONAM ATM 0.064-1024 10 MIC Tests |
| 92174 | CEFAZOLIN KZ 0.016-256 30 MIC Tests |
| 921740 | CEFAZOLIN KZ 0.016-256 100 MIC Tests |
| 921741 | CEFAZOLIN KZ 0.016-256 10 MIC Tests |
| 92180 | AMOX*/CLAV 2 µg/mL AMC 0.016-256* 30 MIC Tests |
| 921800 | AMOX*/CLAV 2 µg/mL AMC 0.016-256* 100 MIC Tests |
| 921801 | AMOX*/CLAV 2 µg/mL AMC 0.016-256* 10 MIC Tests |
| 92181 | AMPIC*/SULB 4 µg/mL SAM 0.016-256* 30 MIC Tests |
| 921810 | AMPIC*/SULB 4 µg/mL SAM 0.016-256* 100 MIC Tests |
| 921811 | AMPIC*/SULB 4 µg/mL SAM 0.016-256* 10 MIC Tests |
| 92182 | MICAFUNGIN MYC 0,002-32 30 MIC Tests |
| 921820 | MICAFUNGIN MYC 0,002-32 100 MIC Tests |
| 921821 | MICAFUNGIN MYC 0,002-32 10 MIC Tests |
| 92183 | Ticarcillin TC 0.016-256 mg/L 30 MIC Tests |
| 921830 | Ticarcillin TC 0.016-256 mg/L 100 MIC Tests |
| 921831 | Ticarcillin TC 0.016-256 mg/L 10 MIC Tests |
| 92184 | Isavuconazole IVU 0.002-32 mg/L 30 MIC Tests |
| 921840 | Isavuconazole IVU 0.002-32 mg/L 100 MIC Tests |
| 921841 | Isavuconazole IVU 0.002-32 mg/L 10 MIC Tests |
| 92200 | Tiamulin TIA 0.002-32 30 MIC Tests |
| 922000 | Tiamulin TIA 0.002-32 100 MIC Tests |
| 922001 | Tiamulin TIA 0.002-32 10 MIC Tests |
| 92201 | TILMICOSIN TIL 0.002-32 30 MIC Tests |
| 922010 | TILMICOSIN TIL 0.002-32 100 MIC Tests |
| 922011 | TILMICOSIN TIL 0.002-32 10 MIC Tests |
| 93001 | EASY RID h-IgG |
| 93002 | EASY RID h-IgA |
| 93003 | EASY RID h-IgM |
| 93004 | EASY RID h-C3c |
| 93005 | EASY RID h-C4 |
| 93006 | EASY RID h-Transferrin |
| 93007 | EASY RID h-Albumin |
| 93008 | EASY RID h-Apolipoprotein A1 |
| 93009 | EASY RID h-Apolipoprotein B |
| 93010 | EASY RID h-Alfa 1 Acid Glicoprotein |
| 93011 | EASY RID h-Fibrinogen |
| 93012 | EASY RID h-Antitrombin III |
| 93013 | EASY RID h-Ig Light Chain K |
| 93014 | EASY RID h-Ig Light Chain Lambda |
| 93015 | Anti h-alfa 1 Antitrypsin |
| 93016 | Anti h-Ceruloplasmin |
| 93018 | Anti h-Haptoglobin |
| 93104 | Multiplate h-IgG/IgA/IgM |
| 93106 | MULTIPLATE h-C3c/C4 |
| 93110 | MULTIPLATE h-Apo A1/Apo B |
| 93115 | MULTIPLATE h-Kappa Chain/Lambda Chain |
| 93201 | BENCE JONES TEST |
| 940010 | RID CONTROL SERUM |
| 9501 | OPTOCHINE OPT 100 Discs |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|-------|--|
| 9502 | Bacitracin Test 100 Discs |
| 9503 | X FACTOR TEST 100 Discs |
| 9504 | V FACTOR TEST 100 Discs |
| 9505 | V+X FACTOR TEST 100 Discs |
| 9508 | METRONIDAZOLE TEST 100 Discs |
| 9511 | SULPHONAMIDE TEST 100 Discs |
| 95200 | ANAEROBES |
| 95210 | ENTEROCOCCI |
| 95220 | ENTEROBACTERIA 1 |
| 95230 | ENTEROBACTERIA URINE |
| 95240 | ENTEROBACTERIA 2 |
| 95250 | PSEUDOMONAS |
| 95260 | STAPH |
| 95270 | ACINETOBACTER |
| 95280 | YEASTS |
| 95290 | Strepto |
| 95380 | ENTEROBACTERIA |
| 95390 | PSEUDOMONAS ACINETOBACTER |
| 95400 | ENTEROCOCCI |
| 95410 | ANAEROBES |
| 95420 | STAPH/STREP |
| 95430 | ENTEROBACTERIA URINE |
| 95440 | ENTEROBACTERIA FROM URINE AND OTHER SAMPLE |
| 95500 | YEASTS |
| 9555 | MT-HAEMOPHILUS |
| 9562 | URIN-2 |
| 9563 | MICE |
| 9564 | KGL I (Gram + ve) 1 x 100 Test |
| 9565 | KGL II (Gram - ve) 1 x 100 Test |
| 9566 | KGL III 100 Test |
| 9567 | MULTODISC A |
| 9568 | MULTODISC B |
| 9569 | MULTODISC C |
| 9570 | MULTODISC D |
| 9571 | MULTODISC A (100 Pz) (Tender106/2003) |
| 9573 | MULTODISC C (100 Pz) (Tender106/2003) |
| 9574 | MULTODISC D (100 Pz) (Tender106/2003) |
| 9575 | URINE RING (Tender238/2006) |
| 9576 | PSEUDOMONAS RING (Tender238/2006) |
| 9577 | GRAM NEGATIVE RING (Tender238/2006) |
| 9578 | GRAM POSITIVE RING (Tender238/2006) |
| 96001 | SALMONELLA TYPHI H 20 ml |
| 96002 | SALMONELLA TYPHI O 20 ml |
| 96003 | SALMONELLA PARATYPHI AH 20 ml |
| 96004 | SALMONELLA PARATYPHI AO 20 ml |
| 96005 | SALMONELLA PARATYPHI BH 20 ml |
| 96006 | SALMONELLA PARATYPHI BO 20 ml |
| 96007 | BRUCELLA TOTALE 20 ml |
| 96008 | BRUCELLA ABORTUS 20 ml |
| 96009 | SALMONELLA TYPHI TOTALE 20 ml CE |
| 96010 | SALMONELLA PARATYPHI A TOTALE 20 ml |
| 96011 | PROTEUS OX2 20 ml |
| 96012 | PROTEUS OXK 20 ml |
| 96013 | PROTEUS OX19 20 ml |
| 96015 | FEBRILE MULTITEST KIT |
| 96016 | STREP-CHECK KIT |
| 96017 | STAPH LATEX KIT |
| 96018 | SALMONELLA PARATYPHI B TOTALE 20 ml |
| 96019 | SALMONELLA PARATYPHI CH 20 ml |
| 96020 | SALMONELLA PARATYPHI CO 20 ml |

| | |
|----------|---|
| 96021 | SALMONELLA PARATYPHI C TOTALE 20 ml |
| 96022 | BRUCELLA MELITENSIS 20 ml |
| 96023 | BRUCELLA SUIIS 20 ml |
| 96031 | SALMONELLA TYPHI H SLIDE 5 ml |
| 96032 | SALMONELLA TYPHI O SLIDE 5 ml |
| 96033 | SALMONELLA TYPHI TOTALE 5 ml SLIDE |
| 96034 | SALMONELLA PARATYPHI AH SLIDE 5 ml |
| 96035 | SALMONELLA PARATYPHI AO 5 ml SLIDE |
| 96036 | SALMONELLA PARATYPHI A TOTALE 5ml SLIDE |
| 96037 | SALMONELLA PARATYPHI BH 5 ml SLIDE |
| 96038 | SALMONELLA PARATYPHI BO 5 ml SLIDE |
| 96039 | SALMONELLA PARATYPHI B TOTALE 5ml SLIDE |
| 96040 | SALMONELLA PARATYPHI CH 5 ml SLIDE |
| 96041 | SALMONELLA PARATYPHI CO 5 ml SLIDE |
| 96042 | SALMONELLA PARATYPHI C TOTALE 5 ml SLIDE |
| 96043 | BRUCELLA TOTALE SLIDE 5 ml SLIDE |
| 96044 | BRUCELLA ABORTUS 5 ml SLIDE |
| 96045 | BRUCELLA MELITENSIS SLIDE 5 ml |
| 96046 | BRUCELLA BENGAL ROSE SLIDE 5 ml |
| 96047 | PROTEUS OX2 5 ml SLIDE |
| 96048 | PROTEUS OX19 5 ml SLIDE |
| 96049 | PROTEUS OXK 5 ml SLIDE |
| 96093 | CONTROLLO NEGATIVO/NEGATIVE CONTROL 0.5ml |
| 96096 | POSITIVE CONTROL FOR SALMONELLA 0.5ml |
| 96097 | POSITIVE CONTROL FOR PROTEUS 0.5ml |
| 96098 | POSITIVE CONTROL FOR BRUCELLA 0.5ml |
| 96142 | Legionella Latex Kit |
| 96143 | CAMPYLOBACTER LATEX KIT |
| 96144 | CLOSTRIDIUM DIFFICILE LATEX KIT |
| 96148 | SHIGELLA ANTISERUM |
| 96150 | E. COLI O157 LATEX KIT |
| 96151 | SALMONELLA LATEX KIT |
| 96153 | STREPTO B LATEX KIT |
| 96154 | STREPTO A LATEX KIT |
| 96155 | BENCE JONES LATEX TEST |
| 96316 | Clostridium difficile GDH Card |
| 96317 | Clostridium Difficile Toxin A+B Card |
| 96318 | Giardia Card |
| 96319 | Listeria Monocytogenes Card |
| 96320 | Salmonella Ag Card |
| 96321 | O157 E.coli Card |
| 96401 | ONE STEP AMP DRMG SCREEN 20 CARDS |
| 96404 | ONE STEP COC DRMG SCREEN |
| 96405 | ONE STEP THC DRMG SCREEN |
| 96406 | ONE STEP M-AMP DRMG SCREEN 20 CARDS ONE STEP BRUPRENORPHINE DRMG SCREEN 20 CARDS |
| 96411 | |
| 96415/20 | FECAL OCCULT BLOOD CARD |
| 96418 | STREPTO A CARD 30 CARDS |
| 96441 | Gonorrhea Ag Card |
| 96442 | Gardnerella Vaginalis Card |
| 96443 | Trichomonas Vaginalis Card |
| 96444 | B.J. Free Kappa/Lambda Dipstick |
| 96455 | H.PYLORI CARD 20 CARD |
| 96460 | HCG URINE/SERUM CARD 50 CARD |
| 96461 | HCG URINE/SERUM CARD 100 CARD |
| 96462 | MICROALBUMIN CARD URINE 20 Cards |
| 96465 | AFP -ALFA FETO CARD 20 CARDS |
| 96468 | TUBERCOLOSI CARD 20 CARDS |
| 96480 | IgE TOTAL CARD |
| 96485 | CEA CARD 20 Cards |

PRODOTTI CE DI LIBERA VENDITA / FREE SALE CE PRODUCTS

Rev. 31.0 del 08.01.2016

| | |
|-------|-------------------------------------|
| 96487 | MYOGLOBIN |
| 96488 | TROPONIN 20 CARDS |
| 96490 | FERRITIN CARD |
| 96495 | SIFILIDE CARD 20 CARDS |
| 96498 | IM MONONUCLEOSIS INFECTION 20 CARDS |
| 96590 | URINE STRIP |
| 96900 | GIOTTO READER |
| 96909 | BIOMIC V3 |
| 96914 | BIOMIC V3 AST |
| 96915 | BIOMIC V3 ID |
| 96916 | BIOMIC V3 CC |
| 96919 | AST Software |
| 96931 | ID Software |
| 96932 | CC Software |
| 96933 | Micropiastre 96 pozzetti Software |

| | |
|-------|---|
| 97800 | ROTASTICK ONE STEP KIT 20 Tests |
| 97801 | RSV STICK ONE STEP 20 Tests |
| 97802 | ROTA/ADENO COMBI STICK ONE STEP 20 Tests |
| 97803 | H.PYLORI FECAL Ag ONE STEP 20 Tests |
| 97805 | STREP B STICK ONE STEP ASSAY 20 Tests |
| 97807 | ADENOSTICK ONE STEP ASSAY 20 Tests |
| 9999 | Blank Discs |
| 99003 | KPC&MBL disc kit (acc. to EUCAST) |
| 99004 | ESBL disc kit (acc. to EUCAST) |
| 99005 | ESBL disc kit (acc. to CLSI) |
| 99006 | ESBL (Chromos. Ind. AmpC) disc kit (acc. to EUCAST) |
| 99007 | KPC&MBL&OXA-48 disc kit (acc. to EUCAST) |
| 99008 | ESBL+AmpC screen disc kit |
| 99009 | AmpC disc kit |

Direttore Tecnico/ Technical Director
Dr.Silvio Brocco





Certificate

No. Q5 071067 0006 Rev. 00

Holder of Certificate: **Liofilchem S.r.l.**

Via Scozia
64026 Roseto degli Abruzzi (TE)
ITALY

Facility(ies):

Liofilchem S.r.l.
Via Scozia, 64026 Roseto degli Abruzzi (TE), ITALY

Liofilchem S.r.l.
Contrada Piane Vomano, Traversa di Via Grecia, 64026 Roseto
degli Abruzzi (TE), ITALY

Certification Mark:



Scope of Certificate:

Design and development, production and sale of in-vitro diagnostic medical devices: culture media for bacteriology, identification and susceptibility testing systems, kits for plasma protein determination. Distribution of other in-vitro diagnostic medical devices

Applied Standard(s):

EN ISO 13485:2016
Medical devices - Quality management systems -
Requirements for regulatory purposes
(ISO 13485:2016)
DIN EN ISO 13485:2016

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.: ITA1070742

Valid from: 2018-12-19

Valid until: 2021-12-18

Date, 2018-12-19

Stefan Preiß



Italia

CERTIFICATO

Nr. 50 100 11497 - Rev. 003

Si attesta che / This is to certify that

IL SISTEMA QUALITÀ DI
THE QUALITY SYSTEM OF

LIOFILCHEM S.r.l.

SEDE LEGALE E OPERATIVA:
REGISTERED OFFICE AND OPERATIONAL SITE:

**VIA SCOZIA SNC - ZONA INDUSTRIALE
I-64026 ROSETO DEGLI ABRUZZI (TE)**

SEDE OPERATIVA:
OPERATIONAL SITE:

**CONTRADA PIANE VOMANO – TRAVERSA DI VIA GRECIA
I-64026 ROSETO DEGLI ABRUZZI (TE)**

È CONFORME AI REQUISITI DELLA NORMA
HAS BEEN FOUND TO COMPLY WITH THE REQUIREMENTS OF

UNI EN ISO 9001:2015

QUESTO CERTIFICATO È VALIDO PER IL SEGUENTE CAMPO DI APPLICAZIONE
THIS CERTIFICATE IS VALID FOR THE FOLLOWING SCOPE

**Progettazione e sviluppo, produzione e commercializzazione di
dispositivi medico diagnostici in-vitro: terreni di coltura per
batteriologia, sistemi di identificazione e antibiogramma, kit per la
determinazione di plasmaproteine (IAF 12, 29)**

**Design and development, production and sale of in-vitro diagnostic
medical devices: culture media for bacteriology, identification and
susceptibility testing systems, kits for plasma protein determination
(IAF 12, 29)**



SGQ N° 049A

Membro degli Accordi di Mutuo Riconoscimento
EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual
Recognition Agreements

Per l'Organismo di Certificazione
For the Certification Body
TÜV Italia S.r.l.

Validità / Validity

Dal / From: **2019-02-11**

Al / To: **2022-02-10**

Data emissione / Issuing Date

Andrea Coscia
Direttore Divisione Business Assurance

2019-02-11

PRIMA CERTIFICAZIONE / FIRST CERTIFICATION: 2012-09-25

"LA VALIDITÀ DEL PRESENTE CERTIFICATO È SUBORDINATA A SORVEGLIANZA PERIODICA A 12 MESI E AL RIESAME COMPLETO DEL SISTEMA DI GESTIONE AZIENDALE CON PERIODICITÀ TRIENNALE"

"THE VALIDITY OF THE PRESENT CERTIFICATE DEPENDS ON THE ANNUAL SURVEILLANCE EVERY 12 MONTHS AND ON THE COMPLETE REVIEW OF COMPANY'S MANAGEMENT SYSTEM AFTER THREE-YEARS"