

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

### Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	the second second second second
Contact information *	Lenovo Global Environmental Affairs	Lenovo.
e-mail address	Alvin L Carter	LEI IOVO.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	All in one computer					
Commercial name *	IdeaCentre AIO 5 24ALC6					
Model number *	F0G2					
Issue date *	2021/4/29					
Intended market *	🛛 Global 🔲 🗖 Europe 📄 Asia, Pacific & Japan 📄 Americas 🗌 Other					
Additional information	Energy Star					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	F0G2 Logo	Long		
Issue date *		2021/4/29	Lend	JVC	<b>)</b>
Produc	t environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): <a href="http://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	$\boxtimes$		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	I 🛛		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
		d information is; available at (add URL): www.lenovo.com/us/en/compliance/eco-declaration			
P5		packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ant chromium by weight of these together.	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material( e legal reference).	s) 🔀		
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
-		nt information			
P6					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	F0G2	Logo	Lon	-	
Issue dat	te *	2021/4/29	-	Len	ovo	-
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*					<u>+</u>	
		naterials in covers/housing have no surface coating.			<u> </u>	
P7.3*	-	parts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	is available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS PCR65 Material type: ABS+PC Materia n materials of external electrical cables are PVC free.	al type: <b>PC</b>			
				<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, ar	nd 📃		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	$\square$	
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1: Cl	hemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
	TBBF 26265-0	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated epoxy (</i> 18-7	r <mark>esin</mark> , CAS #:			
		hemical specifications of flame retardants in printed circuit boards (without compon- ig ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: iical name: , CAS #: (See NOTE B4) iical name: , CAS #: "	es/preparations	in		
		<pre>iical name: , CAS #: " hemical specifications of flame retardants in plastic parts &gt; 25 g according ISO 104</pre>	3_4.			
P7.19		c parts > 25 g, flame retardant substances/preparations above $0.1\%$ are used which		<u> </u>		
		d the following Risk phrases; and Hazard statements:				
	-		See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Off apor	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is $63.19\%$ . e weight of recycled material is $1186.3$ g.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0G2	Logo	Lenovo
Issue date *	2021/4/29		LEHOVO.
Product environm	nental attributes - Market requirements (continued)		Requirement met

. . . . .

Item

Requirement metYesNon.a.

	Material and su	bstance requirements	(continued)				
P7.21*	Biobased plastic	material content is use	d in the product (See N	NOTE B7):			
	a) Of total plas	one of the two alternative stic parts' weight > 25 g, by weight) is %.			ated as a percentage of		
	b) The weight	of the biobased plastic					
P7.22*		e free from mercury, i.e. d specify: Number of la		o. num mercury content p	er lamp: mg		
P8	Batteries						
P8.1*	,	composition: Mangane	ese dioxide				
P9		ption (See NOTE B8)					
P9.1		he following power leve Power level at	ls or energy consumpt Power level at	Power level at	Deference/Standard for anorgy		
Energy mo	lue	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	W	W	W	Full load		
Categor	<u>y2</u>						
Short Idle Enabled	State - WOL	17.8 W	17.54 W	18.5 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Long Idle Enabled	State - WOL	6.6 W	6 W	6.1 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Sleep (S3)	- WOL Enabled	1.2 W	<b>1.2</b> W	1.2 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )		
Off (S5) - I	WOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )		
EPS No-lo (External power s wall outlet but dis	ad supply / charger plugged in th connected from the product.)	W	W	W			
PTEC * Typical En	ergy Consumption	W	W	W		$\boxtimes$	
ETEC * Annual En	ergy Consumption		<b>57.1</b> kWh/year	59.7 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05$ + $P_{long_ldle} \times 0.15$ + $P_{short_{ldle}} \times 0.35$		
	0 1 500				L Enabled; P <sub>idle</sub> : Idle State - WOL Enabled		
		ency Level (Internationa	II Efficiency Marking P			_	
	solution * : 2.07 m	• ·				_	
	0,	save mode: 25 minutes				_	
P9.2*		It the energy save funct	•	e product.			
P9.3		y class (monitors only):	N/A				
P10	Emissions Noise emission	- Declared according t	O ISO 9296 (See NOT	F B9)			
P10.1	Mode	Mode description	0100 9290 (000 1001		nit A-weighted sound power level, L <sub>WA c</sub> (B	)	
	Idle	* HDD idle		* 2.9			
	Operation	* HDD Operating			Г	╡	
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{nA}$		* 3.2 18 (operator position desktop – idle)		
	Other mode	Declared A-weighted sour			on desktop – operating)		
	Measured accore		ECMA-74 (only if not covered b	1			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	F0G2							Logo	Long	110	
Issue date *		2021/4	/29							Lend	<b>NO</b>	-
	t environr	nental	attribute	es - Market requirem	ents (co	ontinue	d)			Require		
ltem										Yes	No	n.a
			c emissio									
P10.4	program	(s): ENS	5032 EN	he requirement for low f 55035 FCC part15B	requency	electrom	agnetic	tields of	the following volunt	ary 🔀		L
P12				ing products			<u> </u>					
P12.1*		-	-	onomic requirements of					chnologies.		$\square$	L
P12.2*	The phy	sical inp	ut device	meets the requirements	of ISO 9	995 and	ISO 924	41-410.			$\square$	
P13		Packaging and documentation										
P13.1*	Product Product polyeth	Product packaging material type(s): <i>Paper - Corrugated Double wall</i> weight (kg): <i>1.475</i> Product packaging material type(s): <i>Plastic - Solid EPE (solid Expanded polyethylene)</i> weight (kg): <i>0.959</i> Product packaging material type(s): <i>Plastic - Thermoformed LDPE (thermoformed low density</i> <i>polyethylene)</i> weight (kg): <i>0.034</i>										
P13.2*	Product	plastic p	primary pa	ckaging is free from PV	C.					$\square$		
P13.3*				ugated fiberboard pack content: <b>70</b> %	aging, sp	ecify the	contai	ned perc	entage of minimum	post-		
P13.4*			or user an Paper,	d product documentatio Other	n (tick box	x):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
	Totally c Element	al chlori	ne-free									
	Process	ed chlor	ine-free									
P14	Volunta											
P14.1				quirements of the follow								
<b>D</b> 45	ENERG			Criteria version: 8.0	)	Date:	2021.5	. <mark>6</mark> Pr	oduct category: Des	sktop		
<b>P15</b> P9				See NOTE B10) specific configuration	max	u deser	intion o	f the tee	ted product config	uration		
F 9	Project	Test item	Category		Memory	HDD	SSD		External power supply	Sleep mo	de	
	A560 24ALC	ES	12	AMD R7 5700U/8C/1.8GHz	16GB	2TB	512GB	集显	Liteon PA-1121-12 120W	V modern sta	andby	
P9	informat knowled providec informat	ion conta ge availa I here is ion.	ained in th able at the approxim	representations, guara nis document. All inform e time of completion, an ate and provided for inf Notebooks & Tablet Co	ation prov d supplier ormationa	vided by s r shall ha al purpose	supplier ve no o es only.	in this do bligation See a Le	ocument is provided to update such infor	based on sup mation. The in	plier's format	ion

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 5 24ALC6	Logo
Model Number	F0G2	Lenovo
Issue Date	2021/4/29	Lenovo.
Additional information	Energy Star	

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2021			
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	tments applied when <b>a</b>	all discrete graphics o	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]				16			
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)			
	Category of discrete graphics Card(s)							
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				75.83			
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);				20.343			
(h)	Sleep mode power demand (Watts);				1.281			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.279			
(j)	Off mode power demand (Watts);				0.825			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	nabled);		0.828			
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 120w 91.04%; 135w 90.448%;							
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (annling only to n	otobook computoro)				
(0)				. ,	N/A			
(p-1)	Measurement methodology used to dete	N/A		-				
(p-2)								

(p-3)	Measurement methodolo	gy used to determine information	mentioned in points (o) – loading cycles batteries:					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption							
(a)		13-Desktop and notebook com hieving a stable condition with res						
(q)		0						
(r)		I on user manual/Power on->Wa and/or off mode was selected or p						
( )	Based on user manual-Set power button behaviors							
	Sat now or butt	and the second						
	Set power butto		to your preference. For example, by pressing the					
			computer to sleep or hibernation mode.					
	To change what the po	ower button does:						
	1. Go to Control Par	nel and view by large icons or sm	all icons.					
	2. Click Power Optic	ons $\rightarrow$ Choose what the power	buttons do.					
	3. Change the setting	gs as you prefer.						
(s)	Sequence of events requ off mode:	ired to reach the mode where the	equipment automatically changes to sleep and/or					
	Based on user manua	l/Control Panel->Power Options for this pl	> Change Settings-> Restore default settings					
(t)		ondition before the computer au	tomatically reaches sleep mode, or another	25 minutes				
(u)	Length of time after a p		the computer automatically reaches a power sleep mode (in minutes):					
(v)			activate after user inactivity (in minutes):	10 minutes				
(w)	Information on the energy	y-saving potential of power manag	ement functionality:					
(x)	Liser information on how	N/A to enable the power management	functionality					
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: Table 1. Default power plan (when plugged into ac power)  Turn off the display: After 10 minutes Put the computer to sleep: After 25 minutes							
	To awaken the computer from Sleep mode, press any key on your keyboard.							
	<ul> <li>To reset the power plan to achieve the best balance between performance and power saving:</li> <li>1. Go to Control Panel and view by large icons or small icons.</li> <li>2. Click Power Options, and then choose or customize a power plan of your preference.</li> </ul>							
(z)		em, — information and documenta	d frequency in Hz, — total harmonic distortion of ation on the instrumentation, set-up and circuits					
	Tota	Test voltage in V and freque al harmonic distortion of the ele						
	Instrument	Range Used	Make and Model					
	Туре	Or						
	AC Power Source	1~280VAC; 1~550Hz; 1000VA	Chroma;61504; SN:615040001117					
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R					
	Power Meter	0~600V; 0~20A	YOKOGAWA; WT310E; SN:C3SJ16035E					
	Hygrothermograph	15~35℃/ 15~90%	TESTO; 608-H1; SN:1034895602					
	Thermal anemometer	0~20m/s, -20~70℃	TESTO; 425; SN:02591883					
		1; 1~300cd/m <sup>2</sup>	KONICA MINOLTQ:LS-110					
	Light Measuring	r, i 5000u/iii						

Additional Notebook Battery Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information	•		1			

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainît šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.