



Members

Large Fragment Secure Locking Implants – AO & Secure Locking

033 Ø4.5mm CORTICAL SCREW, SELF TAPPING			Lot 3.1		
LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
12	033.012	033.012.TI	32	033.032	033.032.TI
14	033.014	033.014.TI	34	033.034	033.034.TI
16	033.016	033.016.TI	36	033.036	033.036.TI
18	033.018	033.018.TI	38	033.038	033.038.TI
20	033.020	033.020.TI	40	033.040	033.040.TI
22	033.022	033.022.TI	42	033.042	033.042.TI
24	033.024	033.024.TI	44	033.044	033.044.TI
26	033.026	033.026.TI	46	033.046	033.046.TI
28	033.028	033.028.TI	48	033.048	033.048.TI
30	033.030	033.030.TI	50	033.050	033.050.TI



Code No: 033

033 Ø4.5mm CORTICAL SCREW, SELF TAPPING (CONT....)					
LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
52	033.052	033.052.TI	78	033.078	033.078.TI
54	033.054	033.054.TI	80	033.080	033.080.TI
56	033.056	033.056.TI	82	033.082	033.082.TI
58	033.058	033.058.TI	84	033.084	033.084.TI
60	033.060	033.060.TI	86	033.086	033.086.TI
62	033.062	033.062.TI	88	033.088	033.088.TI
64	033.064	033.064.TI	90	033.090	033.090.TI
66	033.066	033.066.TI	92	033.092	033.092.TI
68	033.068	033.068.TI	94	033.094	033.094.TI
70	033.070	033.070.TI	96	033.096	033.096.TI
72	033.072	033.072.TI	98	033.098	033.098.TI
74	033.074	033.074.TI	100	033.100	033.100.TI
76	033.076	033.076.TI			

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

057 Ø6.5mm CANCELLOUS SCREW, 32mm THREAD

Lot 3.2

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
25	057.025	057.025.TI	75	057.075	057.075.TI
30	057.030	057.030.TI	80	057.080	057.080.TI
35	057.035	057.035.TI	85	057.085	057.085.TI
40	057.040	057.040.TI	90	057.090	057.090.TI
45	057.045	057.045.TI	95	057.095	057.095.TI
50	057.050	057.050.TI	100	057.100	057.100.TI
55	057.055	057.055.TI	105	057.105	057.105.TI
60	057.060	057.060.TI	110	057.110	057.110.TI
65	057.065	057.065.TI	115	057.115	057.115.TI
70	057.070	057.070.TI	120	057.120	057.120.TI

Drill Bit : 3.2mm
Drill Bit for Shaft 4.5mm



Code No: 057

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.

308

KIRSCHNER WIRE WITH TROCAR TIP BOTH ENDS S.S.

Lot 3.3

DIAMETER (mm)	CODE						
	LENGTH						
	70mm	100mm	150mm	225mm	250mm	300mm	400mm
0.8	308.070.08	308.100.08	308.150.08	308.225.08	308.250.08	308.300.08	
0.9	308.070.09	308.100.09	308.150.09	308.225.09	308.250.09	308.300.09	
1.0		308.100.10	308.150.10	308.225.10	308.250.10	308.300.10	
1.1		308.100.11	308.150.11	308.225.11	308.250.11	308.300.11	
1.2		308.100.12	308.150.12	308.225.12	308.250.12	308.300.12	
1.4		308.100.14	308.150.14	308.225.14	308.250.14	308.300.14	
1.5			308.150.15	308.225.15	308.250.15	308.300.15	
1.6			308.150.16	308.225.16	308.250.16	308.300.16	
1.8			308.150.18	308.225.18	308.250.18	308.300.18	308.400.18
2.0			308.150.20	308.225.20	308.250.20	308.300.20	308.400.20
2.2			308.150.22	308.225.22	308.250.22	308.300.22	308.400.22
2.3			308.150.23	308.225.23	308.250.23	308.300.23	308.400.23
2.5			308.150.25	308.225.25	308.250.25	308.300.25	308.400.25
3.0			308.150.30	308.225.30	308.250.30	308.300.30	308.400.30



036 5.0mm SECURE LOCKING SCREWS, SELF TAPPING

Lot 3.4

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
14	036.014	036.014.TI	46	036.046	036.046.TI
16	036.016	036.016.TI	48	036.048	036.048.TI
18	036.018	036.018.TI	50	036.050	036.050.TI
20	036.020	036.020.TI	52	036.052	036.052.TI
22	036.022	036.022.TI	54	036.054	036.054.TI
24	036.024	036.024.TI	56	036.056	036.056.TI
26	036.026	036.026.TI	58	036.058	036.058.TI
28	036.028	036.028.TI	60	036.060	036.060.TI
30	036.030	036.030.TI	65	036.065	036.065.TI
32	036.032	036.032.TI	70	036.070	036.070.TI
34	036.034	036.034.TI	75	036.075	036.075.TI
36	036.036	036.036.TI	80	036.080	036.080.TI
38	036.038	036.038.TI	85	036.085	036.085.TI
40	036.040	036.040.TI	90	036.090	036.090.TI
42	036.042	036.042.TI	95	036.095	036.095.TI
44	036.044	036.044.TI	100	036.100	036.100.TI



Code No: 036

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:





Members

**046T 5.5mm SECURE LOCKING CANCELLOUS SCREWS, 32mm THREAD**

Lot 3.5

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
40	046T.040	046T.040Ti
45	046T.045	046T.045Ti
50	046T.050	046T.050Ti
55	046T.055	046T.055Ti
60	046T.060	046T.060Ti
65	046T.065	046T.065Ti
70	046T.070	046T.070Ti
75	046T.075	046T.075Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
80	046T.080	046T.080Ti
85	046T.085	046T.085Ti
90	046T.090	046T.090Ti
95	046T.095	046T.095Ti
100	046T.100	046T.100Ti
105	046T.105	046T.105Ti
110	046T.110	046T.110Ti
115	046T.115	046T.115Ti

Code No: 046T **NEW****050T 5.5mm SECURE LOCKING CANCELLOUS SCREWS, FULLY THREAD**

Lot 3.6

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
40	050T.040	050T.040Ti
45	050T.045	050T.045Ti
50	050T.050	050T.050Ti
55	050T.055	050T.055Ti
60	050T.060	050T.060Ti
65	050T.065	050T.065Ti
70	050T.070	050T.070Ti
75	050T.075	050T.075Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
80	050T.080	050T.080Ti
85	050T.085	050T.085Ti
90	050T.090	050T.090Ti
95	050T.095	050T.095Ti
100	050T.100	050T.100Ti
105	050T.105	050T.105Ti
110	050T.110	050T.110Ti
115	050T.115	050T.115Ti

Code No: 050T **NEW****HEMC House:**

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

134 4.5mm / 5.0mm SECURE LOCKING DISTAL FEMORAL PLATE

Lot 3.7

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
5	134.05L	134.05L.TI	134.05R	134.05R.TI
6	134.06L	134.06L.TI	134.06R	134.06R.TI
7	134.07L	134.07L.TI	134.07R	134.07R.TI
8	134.08L	134.08L.TI	134.08R	134.08R.TI
9	134.09L	134.09L.TI	134.09R	134.09R.TI
10	134.10L	134.10L.TI	134.10R	134.10R.TI



Code No: 134

134 4.5mm / 5.0mm SECURE LOCKING DISTAL FEMORAL PLATE (CONTD...)

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
11	134.11L	134.11L.TI	134.11R	134.11R.TI
12	134.12L	134.12L.TI	134.12R	134.12R.TI
13	134.13L	134.13L.TI	134.13R	134.13R.TI
14	134.14L	134.14L.TI	134.14R	134.14R.TI
15	134.15L	134.15L.TI	134.15R	134.15R.TI

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.

144 4.5mm / 5.0mm SECURE LOCKING PROXIMAL TIBIAL PLATE, LATERAL

Lot 3.8

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
4	144.04L	144.04L.TI	144.04R	144.04R.TI
5	144.05L	144.05L.TI	144.05R	144.05R.TI
6	144.06L	144.06L.TI	144.06R	144.06R.TI
7	144.07L	144.07L.TI	144.07R	144.07R.TI
8	144.08L	144.08L.TI	144.08R	144.08R.TI
9	144.09L	144.09L.TI	144.09R	144.09R.TI
10	144.10L	144.10L.TI	144.10R	144.10R.TI
11	144.11L	144.11L.TI	144.11R	144.11R.TI
12	144.12L	144.12L.TI	144.12R	144.12R.TI
13	144.13L	144.13L.TI	144.13R	144.13R.TI
14	144.14L	144.14L.TI	144.14R	144.14R.TI
15	144.15L	144.15L.TI	144.15R	144.15R.TI
16	144.16L	144.16L.TI	144.16R	144.16R.TI



Code No: 144

123 4.5mm / 5.0mm SECURE LOCKING MEDIAL PROXIMAL TIBIA PLATE

Lot 3.9

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
4	123.04L	123.04L.TI	123.04R	123.04R.TI
5	123.05L	123.05L.TI	123.05R	123.05R.TI
6	123.06L	123.06L.TI	123.06R	123.06R.TI
7	123.07L	123.07L.TI	123.07R	123.07R.TI
8	123.08L	123.08L.TI	123.08R	123.08R.TI
9	123.09L	123.09L.TI	123.09R	123.09R.TI
10	123.10L	123.10L.TI	123.10R	123.10R.TI
11	123.11L	123.11L.TI	123.11R	123.11R.TI
12	123.12L	123.12L.TI	123.12R	123.12R.TI
13	123.13L	123.13L.TI	123.13R	123.13R.TI
14	123.14L	123.14L.TI	123.14R	123.14R.TI
15	123.15L	123.15L.TI	123.15R	123.15R.TI
16	123.16L	123.16L.TI	123.16R	123.16R.TI



Code No: 123

Thickness: 3.0 mm

Shaft width: 14 mm

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

115 3.5mm SECURE LOCKING MEDIAL PROXIMAL TIBIA PLATE

Lot 3.10

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
4	115.04L	115.04L.TI	115.04R	115.04R.TI
5	115.05L	115.05L.TI	115.05R	115.05R.TI
6	115.06L	115.06L.TI	115.06R	115.06R.TI
7	115.07L	115.07L.TI	115.07R	115.07R.TI
8	115.08L	115.08L.TI	115.08R	115.08R.TI
9	115.09L	115.09L.TI	115.09R	115.09R.TI
10	115.10L	115.10L.TI	115.10R	115.10R.TI
12	115.12L	115.12L.TI	115.12R	115.12R.TI
14	115.14L	115.14L.TI	115.14R	115.14R.TI
16	115.16L	115.16L.TI	115.16R	115.16R.TI



Code No: 115

Thickness: 3 mm
Shaft width: 11 mm

1065 3.5mm SECURE LOCKING POSTERIOR PROXIMAL TIBIA PLATE

Lot 3.11

No. of holes	Code	
	Stainless Steel	Titanium
2	1065.02	1065.02Ti
3	1065.03	1065.03Ti
4	1065.04	1065.04Ti
5	1065.05	1065.05Ti
6	1065.06	1065.06Ti
8	1065.08	1065.08Ti
10	1065.10	1065.10Ti


**HEMC House:**

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.