

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție ocds-b3wdp1-MD-1558004101070 din 05.06.2019							
Denumirea procedurii de achiziție: Licitație deschisă							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Produce	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
30200000-1	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Produce - cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	
	Lotul 6						
	Colour Laser All-In-One A4 MFP	Ecosys M6630ci dn	Japonia	Kyocera	Colour Laser All-In-One A4 MFP Available functions: Print, Copy, Scan and Fax Printer: Print speed: Single sided: Up to 27 ppm (A4), Up to 49 ppm(A5-Landscape), Double sided: Up to 21.9 ipm (A4) Printing method: Colour laser beam printing, Print quality: Up to 1200 x 1200 dpi, Print Resolution: 600 x 600 dpi,	Colour Laser All-In-One A4 MFP Available functions: Print, Copy, Scan and Fax Printer: Print speed: Single sided: Up to 30 ppm (A4), Up to 49 ppm(A5-Landscape), Double sided: Up to 21.9 ipm (A4) Printing method: Colour laser beam printing, Print quality: Up to 1200 x 1200 dpi, Print Resolution: 600 x 600 dpi,	

				Warm-up Time: ~13 seconds or less from power on, First Print Out Time: Colour approx.: 8.6 seconds or less, Mono approx.: 8.3 seconds or less Printer languages: UFR II, PCL 5c, PCL6, PostScript, Fonts: 93 PCL fonts, 136 PostScript fonts, Print margins: 5 mm-top, bottom, left and right, 10 mm-top, bottom, left and right (Envelope), Toner saver mode: Yes Advanced printing features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF), Barcode Print, Touch & Print (NFC), Google Cloud Print Ready, iOS: AirPrint, Canon PRINT Business app, Android; Copier: Copy Speed: Single sided (A4): Up to 27 ppm, Double sided (A4): Up to 21.9 ipm, First Copy Output Time (FCOT), ADF (A4):, Colour Approx. 12.0 seconds or less, Mono Approx. 10.2 seconds or less, Platen (A4):, Colour Approx. 11.3 seconds or less, Mono Approx. 9.8 seconds or less, Copy resolution: Up to 600 x 600 dpi, Copy modes: Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text, Double sided copying: 2-sided to 2-sided (Automatic), Multiple Copy: Up to 999 copies, Reduction/Enlargement: 25-400% in 1% increments, Other features: Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Scanner: Type: Colour, Scan Resolution: Optical: Up to 600 x 600 dpi, Enhanced: Up to 9600 x 9600 dpi, Scan speed: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi), Double sided mono: 47ipm (300x600dpi), Double	Warm-up Time: ~13 seconds or less from power on, First Print Out Time: Colour approx.: 7,5 seconds or less, Mono approx.: 6,5 seconds or less Printer languages: UFR II, PCL 5c, PCL6, PostScript, Fonts: 93 PCL fonts, 136 PostScript fonts, Print margins: 5 mm-top, bottom, left and right, 10 mm-top, bottom, left and right (Envelope), Toner saver mode: Yes Advanced printing features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF), Barcode Print, Touch & Print (NFC), Google Cloud Print Ready, iOS: AirPrint, Canon PRINT Business app, Android; Copier: Copy Speed: Single sided (A4): Up to 30 ppm, Double sided (A4): Up to 30 ipm, First Copy Output Time (FCOT), ADF (A4):, Colour Approx. 10.0 seconds or less, Mono Approx. 8,0 seconds or less, Platen (A4):, Colour Approx. 10.1 seconds or less, Mono Approx. 7.5 seconds or less, Copy resolution: Up to 600 x 600 dpi, Copy modes: Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text, Double sided copying: 2-sided to 2-sided (Automatic), Multiple Copy: Up to 999 copies, Reduction/Enlargement: 25-400% in 1% increments, Other features: Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Scanner: Type: Colour, Scan Resolution: Optical: Up to 600 x 600 dpi, Enhanced: Up to 9600 x 9600 dpi, Scan speed: Single sided mono: 60ipm (300x600dpi), Single sided colour: 40ipm (300x600dpi), Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi), Colour	
--	--	--	--	--	--	--

				sided colour: 27ipm (300x600dpi), Colour scanning depth: 24 bit/24 bit (input/output), Greyscales: 256 levels, Compatibility; TWAIN , WIA, ICA,Max. scan width: 216mm, Scan to E-mail: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to PC: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to USB: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to FTP: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to Cloud: TIFF/JPEG/PDF/PNG Media handling: Scanner Type: Platen, 2-sided ADF (single pass), Paper input (Standard): 250-sheet cassette, 50-sheet multi-purpose tray, 50-sheet ADF, Paper output: 150-sheet, Media types: Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope, Media sizes: Cassette (Standard):, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm., Multi-purpose tray:, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 215.9 x 355.6 mm., ADF:, A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm, Media	scanning depth: 24 bit/24 bit (input/output), Greyscales: 256 levels, Compatibility; TWAIN , WIA, ICA,Max. scan width: 216mm, Scan to E-mail: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to PC: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to USB: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to FTP: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to Cloud: TIFF/JPEG/PDF/PNG Media handling: Scanner Type: Platen, 2-sided ADF (single pass), Paper input (Standard): 250-sheet cassette, 100-sheet multi-purpose tray, 75-sheet ADF, Paper output: 250-sheet, Media types: Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope, Media sizes: Cassette (Standard):, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm., Multi-purpose tray:, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 215.9 x 355.6 mm., ADF:, A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm, Media weights: Cassette (standard and optional):
--	--	--	--	---	--

				weights: Cassette (standard and optional): 52 to 163 g/m² (Up to 200 g/m² with Glossy paper), Manual purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper), ADF: 50 to 105 g/m², Double Sided Printing: Automatic, Cassette:, A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm, 60 to 163 g/m² Interface & Software: Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, Operating System compatibility: Windows, Mac OS X version 10.7.5 & up, Linux, Network protocols: Print:, LPD, RAW, WSD-Print (IPv4,IPv6), Scan:, Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX, TCP/IP Application Services:, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6), Management:, SNMPv1, SNMPv3 (IPv4,IPv6), Security (wired):, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS), Security (wireless):, WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES) General features: Recommended Monthly Print Volume: 750 - 4,000 pages per month, Duty cycle: Max. 50,000 pages per month, Processor Speed: 800MHz x 2, Memory: 1GB, Control Panel: 12.7 cm LCD Colour Touch Screen, Operating Environment: Temperature: 10 to 30°C, Humidity: 20 to 80% RH (no condensation), Power Source: 220-240V(±10%) 50/60Hz (±2Hz), Power	52 to 163 g/m² (Up to 200 g/m² with Glossy paper), Manual purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper), ADF: 50 to 105 g/m², Double Sided Printing: Automatic, Cassette:, A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm, 60 to 163 g/m² Interface & Software: Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, Operating System compatibility: Windows, Mac OS X version 10.7.5 & up, Linux, Network protocols: Print:, LPD, RAW, WSD-Print (IPv4,IPv6), Scan:, Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX, TCP/IP Application Services:, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6), Management:, SNMPv1, SNMPv3 (IPv4,IPv6), Security (wired):, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS), Security (wireless):, WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES) General features: Recommended Monthly Print Volume: 750 - 4,000 pages per month, Duty cycle: Max. 50,000 pages per month, Processor Speed: ARM Cortex-A9 dual core 1,2 GHz+ARM Cortex-M3 100MHz, Memory: 1GB, Control Panel: 7 inch LCD Colour Touch Screen, Operating Environment: Temperature: 10 to 30°C, Humidity: 20 to 80% RH (no condensation), Power Source: 220-240V(±10%) 50/60Hz (±2Hz), Power	
--	--	--	--	---	---	--

					Consumption: Maximum: Approx. 1,400 W, Standby: Approx. 17.7 W, Sleep mode: Approx. 0.8 W, Typical Electricity Consumption (TEC): 1.0 kWh/week (230V), Noise Level: Sound Pressure: Active: 48 dB, Standby: 29 dB, Sound Power: Active: 62dB or less, Standby: 42dB or less Warranty: 36 months Analog: MFP Canon i-SENSYS MF735Cx	Consumption: Maximum: Approx. 496 W, Standby: Approx. 70 W, Sleep mode: Approx. 0.6 W, Typical Electricity Consumption (TEC): 1.0 kWh/week (230V), Noise Level: Sound Pressure: Active: 49 dB, Standby: 30 dB, Sound Power: Active: 49dB or less, Standby: 30dB or less Warranty: 36 months	
	TOTAL						

Semnat:_____ Numele, Prenumele: Pogorletchi V.V. În calitate de: Director

Ofertantul: Belmont Grup SRL Adresa: mun. Chișinău, șos. Blacani 7/1 ap. 1