

## 2. Pre-dilatation Balloon Catheters

### EMERGE™ Monorail™ PTCA Dilatation Catheter

| CATALOG NUMBER / ORDER NUMBER (GTIN) | LENGTH / DIAMETER | LESION ENTRY PROFILE | NOMINAL PRESSURE | RATED BURST PRESSURE |
|--------------------------------------|-------------------|----------------------|------------------|----------------------|
| H749 391930812 0 / 08714729799764    | 8 / 1.20 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391940812 0 / 08714729799689    | 8 / 1.20 mm Push  | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391930815 0 / 08714729799771    | 8 / 1.50 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391940815 0 / 08714729799726    | 8 / 1.50 mm Push  | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930820 0 / 08714729799788    | 8 / 2.00 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930822 0 / 08714729799795    | 8 / 2.25 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930825 0 / 08714729799801    | 8 / 2.50 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930827 0 / 08714729799818    | 8 / 2.75 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930830 0 / 08714729799825    | 8 / 3.00 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930832 0 / 08714729799832    | 8 / 3.25 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391930835 0 / 08714729799849    | 8 / 3.50 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391930837 0 / 08714729799856    | 8 / 3.75 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391930840 0 / 08714729799863    | 8 / 4.00 mm       | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931212 0 / 08714729799870    | 12 / 1.20 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391941212 0 / 08714729799696    | 12 / 1.20 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391931215 0 / 08714729799887    | 12 / 1.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391941215 0 / 08714729799733    | 12 / 1.50 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931220 0 / 08714729799894    | 12 / 2.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931222 0 / 08714729799900    | 12 / 2.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931225 0 / 08714729799917    | 12 / 2.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931227 0 / 08714729799924    | 12 / 2.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931230 0 / 08714729799931    | 12 / 3.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931232 0 / 08714729799948    | 12 / 3.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931235 0 / 08714729799955    | 12 / 3.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931237 0 / 08714729799962    | 12 / 3.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931240 0 / 08714729799979    | 12 / 4.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931512 0 / 08714729799986    | 15 / 1.20 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391941512 0 / 08714729799702    | 15 / 1.20 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391931515 0 / 08714729799993    | 15 / 1.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391941515 0 / 08714729799740    | 15 / 1.50 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931520 0 / 08714729800002    | 15 / 2.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931522 0 / 08714729800019    | 15 / 2.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931525 0 / 08714729800026    | 15 / 2.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931527 0 / 08714729800033    | 15 / 2.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931530 0 / 08714729800040    | 15 / 3.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931532 0 / 08714729800057    | 15 / 3.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391931535 0 / 08714729800064    | 15 / 3.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931537 0 / 08714729800071    | 15 / 3.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391931540 0 / 08714729800088    | 15 / 4.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391932012 0 / 08714729800095    | 20 / 1.20 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391942012 0 / 08714729799719    | 20 / 1.20 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391932015 0 / 08714729800101    | 20 / 1.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391942015 0 / 08714729799757    | 20 / 1.50 mm Push | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932020 0 / 08714729800118    | 20 / 2.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932022 0 / 08714729800125    | 20 / 2.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932025 0 / 08714729800132    | 20 / 2.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932027 0 / 08714729800149    | 20 / 2.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932030 0 / 08714729800156    | 20 / 3.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932032 0 / 08714729800163    | 20 / 3.25 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391932035 0 / 08714729800170    | 20 / 3.50 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391932037 0 / 08714729800187    | 20 / 3.75 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391932040 0 / 08714729800194    | 20 / 4.00 mm      | 0.017" / 0.43        | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |

Continued next page >



Complex PCI - 17  
NEW CARDIO

Boston  
Scientific

Balloon  
Catheters

Micro-  
dilatation  
Catheters

Guide  
Catheters

Guide  
Catheter  
extension

Angiographic  
Catheters

Guidewires

Embolic  
Protection

Accessories

Cutting  
Balloon™

Atherectomy  
Devices

Chronic Total  
Occlusions

Trapper™  
Exchange  
Device

ANGIOJET™  
Thrombec-  
tomy  
System

## 2. Pre-dilatation Balloon Catheters

### EMERGE™ Monorail™ Continued PTCA Dilatation Catheter

| CATALOG NUMBER / ORDER NUMBER (GTIN) | LENGTH / DIAMETER | LESION ENTRY PROFILE | NOMINAL PRESSURE | RATED BURST PRESSURE |
|--------------------------------------|-------------------|----------------------|------------------|----------------------|
| H749 391933020 0 / 08714729800200    | 30 / 2.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933022 0 / 08714729800217    | 30 / 2.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933025 0 / 08714729800224    | 30 / 2.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933027 0 / 08714729800231    | 30 / 2.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933030 0 / 08714729800248    | 30 / 3.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933032 0 / 08714729800255    | 30 / 3.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391933035 0 / 08714729800262    | 30 / 3.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391933037 0 / 08714729800279    | 30 / 3.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391933040 0 / 08714729800286    | 30 / 4.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |

### EMERGE™ OTW PTCA Dilatation Catheter

| CATALOG NUMBER / ORDER NUMBER (GTIN) | LENGTH / DIAMETER | LESION ENTRY PROFILE | NOMINAL PRESSURE | RATED BURST PRESSURE |
|--------------------------------------|-------------------|----------------------|------------------|----------------------|
| H749 391950812 0 / 08714729800378    | 8 / 1.20 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391960812 0 / 08714729800293    | 8 / 1.20 mm Push  | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391950815 0 / 08714729800385    | 8 / 1.50 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391960815 0 / 08714729800330    | 8 / 1.50 mm Push  | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950820 0 / 08714729800392    | 8 / 2.00 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950822 0 / 08714729800408    | 8 / 2.25 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950825 0 / 08714729800415    | 8 / 2.50 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950827 0 / 08714729800422    | 8 / 2.75 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950830 0 / 08714729800439    | 8 / 3.00 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950832 0 / 08714729800446    | 8 / 3.25 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391950835 0 / 08714729800453    | 8 / 3.50 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391950837 0 / 08714729800460    | 8 / 3.75 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391950840 0 / 08714729800477    | 8 / 4.00 mm       | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951212 0 / 08714729800484    | 12 / 1.20 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391961212 0 / 08714729800309    | 12 / 1.20 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391951215 0 / 08714729800491    | 12 / 1.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391961215 0 / 08714729800347    | 12 / 1.50 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951220 0 / 08714729800507    | 12 / 2.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951222 0 / 08714729800514    | 12 / 2.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951225 0 / 08714729800521    | 12 / 2.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951227 0 / 08714729800538    | 12 / 2.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951230 0 / 08714729800545    | 12 / 3.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951232 0 / 08714729800552    | 12 / 3.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951235 0 / 08714729800569    | 12 / 3.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951237 0 / 08714729800576    | 12 / 3.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951240 0 / 08714729800583    | 12 / 4.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951512 0 / 08714729800590    | 15 / 1.20 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391961512 0 / 08714729800316    | 15 / 1.20 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391951515 0 / 08714729800606    | 15 / 1.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391961515 0 / 08714729800354    | 15 / 1.50 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951520 0 / 08714729800613    | 15 / 2.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951522 0 / 08714729800620    | 15 / 2.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951525 0 / 08714729800637    | 15 / 2.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951527 0 / 08714729800644    | 15 / 2.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |

Continued next page >



Complex PCI - 18  
NEW CARDIO

Boston  
Scientific

Balloon  
Catheters

Micro-  
dilatation  
Catheters

Guide  
Catheters

Guide  
Catheter  
extension

Angiographic  
Catheters

Guidewires

Embolic  
Protection

Accessories

Cutting  
Balloon™

Atherectomy  
Devices

Chronic Total  
Occlusions

Trapper™  
Exchange  
Device

ANGIOJET™  
Thrombec-  
tomy  
System

## 2. Pre-dilatation Balloon Catheters

### EMERGE™ OTW Continued PTCA Dilatation Catheter

| CATALOG NUMBER / ORDER NUMBER (GTIN) | LENGTH / DIAMETER | LESION ENTRY PROFILE | NOMINAL PRESSURE | RATED BURST PRESSURE |
|--------------------------------------|-------------------|----------------------|------------------|----------------------|
| H749 391951530 0 / 08714729800651    | 15 / 3.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951532 0 / 08714729800668    | 15 / 3.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391951535 0 / 08714729800675    | 15 / 3.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951537 0 / 08714729800682    | 15 / 3.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391951540 0 / 08714729800699    | 15 / 4.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391952012 0 / 08714729800705    | 20 / 1.20 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391962012 0 / 08714729800323    | 20 / 1.20 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 18 ATM (1824 kPa)    |
| H749 391952015 0 / 08714729800712    | 20 / 1.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391962015 0 / 08714729800361    | 20 / 1.50 mm Push | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952020 0 / 08714729800729    | 20 / 2.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952022 0 / 08714729800736    | 20 / 2.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952025 0 / 08714729800743    | 20 / 2.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952027 0 / 08714729800750    | 20 / 2.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952030 0 / 08714729800767    | 20 / 3.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952032 0 / 08714729800774    | 20 / 3.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391952035 0 / 08714729800781    | 20 / 3.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391952037 0 / 08714729800798    | 20 / 3.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391952040 0 / 08714729800804    | 20 / 4.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391953020 0 / 08714729800811    | 30 / 2.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953022 0 / 08714729800828    | 30 / 2.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953025 0 / 08714729800835    | 30 / 2.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953027 0 / 08714729800842    | 30 / 2.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953030 0 / 08714729800859    | 30 / 3.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953032 0 / 08714729800866    | 30 / 3.25 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 14 ATM (1419 kPa)    |
| H749 391953035 0 / 08714729800873    | 30 / 3.50 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391953037 0 / 08714729800880    | 30 / 3.75 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |
| H749 391953040 0 / 08714729800897    | 30 / 4.00 mm      | 0.017" / 0.43 mm     | 6 ATM (608 kPa)  | 12 ATM (1216 kPa)    |

Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions

Trapper™ Exchange Device

ANGIOJET™ Thrombectomy System



Complex PCI - 19  
NEW CARDIO

Boston  
Scientific