

#### 42250 SELÇUKLU/KONYA

#### TECHNICAL DESCRIPTION

Play Complex No 2

**Play Complex No 2**— with towers, slides (games of balance, orientation, development motor skills)

**Tower with roof** - Made of pillars of galvanized metal (pipe of diameter 11 cm, wall thickness 2.5 mm). The upper parts of the pillars will be provided with plastic stoppers, fixed with at least two rivets aluminum. Metal elements will be processed by the sandblasting method and painted in the field electrostatic. The floor at the towers will be made of thick metal strip of 2 mm processed by the sandblasting method and provided with holes. On the surface of the strip of metal will be provided a coating made of material Plastisol. The roof will be made of LLDPE through rotomoulding technology, with dimensions - 120x120cm and height of 70 cm, weight 15 kg. The roof will be fixed directly in the metal pillars with special fastening systems. Tower walls will be made of LLDPE boards with size 90x110cm and thickness of 8 cm. On the upper parts additional pillars will be provided two figurines made of LLDPE. They are will fix the metal pillars with systems of Special fastening on the basis of plastic clamps.

### Scale

- Composed of railings (length the of a part will be 90 cm) of the pipes Galvanized metal processed by the method sandblasting and painted in electrostatic field (part superior with dimensions 32x2,5mm, vertical pipes with dimensions 27x2,5mm). The steps will be made of strip of metal with a thickness of 2 mm processed by sandblasting method and provided with holes diameter 25 mm. On the surface of the strip of metal will be provided a coating made of material Plastisol. Equipment dimensions: Width - 60 cm, height 100 cm.

## Straight slide

- made of LLDPE with Double walls by rotomoulding technology and se will coupling the tower or attic. At the bottom it is will anchor in concrete. For the security of children, at the entrance to the slide will be provided elements protection made of LLDPE (element dimensions: 110x90 cm).

Slide dimensions: length - 190 cm, width 75 cm.

## Climbing equipment

- Made of pipes Galvanized metal processed by the method blasting and painted in electrostatic field (dimensions 27x2,5mm). The elements of climbing that will be fixed on one of the pipes will be made of LLDPE with double walls.

**Dimensions:** H - 96 cm.

Complex dimensions: Length – 430 cm, Width - 340 cm, H - 360 cm The foundation of the building will have dimensions of Lxlxh=400x400x700 mm. **Requirements for Installation:** To ensure safe operation, and reliable, all elements of support are to be steeped in soil (earth) 0.70m to increase rigidity, then following the process concreting (concrete BC 300). Mounting elements must exclude the possibility of their disassembly without the use of tools for special purposes.

MUSTAFA DURNA
MUSTAFA DURNA
MUSTAFA DURNA
AMONAM SIRKETI
Sepa VD. 614/56 16 Meps No. 12/16/9/65/2010 Tc. Sc. No. 461/2
Ank. Horozulan Na Ceminer Statut, et Sepakut KONYA
Fel. (444 900 VO 32 22/00 63/ 62 Fax. 0.332 233 00 61/
Si. Biyuli Najoki Mi. 3. Organe Stat. 805/805 19. Sk. No. 4
Tel 0.32/ 82 01/9 Sepudikonya



# 42250 SELÇUKLU/KONYA

