



Excellent Tailoring



Years of Experience



Well Trained Team



Wide Color Range



10+ EXHIBITIONS

**EU BRANCHES** 

CE CERTIFIED PRODUCTS

72+ COUNTRY

Oley Medikal established as a manufacturer of radiation protective products in 2012 in Istanbul-Turkey. Oley Medikal has been succesful in a short time as a reputable, respected and well known company in the field of radiation protective products.

As an independent and innovator manufacturer company, our well educated team still working on development and expanding our portfolio. Our priority is both maximum protection of user health and customer satisfaction.

In 2020, we launched our disposable PPE and Medical Wear Products. Oley prides itself on quality products, each Oley Product comes with satisfaction auarantee.

Oley manufactured products are warrantied under normal use and service, to



### **OLEY MEDICAL**

Supplier of Medical Protective Equipment

This Technical Data Sheet (TDS) document has been prepared by Oley Medical for the tendered products. It provides detailed descriptions, specifications, and compliance information for each requested item.



Protective coveralls (high protection for ATI wards) L (002945)

Lot No: 100

#### **Description**

Protective overalls (high protection for ATI wards) L

#### **Technical Specifications**

1.Main Material: laminated non-woven, total overall density/weight (non-woven + external lamination material) min 60g/m2. 2.Protective tape along the entire length of the seams. 3. Boots integral part of the overalls, provided with elastic at the ankle. 4.The hood should be with elastic and with a sewn-in flap or with a flap that comes as an integral part of the overalls hood for closure at the chin. The closure of the hood flap should be by fastening with adhesive tape. 5.To be closed with a zipper, the zipper slider provided with a fixing pad, to avoid accidental opening. The zipper must be covered with a plate with adhesive tape fastening on the distal portion of the plate, along the entire length of the zipper, to protect against the penetration of infectious agents through the zipper material. 6. The sleeve shall be secured with a loop for fixing on the finger to avoid the sleeve slipping out of the gloves. 7. A pair of additional booties made of laminated spond bond material, for additional protection of the foot. 8. The coverall must provide protection according to AAMI PB 70 performance level 4, or (EN 14126-B) and EN 14605, or equivalent. 9. Ensure freedom of movement. 10. Individual packaging with the inscription of the size and model of the coverall. Disposable product. Size L - STANDARD EUROPEAN SIZE

#### **Unit & Quantity**

Piece - 500 units


#### **Supplier Information**

Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com

Contact: ipek@oleytibbiurunler.com



#### OLEY TIBBI ÜRÜNLER VE MEDIKAL MALZ. SAN. TIC. LTD. ŞTI.







#### Protective coveralls (high protection for ATI wards) M (002946)

Lot No: 101

#### **Description**

Protective overalls (high protection for ATI wards) M



#### **Technical Specifications**

1.Main Material: laminated non-woven, total overall density/weight (non-woven + external lamination material) min 60g/m2. 2.Protective tape along the entire length of the seams. 3. Boots integral part of the overalls, provided with elastic at the ankle. 4.The hood should be with elastic and with a sewn-in flap or with a flap that comes as an integral part of the overalls hood for closure at the chin. The closure of the hood flap should be by fastening with adhesive tape. 5.To be closed with a zipper, the zipper slider provided with a fixing pad, to avoid accidental opening. The zipper must be covered with a plate with adhesive tape fastening on the distal portion of the plate, along the entire length of the zipper, to protect against the penetration of infectious agents through the zipper material. 6. The sleeve shall be secured with a loop for fixing on the finger to avoid the sleeve slipping out of the gloves. 7. A pair of additional booties made of laminated spond bond material, for additional protection of the foot. 8. The coverall must provide protection according to AAMI PB 70 level 4 performance, or (EN 14126-B) and EN 14605, or equivalent. 9. Ensure freedom of movement. 10. Individual packaging with the inscription of the size and model of the coverall. Disposable product. Size M - STANDARD EUROPEAN SIZE

#### **Unit & Quantity**

Piece - 500 units

#### **Supplier Information**

Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com Contact: ipek@oleytibbiurunler.com



#### Protective coveralls (high protection for ATI wards) XL (002948)

Lot No: 102

#### **Description**

Protective coveralls (high protection for ATI wards) XL

#### **Technical Specifications**

1.Main Material: laminated non-woven, total overall density/weight (non-woven + external lamination material) min 60g/m2. 2.Protective tape along the entire length of the seams. 3. Boots integral part of the overalls, provided with elastic at the ankle. 4.The hood should be with elastic and with a sewn-in flap or with a flap that comes as an integral part of the overalls hood for closure at the chin. The closure of the hood flap should be by fastening with adhesive tape. 5.To be closed with a zipper, the zipper slider provided with a fixing pad, to avoid accidental opening. The zipper must be covered with a plate with adhesive tape fastening on the distal portion of the plate, along the entire length of the zipper, to protect against the penetration of infectious agents through the zipper material. 6. The sleeve shall be secured with a loop for fixing on the finger to avoid the sleeve slipping out of the gloves. 7. A pair of additional booties made of laminated spond bond material, for additional protection of the foot. 8. The coverall must provide protection according to AAMI PB 70 level 4 performance, or (EN 14126-B) and EN 14605, or equivalent. 9. Ensure freedom of movement. 10. Individual packaging with the inscription of the size and model of the coverall. Disposable product. Size XL - STANDARD EUROPEAN SIZE

#### **Unit & Quantity**

Piece - 300 units

#### **Supplier Information**

Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com Contact: ipek@oleytibbiurunler.com



Protective coveralls (high protection for ATI wards) XXL (002949)

Lot No: 103

#### **Description**

Protective overalls (high protection for ATI wards) XXL

#### **Technical Specifications**

1.Main Material: laminated non-woven, total overall density/weight (non-woven + external lamination material) min 60g/m2. 2.Protective tape along the entire length of the seams. 3. Boots integral part of the overalls, provided with elastic at the ankle. 4.The hood should be with elastic and with a sewn-in flap or with a flap that comes as an integral part of the overalls hood for closure at the chin. The closure of the hood flap should be by fastening with adhesive tape. 5.To be closed with a zipper, the zipper slider provided with a fixing pad, to avoid accidental opening. The zipper must be covered with a plate with adhesive tape fastening on the distal portion of the plate, along the entire length of the zipper, to protect against the penetration of infectious agents through the zipper material. 6. The sleeve shall be secured with a loop to secure it to the finger to prevent the sleeve from slipping out of the gloves. 7. A pair of additional booties made of laminated spond bond material, for additional foot protection. 8. The coverall must provide protection according to AAMI PB 70 performance level 4, or (EN 14126-B) and EN 14605, or equivalent. 9. Ensure freedom of movement. 10. Individual packaging with the size and model of the coverall. Disposable product. Size XXL - STANDARD EUROPEAN SIZE

#### **Unit & Quantity**

Piece - 100 units

#### **Supplier Information**

Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com Contact: ipek@oleytibbiurunler.com



Protective coveralls (medium protection) XXL (002953)

Lot No: 104

#### **Description**

Protective overalls (medium protection) XXL

#### **Technical Specifications**

1. Main Material: laminated non-woven, minimum overall density/weight 50 g/m2. 2. Boots integral part of the coverall, provided with elastic at the ankle. 3. The hood shall be with elastic and with a sewn-in flap or with a flap that comes as an integral part of the coverall hood for closure at the chin. The closure of the hood flap shall be by fastening with adhesive tape. 4. It shall be closed with a zipper, the zipper slider provided with a locking pad, to avoid accidental opening. The zipper shall have a protective flap. 5. The coverall must provide biological protection against hazardous substances and infectious microbial agents, be impermeable to water and organic liquids (including in the form of aerosols), alternatively the coverall must provide protection against penetration by blood and body fluids. 6. It shall ensure freedom of movement. 7. Individual packaging with the size and model of the coverall. Disposable product. Size XXL - STANDARD EUROPEAN SIZE. 8. The coverall must provide protection according to AAMI PB 70 level 4 performance, or (EN 14126-B) and (EN 13034 or EN 14605), or equivalent.

#### **Unit & Quantity**

Piece - 300 units

#### **Supplier Information**

Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com Contact: ipek@oleytibbiurunler.com



#### **XXL** radiation protection suit

Lot No: 113

#### **Description**

XXL radiation protection suit

#### **Technical Specifications**

XXL radiation protection suit, 2-piece radiation protection suit (vest + skirt). Made of rubber material with Pb content that ensures radiological protection according to domestic and international standards. Covered with antibacterial material. Wrap-around suit, offers maximum protection in the front, through double overlapping of the layers. External chest pocket. Vest with soft pads on the inside at the shoulders. Skirt 10cm shorter in the back, with adjustable belt in width and height. Equivalent in front Pb - 0.35mm, overlapping of 2 layers - 0.7mm; back - 0.35mm. offers elasticity, easy handling, easily washable surfaces. Vest fastening system - with velcro on the inside and "click" fastener on the outside; skirt - with velcro on the inside and belt on the outside. Available in at least 5 colors. Size XXL - STANDARD EUROPEAN SIZE, Piece

#### **Unit & Quantity**

Piece - 10 units

#### **Supplier Information**


Oley Tıbbı Urunler ve Medical Malzemeler Ltd Sti. www.oleytibbiurunler.com Contact: ipek@oleytibbiurunler.com

#### OLEY TIBBI ÜRÜNLER VE MEDIKAL MALZ. SAN. TIC. LTD. ŞTI.





#### OLEY TIBBI ÜRÜNLER VE MEDIKAL MALZ. SAN. TIC. LTD. ŞTI.









OLEY TIGBİ ÜRÜNLER VE MEDİKAL MLZ. SAN, TİC. LTD. STİ. Parasılın Mah. Merlekşey Cad. Fayyaz Sok. No: 2-241-2/2-2/4/Umşturiye //ISTANBUL ALEMDAĞ V.D.: (441 03/4213 W.W. olayitabyuradısı com