


**PAGINA 0**

**CREATA PENTRU A  
PUTEA SEMNA  
ELECTRONIC  
DOCUMENTUL**



HEALTHCARE PROFESSIONALS  
**Amphirion™ Deep PTA Catheter**  
 Percutaneous Transluminal Angioplasty



▲ Indications, Safety, and Warnings


OVERVIEW

Reach for the Amphirion™ Deep PTA Catheter when your works calls for a PTA catheter that is highly conformable and flexible – that can move through tortuous anatomy and then cross lesions easily. Available in a broad size offering – in balloons up to 210 mm in length and shafts 120 and 150 cm in length – these balloons are ideally suited for treating long, diffuse, and distal lesions below the ankle and into the foot.


PRODUCT DETAILS

The Amphirion™ Deep PTA Catheter is ideally suited for work below the ankle.

- Great lesion crossing capability, with its low balloon crossing profile
- High conformability and flexibility, with the ability to move through tortuous anatomy and track to distal lesions
- Broad size offering (balloons up to 210 mm in length), with long shaft design (120 and 150 cm lengths) to reach distal lesions
- Tapered balloon to respect arterial anatomy (diameter reduction from proximal to distal end is 0.5 mm for the 210 mm balloon length)



**Amphirion™ Deep PTA Catheter Crossability**  
 The low balloon crossing profile enhances lesion crossing.



**Amphirion™ Deep PTA Catheter Trackability**  
 Amphirion™ Deep PTA Catheter is conformable and flexible in construction for easy tracking through tortuous anatomy.

Data on file at Medtronic with reference CP134BT01R.

\* Third party brands are trademarks of their respective owners.

MANUALS AND TECHNICAL GUIDES

Instructions for Use

Find this technical manual in the product labeling supplied with each device.

MODEL SPECIFICATIONS

Type	Specification
Catheter Design	Over the Wire (OTW)
Balloon Material	Flexitec™ Ultra
Balloon Coating	Balloon and distal shaft LFC hydrophilic
Shaft Diameter	Proximal 3.9 F Middle 3.3 F Distal 2.8 / 2.6 F
Max. Recommended Guidewire	0.014*
Inducer Sheath Compatibility	4 F
NBP	7 bar

ORDERING INFORMATION

Reference Number	Balloon Diameter (mm)	Balloon Length (mm)	Shaft Length (cm)
AMD 020 040 002	2.0	40	120
AMD 020 040 152	2.0	40	150
AMD 020 080 002	2.0	80	120
AMD 020 080 152	2.0	80	150
AMD 020 120 002	2.0	120	120
AMD 020 120 152	2.0	120	150
AMD 020 150 002	2.0	150	120
AMD 020 150 152	2.0	150	150
AMD 025 040 002	2.5	40	120
AMD 025 040 152	2.5	40	150
AMD 025 080 002	2.5	80	120
AMD 025 080 152	2.5	80	150
AMD 025 120 002	2.5	120	120
AMD 025 120 152	2.5	120	150
AMD 025 150 002	2.5	150	120
AMD 025 150 152	2.5	150	150
AMD 030 040 002	3.0	40	120
AMD 030 040 152	3.0	40	150
AMD 030 080 002	3.0	80	120
AMD 030 080 152	3.0	80	150
AMD 030 120 002	3.0	120	120
AMD 030 120 152	3.0	120	150
AMD 030 150 002	3.0	150	120
AMD 030 150 152	3.0	150	150
AMD 035 040 002	3.5	40	120
AMD 035 040 152	3.5	40	150
AMD 035 080 002	3.5	80	120
AMD 035 080 152	3.5	80	150
AMD 035 120 002	3.5	120	120
AMD 035 120 152	3.5	120	150
AMD 035 150 002	3.5	150	120
AMD 035 150 152	3.5	150	150
AMD 040 040 002	4.0	40	120
AMD 040 040 152	4.0	40	150
AMD 040 080 002	4.0	80	120
AMD 040 080 152	4.0	80	150
AMD 040 120 002	4.0	120	120
AMD 040 120 152	4.0	120	150
AMD 040 150 002	4.0	150	120
AMD 040 150 152	4.0	150	150
AMD 225 210 002	2.0/2.5	210	120
AMD 225 210 152	2.0/2.5	210	150
AMD 253 210 002	2.5/3.0	210	120
AMD 253 210 152	2.5/3.0	210	150
AMD 335 210 002	3.0/3.5	210	120
AMD 335 210 152	3.0/3.5	210	150
AMD 354 210 002	3.5/4.0	210	120
AMD 354 210 152	3.5/4.0	210	150

See product catalogue for complete, detailed product information.

This page may include information about products that may not be available in your region or country. Please consult the approved indications for use. Content on specific Medtronic products is not intended for users in markets that do not have authorisation for use.

RELATED PRODUCTS

- PTA Catheters
- Cardiovascular Products

PERIPHERAL CATALOGUE


Choose from a full portfolio of peripheral products for endovascular interventions – products that help you reach your PAD patient treatment goals.

DOWNLOAD CATALOGUE ↗

REQUEST MORE INFORMATION

+1 763-514-4000

rs.cstechsupport@medtronic.com



HEALTHCARE PROFESSIONALS  
**Amphirion™ Deep PTA Catheter**  
 Percutaneous Transluminal Angioplasty



Indications, Safety, and Warnings


OVERVIEW

Reach for the Amphirion™ Deep PTA Catheter when your works calls for a PTA catheter that is highly conformable and flexible – that can move through tortuous anatomy and then cross lesions easily. Available in a broad size offering – in balloons up to 210 mm in length and shafts 120 and 150 cm in length – these balloons are ideally suited for treating long, diffuse, and distal lesions below the ankle and into the foot.


PRODUCT DETAILS

The Amphirion™ Deep PTA Catheter is ideally suited for work below the ankle.

- Great lesion crossing capability, with its low balloon crossing profile
- High conformability and flexibility, with the ability to move through tortuous anatomy and track to distal lesions
- Broad size offering (balloons up to 210 mm in length), with long shaft design (120 and 150 cm lengths) to reach distal lesions
- Tapered balloon to respect arterial anatomy (diameter reduction from proximal to distal end is 0.5 mm for the 210 mm balloon length)



**Amphirion™ Deep PTA Catheter Crossability**  
 The low balloon crossing profile enhances lesion crossing.



**Amphirion™ Deep PTA Catheter Trackability**  
 Amphirion™ Deep PTA Catheter is conformable and flexible in construction for easy tracking through tortuous anatomy.

Data on file at Medtronic with reference CP134BD1R.

\* Third party brands are trademarks of their respective owners.

MANUALS AND TECHNICAL GUIDES

Instructions for Use

Find this technical manual in the product labeling supplied with each device.

MODEL SPECIFICATIONS

Type	Specification
Catheter Design	Over the Wire (OTW)
Balloon Material	Flexitec™ Ultra
Balloon Coating	Balloon and distal shaft LFC hydrophilic
Shaft Diameter	Proximal 3.9 F Middle 3.3 F Distal 2.8 / 2.6 F
Max. Recommended Guidewire	0.014"
Inducer Sheath Compatibility	4 F
NBP	7 bar

ORDERING INFORMATION

Balloon Diameter (mm)	Balloon Length (mm)	Shaft Length (cm)	Recommended Introducer Sheath (F)
2.0	40	120	4
2.0	40	150	4
2.0	80	120	4
2.0	80	150	4
2.0	120	120	4
2.0	120	150	4
2.0	150	120	4
2.0	150	150	4
2.5	40	120	4
2.5	40	150	4
2.5	80	120	4
2.5	80	150	4
2.5	120	120	4
2.5	120	150	4
2.5	150	120	4
2.5	150	150	4
3.0	40	120	4
3.0	40	150	4
3.0	80	120	4
3.0	80	150	4
3.0	120	120	4
3.0	120	150	4
3.0	150	120	4
3.0	150	150	4
3.5	40	120	4
3.5	40	150	4
3.5	80	120	4
3.5	80	150	4
3.5	120	120	4
3.5	120	150	4
3.5	150	120	4
3.5	150	150	4
4.0	40	120	4
4.0	40	150	4
4.0	80	120	4
4.0	80	150	4
4.0	120	120	4
4.0	120	150	4
4.0	150	120	4
4.0	150	150	4
2.0/2.5	210	120	4
2.0/2.5	210	150	4
2.5/3.0	210	120	4
2.5/3.0	210	150	4
3.0/3.5	210	120	4
3.0/3.5	210	150	4
3.5/4.0	210	120	4
3.5/4.0	210	150	4

See product catalogue for complete, detailed product information.

This page may include information about products that may not be available in your region or country. Please consult the approved indications for use. Content on specific Medtronic products is not intended for users in markets that do not have authorisation for use.

RELATED PRODUCTS

- PTA Catheters
- Cardiovascular Products

PERIPHERAL CATALOGUE

Choose from a full portfolio of peripheral products for endovascular interventions – products that help you reach your PAD patient treatment goals.

DOWNLOAD CATALOGUE

REQUEST MORE INFORMATION

+1 763-514-4000

rs.cstechsupport@medtronic.com

