



Product Service

Attestation of Conformity

No. E8A 15 11 91120 009

Holder of Certificate: Rain S.p.A.

Via Kennedy 38/40 -20023 Cerro
20023 Cerro Maggiore
ITALY

Name of Object: Timer
(C-Dial)

Model(s): C-Dial 4 - 6 zones
24Vac

Description of Object: Rated Input DC input: 2 x 1.5V AA Battery
(as a back up);
AC Input: 230VAC, 50Hz, 150mA;
Output: 24VAC, 600mA;

Tested according to: EN 61000-6-3:2007/A1:2011
EN 61000-6-1:2007
EN 61000-3-2:2014
EN 61000-3-3:2013

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 687701501701

Date: 2015-11-27


(Paul Yu)



CE After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed

Page 1 of 1



Product Service

Attestation of Conformity

No. E8A 15 01 91120 001

Holder of Certificate: Rain S.p.A.Via Kennedy 38/40 - 20023 Cerro
20023 Cerro Maggiore
ITALY**Name of Object:** Irrigation pumps
(Irrigation controller)**Model(s):** I-Dial 24VAC**Description of Object:**
Rated Voltage : Adapter (Input: 230VAC/50Hz,
150mA; Output: 24VAC, 800mA;
DC Input: 2 x AA Battery as a back up)
Protection Class : II**Tested according to:**
EN 61000-3-2/A2:2009
EN 61000-3-3:2013
EN 61000-6-1:2007
EN 61000-6-3/A1:2011

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 687701400901**Date,** 2015-01-26

(Paul Yu)



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 1



Product Service

Attestation of Conformity

No. E8A 15 06 91120 003

Holder of Certificate: Rain S.p.A.
Via Kennedy 38/40 - 20023 Cerro
20023 Cerro Maggiore
ITALY

Name of Object: Irrigation pumps
(Irrigation controller)

Model(s): I-Dial Outdoor

Description of Object:
Rated Voltage : 3VDC supply by 2*AA Batteries
230VAC, 50Hz, 150mA
Protection Class : II

Tested according to:
EN 61000-6-3:2007/A1:2011
EN 61000-6-1:2007
EN 61000-3-2:2014
EN 61000-3-3:2013

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 687601533201

Date, 2015-06-26

(Paul Yu)



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 1



TECHNOPROVE Srl

Prove di laboratorio / in sito e controlli per l'industria delle costruzioni - Laboratorio geotecnico e chimico

Viale dell'Industria 22 - 36100 VICENZA
Tel. 0444 966121 - Fax 0444 966129 - Email: techno@technoprove.it - Internet: www.technoprove.it
Cod. fisc. 0463580588 - Part. IVA 01669370245

Autorizzazione Min. Infrastrutture L. 1086/71 e DPR 386/01 art. 59 (Circ. 349/99 sett. a) - Min. Università e Ric. L. 46/82
Sistema Qualità certificato UNI EN ISO 9001:2008 Socio UNI - Membro ASTM - Associato SITEB

Rapporto di prova n° 145 I5/01R Revisione del rapporto di prova 145/5/01 ammesso il 30/06/15 **Data di emissione: 07/07/15**

E' vietata la riproduzione anche parziale del presente documento senza l'autorizzazione di Technoprove

Richiedente:	Rain S.p.A.	Cerro Maggiore	MI
Intestatario fattura:	M.P.S. S.r.l.	Borso del Grappa	TV
Data della richiesta:	23/06/15	Data di accettazione:	23/06/15

Campioni consegnati il: 22/06/15

Ident. int.	Identificazione / descrizione fornita dal Richiedente	Descrizione / aspetto
A	3 coperchi prodotti con Nilamid A3 J15 GF30 NC 1102/E denominati PZR 113 con maniglia rain	3 chiusini con maniglie completi di base pozzetto nera
B	3 coperchi prodotti con Nilamid A3 J15 GF30 NC 1102/E denominati PZR 115 con maniglia rain	3 chiusini con maniglie completi di base pozzetto nera

Prova di carico su elementi di chiusura di pozzetti Norma: **UNI EN 124** Ver.: **1995**

Cod.: CLA000

Risultati di prova:

interna	Identificazione provino del richiedente	Dimensione di passaggio DP mm	Carico di prova (1) kN	Freccia residua dopo 5 cicli a 2/3 del carico di prova mm	Esito del carico di prova
A1	PZR 113	230	13.8	0.59	positivo
A2	PZR 113	230	13.8	0.47	positivo
A3	PZR 113	230	13.8	0.80	positivo
B1	PZR 115	345	15.0	0.81	positivo
B2	PZR 115	345	15.0	0.78	positivo
B3	PZR 115	345	15.0	0.65	positivo

Note:

1. Corrispondente alla classe A15.

Data di prova: 29/06/15

Attrezzature principali:

Martinetto idraulico da 20 t - 3	Enerpac Italia	n° interno: 589
Manometro digitale da 500 bar	AEP Transducers S.r.l.	567
Trasduttore di spostamento Digimatic - 1	Mitutoyo	171

Lo sperimentatore
geom. Davide Quadri

Rapporto di prova n° 145 I5/01R

Il responsabile

dott. ing. Alfio Vigilante

MSTC98b

pag. 1 di 1

RAIN SPA

CAPITALE SOCIALE € 1.100.000,00 I.V. - C.F. e P. IVA 01752100154
REA N. 762042 C.C.I.A.A. MILANO - REG. IMPR. MI 01752100154 - TRIB. MI
CENTRO DI PROGETTAZIONE E REALIZZAZIONE
IMPIANTI AUTOMATICI E SEMIAUTOMATICI PER L'IRRIGAZIONE
PROGRAMMATORI/ARTICOLI PER GIARDINAGGIO
IRRIGAZIONE DI SERRE, TERRAZZE, GIARDINI
IMPIANTI PER L'IRRIGAZIONE A GOCCIA



20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 38/40
TEL. +39-0331/514.511 (4 linee r.a.) - FAX +39-0331/421.375
E-mail: info@rain.it - amministrazione@rain.it - <http://www.rain.it>

Electric valves "Jar Top" series



Rain Spa hereby declares that the mentioned products are conform to what written below:

- Body:
 - Polyamide PA6 reinforced with glass fiber
- Diaphragm:
 - Co-molded PP and TPE
- Solenoid:
 - PBT reinforced with glass fiber
 - Plunger 430 F
 - IP 68
- Metallic parts:
 - Screws Aisi 304
 - Spring Aisi 304

References and standards

- All the materials used are RoHs and Reach compliant
- Solenoid 24Vac CE certified by TUV
- Thread dimensions are based on EN 10226-1

Cerro Maggiore
27 marzo 2014

RAIN S.P.A.

RAIN SPA

CAPITALE SOCIALE € 1.000.000 I.V. - REG. IMPR. MI 01752100154
REA N. 762042 DELLA C.C.I.A.A. DI MILANO - C.F. E P.IVA 01752100154
Ufficio: 20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 38/40
TEL. (0331) 514511 - FAX (0331) 421375
Magasin: 20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 8
<http://www.rain.it> - e-mail: info@rain.it



EUROPEAN DECLARATION OF CONFORMITY

Product: ROTORS S020

The undersigned hereby declares, on behalf of Rain S.p.A., that the above referenced product, to which this declaration relates, is in conformity with the provisions of: Council Directive 89/392/EEC on the Approximation of the Laws of the Member States Relating to Machinery.

Also I hereby declares that the pressure of work are from 2.1 bar to 3.5 bar (30 psi - 70 psi) and that the pressure max of work is 5.0 bar (70 psi).

A handwritten signature in black ink, appearing to read "M. Statti", is written over a faint, semi-transparent watermark of the Rain S.p.A. logo.

Dr. Matteo Maria Statti
Amministratore Delegato
Rain S.p.A. via Kennedy 38/40 -
20023 Cerro Maggiore (MI) ITALY

RAIN SPA

CAPITALE SOCIALE € 1.000.000 I.V. - REG. IMPR. MI 01752100154
REA N. 762042 DELLA C.C.I.A.A. DI MILANO - C.F. E P.IVA 01752100154
Uffici: 20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 38/40
TEL. (0331) 514511 - FAX (0331) 421375
Magazzino: 20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 8
<http://www.rain.it> - e-mail: info@rain.it



EUROPEAN DECLARATION OF CONFORMITY

Product: ROTORS S050 e S050 S

The undersigned hereby declares, on behalf of Rain S.p.A., that the above referenced product, to which this declaration relates, is in conformity with the provisions of: Council Directive 89/392/EEC on the Approximation of the Laws of the Member States Relating to Machinery.

Also I hereby declares that the pressure of work are from 2.1 bar to 3.4 bar (30 psi – 50 psi) and that the pressure max of work is 6.0 bar (85 psi).

Dr. Matteo Maria Statti
Amministratore Delegato
Rain S.p.A. via Kennedy 38/40 –
20023 Cerro Maggiore (MI) ITALY

RAIN S.p.A.

Capitale sociale € 1.100.000,00

I.V. C.F. e P. IVA 01752100154
Rea n. 762042 C.C.I.A.A. Milano
Reg. Impr. MI 01752100154

Consorzio RAEE e pile: ECOPEP
n. Registro RAEE: IT20070000012278
n. Registro pile: IT19040P00005264

Sede legale:
Carlo Osma 2 - 20151 - Milano - Italia
Sede uffici e produzione:
J.F. Kennedy 38/40 - 20023
Cerro Maggiore MI - Italia
Magazzino:
J.F. Kennedy 6 - 20023
Cerro Maggiore MI - Italia



Object: Self-certification CE Valve Boxes OVAL VALVE BOX WITH BALL VALVE

Oggetto: Autocertificazione conformità CE POZZETTO OVALE CON RUBINETTO

We hereby certify that Valve Boxes OVAL VALVE BOX WITH BALL VALVE is comply with CE regulations.

Con la presente si autocertifica che il POZZETTO OVALE CON RUBINETTO è conforme alla normativa CE.

MANUFACTURER PRODUTTORE	RAIN S.p.A.
ADDRESS INDIRIZZO	Via Kennedy 38/40, 20023 Cerro Maggiore (MI), Italy
PRODUCT NAME NOME PRODOTTO	OVAL VALVE BOX WITH BALL VALVE POZZETTO OVALE CON RUBINETTO
PRODUCT TYPE/DESCRIPTION TIPO PRODOTTO/DESCRIZIONE	Valve boxes/Pozzetti



Cerro Maggiore, 29 January 2021

RAIN SPA
Via Kennedy n. 38/40
20023 CERRO MAGGIORE (MI)
P.IVA 01752100154



www.rain.it



info@rain.it
PEC: rainspa@pcert.it



+39.0331.514.511

RAIN S.p.A.

CAPITALE SOCIALE € 1.100.000,00 I.V. - C.F. e P. IVA 01752100154
REA N. 742042 CCIAA MILANO - REG. IMPR. MI 01752100154 - TRIB. MI
CENTRO DI PROGETTAZIONE E REALIZZAZIONE
IMPIANTI AUTOMATICI E SEMIAUTOMATICI PER L'IRRIGAZIONE
PROGRAMMATORI/ARTICOLI PER GIARDINAGGIO
IRRIGAZIONE DI SERRE, TERRAZZE, GIARDINI
IMPIANTI PER L'IRRIGAZIONE A GOCCIA



20023 CERRO MAGGIORE (MI) - VIA KENNEDY, 38/40
TEL +39-0331/514.511 - FAX +39-0331/421.375
E-mail: info@rain.it - amministrazione@rain.it - <http://www.rain.it>

We Rain S.p.A.
VIA KENNEDY, 38/40
20023 CERRO MAGGIORE (MI)
ITALY

DECLARE THAT

Product Range RAIN SENSOR - ACQUA CLICK

CONFORM TO THE FOLLOWING EU STANDARDS/REGULATIONS:

- Chemical** 850/2004/EC for Persistent Organic Pollutants (POP) To our best knowledge no substances mentioned in both regulations are present in the articles.
- 1907/2006/EC Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
- Electronic** 2011/65/EC ROHS Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment
- CE** We hereby certify that RAIN SENSOR - ACQUA CLICK produced by Rain SpA comply with CE regulations. This self-certification is permitted by law in the case of equipment operating under low voltage.

This is based on information received from our suppliers.

Date of issue 07/01/2019
Place of issue Cerro Maggiore
Signature/Stamp A circular stamp for RAIN SPA is overlaid with a handwritten signature. The stamp text includes: RAIN SPA, Via Kennedy n. 38/40, 20023 CERRO MAGGIORE (MI), P.IVA 01752100154.