

An Excellent Name in Medicine

Product Catalogue

www.rego.de





CONTACT

Rego X-Ray GmbH Stuttgarter Straße 5 86154 Augsburg GERMANY

Phone +49 (0) 821 450435-0 Fax +49 (0) 821 450435-11

> E-Mail info@rego.de

Content

\geqslant	Company Profile and Vision	5
\geqslant	Certificates and Norms	6
\geqslant	REGO X-Ray Protection Clothes - Overview	7-8
	Design and Colours	9-10
\geqslant	Red Dot Design Award	11-12
\triangleright	Produkt Line - Silver Line	13-14
\mathbf{i}	Produkt Line - Classic Line	15-16
١ ا	REGO X-Ray Protection Clothes	17
	Coat Apron	18-19
	Coat Apron for Kid	20
	▶ Wrap Around Apron	21-22
	Vest and Skirt - Costume	23-25
	Surgeon`s Apron	27-28
	Double Sided Apron	29-30
	Dental Aprons for Patients and Medical Staff	31
	Panoramic Patient Protection + Backside Protection and Panoramic Thyroid Shield	32
	Standard Patient Protection + Panaromic Thyroid Shield	33-34
	Dental Apron Opr./User + Standard Thyroid Collar	35-36
\triangleright	Wilhelm Conrad Röntgen	37-36
	Dimension Datasheet for custom-made Products	39
	Testing and Disposal of your X-Ray Protection Aprons	40
ŕ	Testing of Aprons	40
	Disposal of Aprons	40
\triangleright	RREGO - TRADITION MEETS INNOVATION	41-42
	X-Ray Protection Accessories	43
	Half Apron	44
	Ovary Protection	45
	▶ Breast Shield	46
	Gonad Protection: T-Shield and Testes Protection	47
	Ovary- and Gonad Protection for Babies and Infants – Daphne / Apollo	48
	Shin Protection	49
	Thyroid Protection	
	X-Ray Protection Cap	51
	Treatment Table Cover for Bucky Table	
	Patient Protection Cover	
	CT - Shields	
	X-Ray Protection Goggles	
	Model "Panorama"	
	Model "Ultra-light"	55
	Model "Fitover"	56
	X-Ray Protection Gloves	57
	X-Ray Protection Gloves for Surgeons	57
	Surgeon's Gloves with Opening on the Palm	58
	X-Ray Protection Gloves with Imitation Leather Cover	
	Storage Systems for X-Ray Protection Aprons	59
	Wall Racks	59-60
	Mobile Racks	

Content

\triangleright	X-Ray Protection Shields	63
	Ceiling Mounted Protection Shield	64
	Mobile X-Ray Protection Wall	65
	Lower Body Shield	66
\triangleright	Radiography : Accessories	67
	X-Ray Viewing Boxes	68
	LED Viewing Boxes	68
	X-Ray Viewing Boxes with Electronic Ballast	69-70
	Mammographic X-Ray Viewer	71
	Dental X-Ray Viewer	71
	Lead Markers	72
	Positioning Aids	73
	Compression Belt	
	Truss Pads	
	Device Rippstein	
	Compensating Filter	
\geqslant	X-Ray Cassettes and Accessories	
	X-Ray Cassettes	
	Detector-/ Cassettes Holder	
	R-Holder, B/W-Holders and Holders for special and in-bed Shots	
	Mobile Detector-/Cassettes Holders	
\gg	X-Ray Cassette Accessories	83
	Screen Cleaner	84
	Intensifying Screens	
	X-Ray Ruler	
	Lead Vinyl Divider	
	Scattered Radiation Grids	86
	Smit-Grids / Smit-Bucky Grid	87
	REGO Special Grids	87
	Slip-on Grid	88
	Carbon Fibre Slip-on Grid	88-90
\geqslant	Devices	
	Dosimeter Alpha Plus for Constancy Tests	92
	Dose Sensor: Finger Detector	92
	Dose Sensor: Mammographic Detector	93
	Patient-Equivalent Filter / Absorption Filter	93
	Dose Area Product Meter	94
	Safelight- LED-X	95
	Fluorad 150	
\triangleright	Accessories and Hygiene Products	97
	Cleanser for X-Ray Protection Clothing	98
	REGO Mouth and Nose Protection Mask	99-100
\geqslant	Terms and Conditions	
\geqslant	Notes	102



Company Profile


From the production of filters for pumping systems, special machines and aluminium sheet metal processing through "Apparate und Maschinenbau Kastl", medicine products and also X-Ray products with appropriate high quality accessories were developed. Since 1994 all products are in conformity with the quality management standard ISO 9001. Additionally, all products of the X-Ray protection clothes and accessories are fulfilling the standards of the personal protection equipment 2016/425.

For years we have been and still are a reliable supplier and partner with our quality products in the medical technology, for OTC-products, X-Ray aprons, X-Ray- and radiology equipment.

Vision

The company Rego X-Ray GmbH is a manufacturer of medical products, which have to meet high demanding requirements.

It is our goal and motivation to be a key player in the medical field. We achieve this excellence by offering and supplying high quality, solution-oriented products and services in order to solve customer problems. This also includes the compliance with legal and standards-related requirements.





ISO 9001 Certificate



PSA 2016/425 Module D Certificate



X-Ray Protection Clothes

Rego – X-Ray Protection Clothes

For both medical staff and patients you need different models of X-Ray aprons: Depending on the applications, different models are required (for example coat apron, wrap around apron, costume, surgeon's apron, double-sided apron or for dental applications a dental apron, a standard patient protection or a panoramic one).

REGO offers all these models in two different product lines: Silver Line and Classic Line. The main difference is the material used on the interior side of the outer layer. You are interested in the characteristics and benefits of the different product lines? You can find these in the appropriate chapters. In addition, you get detailed information about the application areas and the handling of the different X-Ray protection aprons.

You are looking for a specific X-Ray protection apron for medical staff or patients in your favourite colour? Please choose one of our numerous models, described in the following chapters. They are all available in the lead values of 0,25 mm Pb, 0,35 mm Pb and 0,50 mm Pb and in different colours.

If you like it colourful or prefer muted colours, we have a solution for each preference. Please choose from a colour range of eight colours: atlantic blue, bavarian blue, cherry red, smaragd green, sunset red, titan silver, dark pink, bordeaux red. Specially for children we offer the design of sea animals.

For customized lead aprons, we have several options for you to choose:

From a fixed embroidery on the apron or on the thyroid collar to the fixation of it via Velcro to the apron. If you have individual ideas or wishes, please contact us. Of course, we will be happy to help and advise you.

Overview - Our Cuts

Over the course of our product adjustment, we can offer different fits for our X-ray apron models wrap-around apron and costume to you. So you will surely find the best fitting apron and vest-skirt combination.

Our fit "Comfort fit", which is a loosely fitting, widely cut is an alternative to our waisted and modern fit "Slim fit".

The rest of our apron models varies only concerning the used material and the design, but not in their fits.

To simplify the choice of your preferred apron, you can find a size chart ahead. Please note that you have the possibility of varying the sizes separately of each skirt and vest. So at the end your costume fits nearly like customized.



Overview of Design and Colour – X-ray Protection Aprons and Accessories

The "**Classic Line**" product line, which is offered in the comfort and slim fit version, captivates with its loosely or waisted fit on one hand and with its classic and long-standing materials on the other hand.

The interior protection material is covered by our double-sided fabrics "Classic Line". It convinces with its robust, water-repelling and easy-care properties. Shoulder pads are included in the basic equipment. In addition, you can get chest or skirt pockets as well as embroideries for the Classic Line models, on request.

Silver Line, available in the waisted slim fit, is especially characterized by its new, functional and silver thread-interwoven material of the outer layer's interior side. The characteristics and advantages of this fibre will be explained in the following chapters. The outer layer of this product line consists of the Classic Line material in atlantic blue, in addition to trendy Classic Line material applications in your favourite colour. Shoulder pads, chest and skirt pockets are included in the basic equipment, additional features can be integrated on request.



Silver Line

Our standard colours are shown below:



Silver Line – the inner side of outer cover : navy blue. Other colours on request.

Red Dot Design Award

Certificate Red Dot

Silver Line

1 hard and a state of the state

in the inexit.

Certificate Red Dot

And the second second

Silver Line

for a planning with heads

0,0,8,0



reddot award product design 2019

Certificate Red Dot

The Red Dot is the award for high design quality. The international jury for the Red Dot Award: Product Design only awards this sought-after seal of quality to products that feature an outstanding design. In 2019, it is presented to:

Silver Line

X-Ray Protective Aprons

Manufacturer: Rego X-Ray GmbH Augsburg, Germany

In-house design: Sonja Reinighaus

Essen/Germany, 8 July 2019

Professor Carlos Hinrichsen Member of the jury Chile Wolfgang K. Meyer-Hayoz Member of the jury Switzerland

Morando (burning)

Alexander Neumeister Member of the jury Germany / Brazil



Professor Dr. Peter Zec Founder & CEO of Red Dot Germany

12

Silver Line Pure Silver – Pure Performance in X-Ray Protection

13

Bacterial contamination, unpleasant-smelling of work clothes, electrostatic charges, sweat in X-ray clothing during treatments or in the operating room - That's all part of the past!

Rego combines X-ray protection with additional protection against microbes, smelling and anti-static performance, at the same time regulating the body temperature.

In Silver Line Series the outer cover of the apron's inner side is made of a fabric interwoven with pure silver threads.

These silver threads are the reason for the numerous described advantages. They have an antimicrobial effect and thus prevent the growth of bacteria and therefore the unpleasant smells. Furthermore, this fibre is antistatic and thermoregulating. Long standing treatments are not a problem anymore. This fabric keeps you fresh and cool for a long time.

Fibre surface: No nanotechnology or complex chemical formula, just natural silver!

The outside of the outer cover is made of a sturdy, water-repellent material. This product line is completed with trendy, coloured patch pockets and numerous accessories such as thyroid protection and hat. Please contact us for more information!

The product line Silver Line was awarded the Red Dot 2019 as it combines the maximum possible X-ray protection, wearing comfort and a new trendy design based on the guidelines DIN EN 61331-3:2016 and the PSA 2016/425.





Classic Line – classic, well-tried, always convenient

As an alternative to our high-quality, modern Silver Line models, REGO offers with the Classic Line advantageous priced, high-quality models for basic applications.

The sturdy, water-repellent and easy-care material of the outer and inner cover simplifies your work and provides maximum protection against the X-Rays through the incorporated lead.



X-ray Protection Clothes



Coat Apron / Front Apron



Fields of application	Gastrointestinal tract, neuroradiology, CT-intervention, urology	
Material	Lead vinyl, multilayered	
Lead equivalents	Front protection: Pb 0,25 mm; Pb 0,35 mm; Pb 0,50 mm Back protection: as standard Pb 0,25 mm	
Outer cover	Nylon coated with PU	
Sizes	XS, S, M, L, XL	
Customized products	On request	
Fastenings	Back straps are overlapping on the back and closed on the sides by two velcro fasteners (with buckle fasteners possible on request)	
Shoulder pads	Included	
Breast pocket	Silver Line: included Classic Line: on request	
Embroidery	On request	

Perfect fitting and with quick putting on / taking off as well as a minimal weight – Choose the Rego coat apron!

Gastrointestinaltract, neuroradiology, CT-intervention, and urology – these application fields have one similarity: A front covering X-Ray protection is necessary starting from 0,35/0,25 mm Pb (front/back). We recommend our coat apron with velcro fastening on the front and side for perfect fixation of the back wings. This light weighted apron guarantees a perfect fit, easy putting on / taking off.

Coat Apron / Front Apron



Our Tip : You can find the article numbers on the attached list of articles.

Size Chart

Classic Line / Silver Line Standard Fit			
Coat Apron	Chestwidth	Length *	
X-Small	82 - 88 cm	80 cm / 90 cm / 100 cm / 110 cm / 120 cm	
Small	88 - 96 cm	90 cm / 100 cm / 110 cm / 120 cm	
Medium	96 - 108 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm	
Large	108 - 124 cm	100 cm / 110 cm / 120 cm / 130 cm	
X-Large	124 - 138 cm	100 cm / 110 cm / 120 cm / 130 cm	

* available in 10 cm intervals within the indicated sizes

Coat Apron Kids



Our Tip : You can find the article numbers on the attached list of articles.

Coat Apron Kids

In order to reach maximum protection, our childrens' aprons are produced with protection in the front and back. Our aprons are equipped with a belt, adjustable easily by Velcro, to improve their security and comfort.

We can produce all our models in Classic or Silver Line also in children sizes.

Coat Apron Kids			
Size	Age	Chestwidth	Length
98 – 116 cm	4 - 6	54 - 64 cm	60 cm
116 – 134 cm	6 - 8	62- 72 cm	70 cm
134 – 152 cm	8 - 11	72 – 78 cm	80 cm



Wrap Around Apron

Maximum safety and minimum weight, all at the same time : The REGO wrap around apron

You are looking for a one-piece apron with all around X-ray protection?

In this case the completely overlapping REGO wrap around apron is the best choice for you! The maximum front protection from seam to seam is ensured by a completely overlapping front, which is held in place by velcro fasteners. This protects, 60% of the coverage through the front Pb equivalent, in accordance to the Norm DIN EN 61331:3-2016. At the same time the weight of the apron is held at a minimum, as the overlapping layers offer the desired lead equivalent for the front protection in total.

When wearing the stretch-supporting-belt, you obtain a perfect fitting and weight distribution. The additional shoulder pads, integrated as standard, ensure a highly comfortable wearing experience.



Fields of application recommended	Special examinations, such as angiography, DAS, neuroradiology, cardiac catheter, urology	
Material	Lead Vinyl, multilayered	
Lead equivalents	Front protection: Pb 0,25 mm; Pb 0,35 mm; Pb 0,50 mm Back protection: as standard Pb 0,25 mm	
Outer cover	Nylon coated with PU	
Sizes	Adults: XS, S, M, L, XL Kids: 3-5 Age, 6-8 Age, 9-12 Age	
Customized products On request		
Fastenings	Four velcro straps vertically spreaded on the frontal overlapping side	
Shoulder pads	Included	
Breast pocket	Silver Line: included Classic Line: on request	
Supporting belt, stretch	On request	
Embroidery	On request	

Wrap Around Apron




Our Tip : You can find the article numbers on the attached list of articles.



Size Chart

Adults Classic Line Comfort Fit			
Wrap Around Apron	Chestwidth	Length *	
X-Small	82 - 88 cm	80 cm / 90 cm / 100 cm / 110 cm / 120 cm	
Small	88 - 96 cm	90 cm / 100 cm / 110 cm / 120 cm	
Medium	96 - 108 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm	
Large	108 - 124 cm	100 cm / 110 cm / 120 cm / 130 cm	
X-Large	124 - 138 cm	100 cm / 110 cm / 120 cm / 130 cm	

* available in 10 cm intervals within the indicated sizes



Costume Vest / Skirt

Maximum protection, maximum lightness and mobility – a perfect fit for everybody – our two-piece REGO X-Ray protection!

You can choose your fitting size for vest and skirt according to your body dimensions separately! A nearly perfect fit is guaranteed!

The completely overlapped front ensures maximum weight reduction offering best protection at the same time. The required lead equivalent is reached by the full overlapping of the front sides. Please note that, in order to reach the full front protection of 60% of the coverage, a seam-to-seam overlap of the frontal sides must be achieved.

The skirt has a velcro closure on the hip and an additional buckle, while the vest is closed by velcro straps in the front. This model offers the best weight distribution and improved mobility by loading the weight onto the hips.

Fields of application recommended	Special examinations, such as angiography, DAS, neuroradiology, cardiac catheter, urology	
Material	Lead vinyl, multilayered	
Lead equivalents	Front protection: Pb 0,25 mm; Pb 0,35 mm; Pb 0,50 mm Back protection: as standard Pb 0,25 mm	
Outer cover	Nylon coated with PU	
Sizes XS, S, M, L, XL each for vest and skirt		
Customized products	On request	
Fastenings	Vest: Three velcro straps on the frontal overlapping side, spread on the full length; Additional simple velcro for easy putting on, on one of the shoulders Skirt: Velcro fastener available on full hip size, fixed on the overlapping side – supplementary buckle	
Shoulder pads	Included	
Breast pocket	Silver Line: Inklusive Classic Line: Auf Wunsch erhältlich	
Embroidery	On request	

Costume Vest - Skirt / Classic Line



Our Tip : You can find the article numbers on the attached list of articles.



Size Chart

Classic Line / Comfort Fit				
Costume / Vest	Chestwidth	Lengt	h	
X-Small	82 - 88 cm	61 c	:m	
Small	88 - 96 cm	62 c	:m	
Medium	96 - 108 cm	63 c	:m	
Large	108 - 124 cm	64 c	m	
X-Large	124 - 138 cm	65 c	m	
Costume / Skirt	Waistwidth	Hipwidth	Length	
X-Small	64 - 72 cm	64 - 72 cm	52 cm	
Small	72 - 82 cm	72 - 82 cm	55 cm	
Medium	82 - 92 cm	82 - 92 cm	58 cm	
Large	92 - 104 cm	92 - 104 cm	61 cm	
X-Large	104 - 118 cm	104 - 118 cm	64 cm	

Costume Vest - Skirt / Silver Line




Our Tip : You can find the article numbers on the attached list of articles.



Size Chart

Classic Line / Silver Line Slim Fit			
Costume / Vest	Chestwidth	Length	
X-Small	80 - 84 cm	56 cm	
Small	84 - 92 cm	58 cm	
Medium	92 - 102 cm	60 cm	
Large	102 - 114 cm	62 cm	
X-Large	114 - 126 cm	64 cm	
Costume / Skirt	Waistwidth	Hipwidth	Length
X-Small	62 - 68 cm	86 - 90 cm	50 cm
Small	68 - 76 cm	90 - 98 cm	53 cm
Medium	76 - 86 cm	98 - 108 cm	56 cm
Large	86 - 98 cm	108 - 120 cm	59 cm
X-Large	98 - 112 cm	120 - 132 cm	62 cm







Surgeon's Apron

Ideal front protection combined with the most comfortable design and quick putting off: The REGO surgeon's apron!

Through the integrated shoulder pads and the straight designed backside straps, the apron is very comfortable and easy to take on and off. When opening the velcros on the front, the apron - being under the sterile clothing - slips down easily. Thus, unnecessary additional strokes of work are avoided in the operating theatre or in the plaster room. Maximum wearing comfort and X-ray protection is assured!

Fields of application recommended	Operating theater, plaster room	
Material	Lead vinyl, multilayered	
Lead equivalents	Front protection: Pb 0,25 mm; Pb 0,35 mm; Pb 0,50 mm Back protection (backside straps): as standard Pb 0,25 mm	
Outer cover	Nylon coated with PU	
Sizes	XS, S, M, L, XL	
Customized products	On request	
Length	90 cm, 100 cm, 110 cm, 120 cm	
Fastenings	Velcro straps to be closed on the front	
Shoulder pads	Included	
Breast pocket	Silver Line: Included Classic Line: On request	
Embroidery	On request	

Surgeon`s Apron



Our Tip : You can find the article numbers on the attached list of articles.

Size Chart

Classic Line / Silver Line Standard Fit

Surgeon`s Apron	Width	Length*
X-Small	55 cm	90 cm / 100 cm / 110 cm / 120 cm
Small	60 cm	90 cm / 100 cm / 110 cm / 120 cm
Medium	60 cm	90 cm / 100 cm / 110 cm / 120 cm
Large	70 cm	90 cm / 100 cm / 110 cm / 120 cm
X-Large	80 cm	90 cm / 100 cm / 110 cm / 120 cm

* available in 10 cm intervals within the indicated sizes



Double Sided Apron

Effective all-around X-Ray protection with closure at the side? Then you should choose the Rego doublesided apron!

This model offers an effective all-around protection too and enables an easy putting on and taking off by a velcro closure on one of the shoulders. This model has another velcro closure placed on the side of the hips / waist connecting the front and backside of the apron. So both sides eventually overlap and an all-around protection guaranteed. For an improved weight distribution we offer our stretch supporting belt.

Fields of application recommended	Special examinations, such as angiography, DAS, neuroradiology, cardiac catheter, urology
Material	Lead Vinyl, multilayered
Lead equivalent	Front protection: Pb 0,25 mm; Pb 0,35 mm; Pb 0,50 mm Back protection: as standard Pb 0,25 mm
Outer cover	Nylon coated with PU
Sizes	XS, S, M, L, XL
Length	90 cm, 100 cm, 110 cm, 120 cm
Customized products	On request
Fastening	Simple velcro fastener left and right: Overlapping of the apron's side
Shoulder pads	Included
Breast pocket	Silver Line: Included Classic Line: On request
Stretch supporting belt	On request
Embroidery	On request

Double Sided Apron



Our Tip : You can find the article numbers on the attached list of articles.

Size Chart

Classic Line / Silver Line Standard Fit		
Double Sided Apron	Width	Length
X-Small	55 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm
Small	60 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm
Medium	60 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm
Large	70 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm
X-Large	80 cm	90 cm / 100 cm / 110 cm / 120 cm / 130 cm

* available in 10 cm intervals within the indicated sizes



Dental Aprons for The Patient and Medical Staff

All REGO Dental Aprons, manufactured from durable, lightweight and smooth X-Ray Protection material, are available in two product lines, CLASSIC LINE and SILVER LINE.

CLASSIC LINE is our standard model and suitable for many different tasks. SILVER LINE offers the best possible solution for the everyday use. SILVER LINE impresses with its antibacterial, thermoregulating and anti-odor properties. Additionally, our RED DOT awarded product line offers a most comfortable wearing experience and stylish design. Both models are manufactured according to the DIN EN 61331-3:2016 Certificate and PSA (EU) 2016/425.

You can choose from a colour palette of 8 colours for each model. Colourful or temperate, we have something for any taste: Atlantic blue, Bavarian blue, cherry red, sunset orange, smaragd green, titan silver, deep pink, burgundy red and the pattern for kids "sea animals".

All our thyroid collar models are also separately available in different colours.

Panoramic Patient Protection + Backside Protection and Panoramic Thyroid Shield

You need a patient protection for panoramic images with the orthopantomograph, in dentistry or for lateral skull radiography? We have the perfect solution for you.

Our easy to handle, two-piece panoramic patient and backside protection is perfect for standing image radiographs. On the front the patient is protected by the apron over the thighs and with the panoramic thyroid protection on the neck. Additionally, the apron covers the spine with a long strip of X-Ray protection material on the backside of the patient, which maximally secures against X-Rays. The apron can beclosed by the help of a high-quality Velcro fastener. The specially developed panoramic thyroid shield protects the thyroids against X-Rays and enables optimal and unlimited image recordings. Choose our Panorama patient protection!

Fields of application recommended	Panoramic images in orthodontics and dentistry in sitting or upright position	
Material	Lead vinyl, multilayered	
Lead equivalent	Front protection: Pb 0,35 mm; Pb 0,50 mm Back protection: as standard Pb 0,35 mm	
Outer cover	Nylon coated with PU	
Sizes	Small, Large each for children and adults	
Customized products	On request	
Fastening	Adults: simple velcro on one shoulder Children: velcro in the front, placed vertically at breast height	
Shoulder pads	Included	
Breast pocket	On request	

Panoramic Patient Protection + Backside Protection and Panaromic Thyroid Shield



Classic Line

Our Tip : You can find the article numbers on the attached list of articles.



Classic Line / Comfort Fit

	Dental Apron Panaromic	Width	Length
	Children Small	45 cm	60 cm
	Children Large	45 cm	70 cm
	Adult Small	60 cm	80 cm
	Adult Large	60 cm	90 cm
_			





Standard Patient Protection +_ Panoramic Thyroid Shield

Maximum frontal protection – maximum wearing comfort – individual adaptability –an unlimited image recording – our standard patient protection including panoramic thyroid protection guarantees these specialities.

For sitting or lying radiographs we developed our individually adaptable standard patient protection. The two-piece standard patient protection, consisting of an apron and a panoramic thyroid shield, maximally protects the patient from undesired, frontal X-Rays. The velcro over the shoulder blades generates a maximum protection as well as a high wearing comfort. Therefore, the apron can be put on perfectly and quickly. The exclusively developed panoramic thyroid protection is included in the set as well.

Fields of application recommended	Panoramic images in orthodontics and dentistry in sitting or upright position
Material	Lead vinyl, multilayered
Lead equivalent	Front protection: Pb 0,35 mm; Pb 0,50 mm
Outer cover	Nylon coated with PU
Sizes	Small, Large each for children and adults
Customized products	On request
Fastening	Simple velcro for the easy putting on and connecting the front protection on the shoulder blades
Shoulder pads	On request
Breast pocket	On request

Standard Patient Protection + Panaromic Thyroid Shield



Classic Line

Our Tip : You can find the article numbers on the attached list of articles.

Size Chart

Classic Line / Silver Line		
Standard Patient Protection	Width	Length
Children Small	45 cm	60 cm
Children Large	45 cm	70 cm
Adult Small	60 cm	80 cm
Adult Large	70 cm	90 cm



Dental Apron for Patients and Operators + Standard Thyroid Collar

Veried areas of application - for doctors and patients - as well as maximum protection against direct and indirect X-Rays thanks to additional back protection: the REGO dental apron including standard thyroid protection!

You are looking for varied applicable aprons? Our model "dental apron" is your solution, as it is usable for patients as well as for operators. Additionally, it is independent from whether you need it for panoramic, cephalometric or for sinus radiographies. This model fits for all these applications. The weight reduced dental apron, consisting of two pieces, ensures unlimited frontal protection up until the thighs as well as protection for the shoulder blades. With the side wings it can be closed by high quality Velcro fasteners on the front side. Included in this dental apron set is also a standard thyroid shield, protecting the whole neck.

Fields of application recommended	or aropartoriographico, copriatorioa), oritographij – cartable for patiente	
Material	Lead Vinyl, multilayered	
Lead equivalent	Front protection: Pb 0,35 mm; Pb 0,50 mm Back protection: as standard 0,35 mm Pb	
Outer cover	ver Nylongewebe PU-beschichtet	
Sizes	Small, Large each for children and adults	
Customized products	ustomized products On request	
Fastening	Velcro crossing at the backside to be closed frontally at the sides	
Shoulder pads	On request	
Breast pocket	On request	

Dental Apron for Patients and Operators + Standard Thyroid Collar



Classic Line

Our Tip : You can find the article numbers on the attached list of articles.



Size Chart

Classic Line / Silver Line		
Dental Apron	Width	Length
Children Small	45 cm	60 cm
Children Large	45 cm	70 cm
Adult Small	60 cm	80 cm
Adult Large	70 cm	90 cm

Wilbelm Conrad Röntgen



December 1895

"At the beginning I thought it was a new kind of light. Surely it was something new, still unknown." Wilhelm Conrad Röntgen (1845 – 1923)

"To keep it simple, I want to name them "X-Rays" in order to dillerentiate them among other kinds of rays." Wilhelm Conrad Röntgen (1845 – 1923) Wilbelm Conrad Röntgen was a german physicist. He discovered the "X-Rays" in 1895 at the Physics Institute of the University Würzburg. (Which were named after bim)

Among other things his discovery revolutionized the medical diagnostics and led to even more revelations of the 20th century, e.g. Discovery and Research of radioactivity.



Wilhelm Conrad Röntgen




www.rego.de



X-Ray Clothes Customized

Perfect fit and a maximum radiation protection!

Please inform us of the following measurements for your desired apron model:



REGO Testing and Disposal of X-Ray Protection Aprons

Testing of Aprons

In addition to the daily optical test of the aprons by checking tears, holes, defective seams and possibly defects of the inner protection material, a periodical touch or x-ray check is necessary (DIN 6857-2), so small damages can be detected. Depending on the age and frequency of use of the X-ray protection apron, a regular and at least annual touch test is recommended according to DIN 6857-2. Noticeable damage such as breaks, kinks, cracks or holes can be hereby detected.

Latest after the third year of use the aprons must be tested by X-Ray. Only this way damages can be recognized and removed. When there was no damage, the next test will have to be done after 2 years, and then every year.

We offer a professional testing service. Send your X-Ray protection clothes to us, we check them and return them to you at once. The service includes the regular sight and functional testing – depending on the age – as well as the testing with X-Rays. The necessary documentation is provided as well.

Please contact us for more information.



Disposal of Aprons

Once put in the trash, is now a valuable ressource for the industry through sustainable recycling. With this motivation we made it our duty, as experienced manufacturer of X-Ray protection apparell, to contribute as much as possible for the proper disposal, in order to reach the goal of a more efficient recycling economy.

We highly value the correct disposal of our products and are also taking care of the professional recycling. X-Ray Protection Apparell has to be disposed as hazardrous waste due to ist toxicity. Therefore this process is better left to professionals.

We would be very pleased to take over the disposal of your x-ray protection gear.



TRADITION MEETS INNOVATION

We improved our X-Ray Protection Apparell based on the most recent DIN EN 61331-3:2016 (IEC 61331-3:204), and tailored them according to the need of our customers.

To protect the lateral sides of the body, the apron must cover up 60% of the front from seam to seam. In order to accomplish this a proper weight distribution has to be acknowledged.

According to the norm there is a demand for a certain kind of transparency, regarding the properties of the X-Ray protection material. The basis weight (in relation to the surface) must be mentioned to facilitate the comparison of X-Ray protection clothing for the customer.



X-Ray Protection Accessories

Half Apron

Fast, secure and simple at the same time? Our half aprons for the genital area with velcro closure or hip clamp grip offer the perfect solution for children and adults!

You are looking for an unisex solution for your patients' gonad protection? A half apron is the best option – available in two sizes for children and two sizes for adults, with velcro closure or hip clamp grip. Choose your suitable and most favorable design and perfectly protect your patients against direct X-Rays in a fast and simple way for the use in e.g. thoracic or abdominal examinations. Also available as a set of four.

For the perfect storage of the half aprons with hip clamp grip, we offer our wall rack for half aprons, where up to four aprons can be hung up. Simple and quick putting on and off eases the progress of work prolongs the durability of the half aprons by a proper storage at the same time.

Fields of application recommended	Examination of thorax and upper abdomen
Material	Lead vinyl, multilayered
Lead equivalent	Front protection: Pb 0,50 mm
Outer cover	Nylon coated with PU
Sizes	Adults: A1 (Small), A2 (Large) Children: C1 (Small), C2 (Large)
Set	Consisting of C1, C2, A1, A2
Fastening	Choose: velcro or hip clamp grip



Size Chart

Half Apron	Size L x W
Children C1	20 x 25 cm
Children C2	30 x 30 cm
Adult A1	37 x 40 cm
Adult A2	40 x 45 cm



with hip clamp grip

Ovary Protection

You have the choice: Do you prefer a direct or an indirect ovary protection? For female patients both options are allowed according to DIN EN 61331-3:2016.

Perfect size adjustment, fast fixation onto the belt of the desired ovary protection pad and putting on via velcro. While being maximally protected with the direct ovary protection, you receive the optimal X-Ray pictures. All offered by our REGO direct ovary protection.

Our indirect ovary protection can be applied for X-Rays in horizontal as well as upright positions without having to be put on directly, to enable fast and unproblematic examinations. The frame is fixed onto a rail of the diaphragm and enables the proper and precise insert via magnets. When having X-Ray images, the desired shadow is casted onto the uterus. Thus, an X-Ray protection of Pb 2,0 mm is reached. You receive the frame in a set with 5 different sized, interchangeable inserts.

Material	Lead vinyl, multilayered
Lead equivalent	Direct ovary protection: Pb 1,0 mm Indirect ovary protection: Pb 2,0 mm
Outer cover	Nylon coated with PU
Sizes	Direct ovary protection: Small, Medium, Large Indirect ovary protection: 5 inserts with increasing sizes
Set	Direct ovary protection: consisting of small, medium, large size and one belt Indirect ovary protection: one frame (170 x 170 mm/ 176 x 176 mm) with five inserts with increasing sizes
Fastening	Direct ovary protection: velcro fastener



Breast Shield

The front protection of female patients also includes the covering of the mammary glands.

This product is featured mainly in screenings of the spine. The leadfree part on the back of the neck enables the screening of the whole spine in order to reach maximum efficiency for Scoliosis examinations. The protection of the mammary glands offers the best protection with Pb 5,0 mm and is adjustable in length thanks to its velcro fastener.

Material	Lead vinyl, multilayered
Lead equivalent	Pb 0,50 mm
Outer cover	Nylon coated with PU
Sizes	Standard
Fastening	Velcro fastener



T-Shield / _____ Testes Protection


We offer an all-around protection of the male gonads under full hygienic conditions and a fast application: Choose between the flexible T-shield protection or the Testes protection - a hard capsule with spring lock.

Having a special coating, the patients are protected from skin irritations using any of the two options. The perfect hygiene is ensured when using our hygienic bags for Testes and T-shield protection. A Pb Value of 1,0 mm is reached by both options. Perfect protection for every man!

The important questions are: Are you looking for a flexible gonad protection with velcro or a hard lead vinyl capsule based on natural rubber? The T-shield gonad protection made of multilayered lead vinyl is available in a set or individually in three sizes and is closed into a capsule using Velcro straps. The shield can easily be cleaned and disinfected when opened. On the contrary the hard capsule is available in two sizes which are equipped with a spring lock. A quick and easy putting on by the patient is guaranteed.



Material	T-Shield Gonadprotection: Lead vinyl, multilayered Testes protection: Lead vinyl, single-layered, form natural rubber
Lead equivalent	All-around protection: Pb 1,0 mm
Outer cover	T-Shield gonad protection: Nylon coated with PU
Sizes / Colours	T-Shield gonad protection: Small (up to 9 years, red), Medium (up to 14 years, green), Large (older than 15 years, blue) Testes protection, white: Adults: 135 x 105 x 60 mm Boys: 103 x 85 x 55 mm
Set	T-Shield gonad protection: Small, Medium, Large
Fastening	T-Shield gonad protection: velcro fastener Testes protection: spring lock etui



Ovary and Gonad Protection for Babies and Infants – Daphne / Apollo

No slipping out of place of the protection shield, full radiograph, easy putting on, maximum safety, perfect hygiene and improved cleaning of the lead inlay or replacement by a new one? All these factors are offered by our new ovary and gonad protection for babies and infants! These combine X-ray protection with sustainability!

The challenge in working with babies and infants is that they can't stand stil like adults do. With our protection designed especially for babies and infants, their protection shield will not slip away, and a full radiograph can be taken easily!

The ovary protection as well as the gonad protection are equipped with a belt and can be adjusted to the body width of the child. In the same way as the gonad protection for boys and men, the one for babies can also be formed to a capsule by velcro and used with our hygienic bags. The specialty is: You would like to wash the outside material? Not a problem! Take out the lead inlay. Hygiene and sustainability are combined in our product. Damaged lead or outside material can be replaced separately.

Don't miss it and make your everyday work easier! But don't forget: Radiation protection is only guaranteed with a lead insert!





Apollo Gonad Protection

Daphne Ovary Protection

Material	Lead vinyl, mutlilayered
Lead equivalent	Pb 1,0 mm
Outer cover	Nylon coated with PU
Sizes / Colours	Girls Small: cherry red (0-2 years) Girls Large: pink (3-6 years) Boys Small: bavarian blue (0-2 years) Boys Large: atlantic blue (3-6 years)
Set	One outside cover and one lead inlay
Fastening	Velcro fastener at the capsule of the gonad protection as well as on the belt of ovary and gonad protection
Features	The lead can be taken off the outside cover Outside cover can be washed Lead and outer cover can be ordered separately





Shin Protection, flexible

The exposure to radiation below the operation table can be quite high in certain situations.

Therefore, we are offering additional protection for your shins. These protectors are shielding you from scattering radiation below the operating table.

The REGO shin protection is produced upon request and is equipped with a velcro fastener to suit every size.

Material	Lead rubber, mutlilayered
Lead equivalent	All around protection: Pb 0,50 mm
Outer cover	Nylon coated with PU
Sizes	Standard 51,5 cm x 35 cm
Set	One Pair
Customized Product	On request
Fastening	Velcro fastening

Available both in Classic Line and Silver Line



Thyroid Protection

Are you looking for a thyroid protection for patients and medical personnel? Choose one of our three different options of thyroid protection:

All-around protection against X-rays, available in two sizes: **REGO** Standard thyroid protection

Optimized movability in the operation area or during long-lasting examinations, an all-around protection in standard size: **REGO** Sternum protection

Maximum thyroid protection for panoramic radiographs with optimized and limitless X-Ray imaging capability by sparing the lead inlay in the wings on the neck- **REGO** Panoramic thyroid protection

We offer suitable hygienic cases for any of our thyroid protection shields. Use them for perfect and highest possible hygiene!



Material	Lead vinyl, multilayered
Lead equivalent	Pb 0,50 mm
Outer cover	Nylon, coated with PU
Sizes	Standard: Small, Large Sternum: Standard size Panorama: Small, Large
Fastening	Simple velcro or magnetic lock in neck strap
Hygienic case	On request



X-Ray Protection Cap

You want to be protected from X-Rays all around? Then the X-Ray protection cap should not be missing. Scattered radiation is repelled in the skull area, closed by a ribbon on the back.




Material	Lead vinyl, multilayered
Lead equivalent	Available in: Pb 0,35 mm; Pb 0,50 mm
Outer cover	Nylon, coated with PU
Sizes	Small, Large
Fastening	Ribbon to be closed on the back

Treatment Table Mat for Bucky Table

Rego offers you a sturdy, wear-resistant, water-repelling, X-Ray-permiable treatment table mat for your Bucky table. The special developed protection coating of this mat enables an easy and perfect cleaning process: Even difficult, persistant stains can be fully removed with Isopropyl alcohol.

The mat consists of a PUR foam core with an outside cover of high-quality synthetic leather. The mat will serve you long and well, having a trusted protection coating with an extraordinary resistance to dirt, abrasion and germes.



Patient Protection Cover

A maximum protection for lying patients, an easy and uncomplicated handling, available in different sizes and Pb values. Use this versatile X-Ray protection! Special sizes, special Pb values or designs available on request.

Material	Lead vinyl, multilayered
Lead equivalent	Available in: Pb 0,50 mm; Pb 1,0 mm
Outer cover	Nylon, coated with PU
Sizes	60 x 60 cm, 60 x 90 cm, 120 x 60 cm
Customized product	On request



52

CT-Shields

The Federal Office for X-Ray protection ascertains the number of X-Ray examinations every year. Whereas the frequency of X-Ray examinations decreased in the past decades, the number of effective and intensive CTs has raised by more than 50%. Highest local radiation dose is applied for cerebral emergency, when a cranial CT (CCT) is necessary. The eye lenses are most sensitive to radiation which might lead to radiation cataracts. Thus, a protection of the eyes but also of the thyroid gland is highly recommended by using protective shields.

CT-Eye Shield

Protection against X-Rays for eyes: Flexible, universally fitting design, hypoallergenic fixation strip to maintain shield in place – choose our CT-Eye shields for your patients' CCT examinations!

The shields ensure reduction of radiation exposure by up to 40% for all CCTs through their lead equivalent of 0,07 mm Pb. A fast and easy fixation is guaranteed by a hypoallergenic adhesive strip, which holds the shield perfectly in place and ensures a uncomplicated, fast and safe screening.

Our single use-shields are available in a 10-piece or in an economic 50-piece packaging to equip you perfectly for the everyday use.



Pack/10 pcs Art.-No.: 414001 Pack/50 pcs Art.-No.: 414002

Material	Vinyl with barium sulfate
Lead equivalent	Pb 0,07 mm
Outer cover	2 layers: Vinyl and foam
Specialty	Single use
Set	Package of 10 pieces or of 50 pieces

CT-Thyroid Shield

Protection against X-Rays for thyroids: Lightweight, flexible and versatily applicable protector, which, fitted to the thyroid's size, offers a reduction of radiation exposure by up to 60% for all CT examinations through the incorporated 0,125 mm Pb! Available as single use-shields in a 10-piece or in an economic 50-piece packaging. Use the advantage of the well-shaped fit for easy positioning and indirect fixation on the thyroid gland for well done, easy and gentle X-Ray screenings.



X-Ray Protection Goggles

Are you looking for an eye protection against X-Rays? You can find your suitable REGO Goggles for any special wishes and specifications. We offer the following models:



Material	Lead glass
Lead equivalent	Pb 0,80 mm (+/- Pb 0,05 mm)
Outer cover/Colour	High quality acetate, brown
Weight	83 g
Specialty	Available with or without correction, Correction +4,0 up to -7,0 diopters are possible
Set	1 x goggles Panorama, 1 x case for goggles, 1 x cord, 1 x REGO-spectacles cloth

Model "Panorama"

Highest flexibility possible, maximum peripheral field of view, side protection through lateral glass, shatterproof and spring-suspended hinges with silicone spectacle bridge: Use the highest possible comfort with the included spectacle chord, an even weight distribution and the best protection from X-Rays at your workplace.

Do you wear glasses? A correction of the lenses from +4,0 up to -7,0 Dioptrees is possible. Please contact us in this respect with your required correction data.



Model "Ultra-light"

You need safe eye protection, that is lightweight and simultaneously stylish? Manufactured of lightweight nylon, it offers highest comfort and protection while wearing the goggles through its safe and near-to-face shape fit (incl. chord) and Pb 0,75 mm (Pb +/- 0,05 mm) for your eyes. For spectacle wearers this model can also be supplied with correction glasses from +3,0 up to -3,0 dioptrees. Isn't this model the perfect goggle for long-lasting examinations and treatments?



X-Ray Protection Goggles "Ultra light" Art.-No.: 424106

Material	Lead glass
Lead equivalent	Pb 0,75 mm (+/- Pb 0,05 mm)
Outer cover/Colour	Durable Nylon / black / silver
Weight	64 g
Specialty	Available with or without correction, Correction +3,0 up to -3,0 diopters are possible
Set	1 x goggles Ultralight, 1 x case for goggles, 1 x cord, 1 x REGO-spectacles cloth





Model "Fitover"

You are wearer of glasses and you would like an all-purpose spectacle for colleagues with and without glasses? For this situation we offer the model Fitover with additional side protection. The Fitover goggles are worn over the own correction glasses and offer a maximum all-around X-Ray protection, splash guard for X-ray treatments and a periphere sight for the operations.



X-Ray Protection Goggles "Fitover" Art.-No.: 424107

Material	Lead glass
Lead equivalent	Pb 0,75 mm (+/- Pb 0,05 mm)
Outer cover/Colour	Durable Nylon / black matte
Weight	115 g
Specialty	To be worn over the correction glasses, this spectacle cannot be supplied with correction itself
Set	To be worn over the correction glasses, this spectacle cannot be supplied with correction itself



X-Ray Protection Gloves for Surgeons

Are you looking for sterile, latex-free, elastic and smooth one-way gloves? Please choose the REGO-X-Ray-protective gloves for surgeons.

7 different sizes (from size 6 up to 9), 3 different protection grades, a high skin tolerance and X-Ray protection:



Material	Rubber/Gum with integrated lead
Schutzgrade	Light Pb 0,07 mm, Medium Pb 0,09 mm, Heavy Pb 0,12 mm
Outer cover/Colour	Durable Nylon / brown
Size	6; 6,5; 7; 7,5; 8; 8,5; 9
Specialty	Sterile one way gloves
Set	Can be ordered in 5 pairs-packages (5 pairs per size)

	60 kV	80 kV	100 kV
Light	40% (+/- 5%)	35% (+/- 5%)	30% (+/- 5%)
Medium	68% (+/- 5%)	61% (+/- 5%)	54% (+/- 5%)
Heavy	75% (+/- 5%)	69% (+/- 5%)	63% (+/- 5%)

Comparison Protection Degree / kV



X-Ray Surgeon's Gloves with Opening on the Palm

You need X-Ray protection and the sensitivity of your fingers at the same time? For injecting, palpating examinations of the body, in the operating room or even as vet: The Surgeon's Glove with opening on the palm and included thumb protection is available in 3 different Pb-Values and enables the highest possible flexibility and the desired X-Ray protection.

Material	Lead vinyl
Lead equivalent	Available in: Pb 0,25 mm, Pb 0,35 mm, Pb 0,50 mm
Outer cover/Colour	Nylon fabric with PU-Coating, bavarian blue
Size	Standard
Specialty	Opening on the palm side, with extra thumb protection



The foam-padded lead gloves offer a maximum X-Ray protection for up to 100 kVp. Having a high flexibility and strong protection against X-Rays they are easy to clean as they have a smooth surface. For disinfection you can use a hygienic cloth – your protection and that of your patients is assured. You profit from this advantage and your everyday life is facilitated by having these reusable, maximally protecting X-Ray protection gloves.

For the perfect storage and quick putting on and off we recommend the REGO glove racks, available as single wall racks, or in combination with an apron as well as integrated in a rack mobile. Please ask for more information!


Material	Lead vinyl
Lead equivalent	Pb 0,50 mm
Outer cover/Colour	Imitation leather, foam-padded, dark blue, and - for larger orders - on request in bordeaux
Size	Standard
Specialty	Seamless

Storage Systems for X-Ray Protection Aprons _____

How are your facility in the means of storage? Are there free, loadable walls available or is there rather a bit of free space at a corner? We offer various rack systems of stainless steel, which will suit your demands. Choose among the wall racks for aprons, half aprons and gloves or racks mobile. When ordering a wall rack please observe the allowable load of up to 10 kg per apron.

Wall Racks

Swiveling, tilting or folding; different models for 1, 2, 3, 5 or 10 aprons; for regular aprons, half aprons, dental-, surgeon's aprons or costumes (vest-skirt combination): We have plenty to choose from depending on your demand and space. Do you need additional storage for your gloves? There are specially designed racks for up to 3 pairs of gloves or mounted version for existing wall racks.



www.rego.de



Wall Rack for 5 Aprons (one way swivel) Art.- No.: 400004 to the left, Art.- No.: 400104 o the right



Wall Rack for 4 Half Aprons with hip clamp grip Art.- No.: 400003

Wall Rack for 1 Dental / Surgeon's / Half Apron or Patient's Cover Art.- No.: 400007

Wall Rack for 1 pair of X-Ray Protection Gloves Art.- No.: 400008

Material

Specialties

Specialties

Stainless steel

Swivelling to one side

For 5 X-Ray protection aprons (swivelling to right side) For 5 X-Ray protection aprons (swivelling to left side)

Wall Rack for 2 pairs of X-Ray Protection Gloves Art.- No.: 400009



Wall Rack for 3 pairs of X-Ray Protection Gloves Art.- No.: 400010

Material	Stainless steel
Specialties	Fix, not movable
Designs	For 4 half aprons with hip clamp grip For 1 dental / surgeon's / half apron or patient's cover For 1 pair of X-Ray protection gloves For 2 pairs of X-Ray protection gloves For 3 pairs of X-Ray protection gloves

Mobile Racks

A high mobility, secure stand for storing a huge variety of aprons: Choose our mobile racks made of stainless steel for five, six or ten aprons or costumes. On request you can have additional holders for gloves mounted on the top.





Skirt Hooks Art.-No.: 40001

Material	Stainless steel
Specialty	Mobile
Designs	For 5 X-Ray protection aprons* For 5 X-Ray protection aprons and 2 pairs of gloves* For 6 X-Ray protection aprons* For 10 X-Ray protection aprons* For 10 x-Ray protection aprons and 3 pairs of gloves* For 10 costumes vest/skirt

* For hanging up skirts on the standard racks we offer hooks





Hanger for 10 Costumes Vest/Skirt Art.- No.: 400018





Ceiling Mounted Protection Shield

Optimize your working place with the REGO ceiling mounted protection shield.

The medical personnel is facing a problem regarding the high radiation exposure due to long radioscopies and frequent examinations in the interventional radiology. The front of the body is protected while using an X-ray protection apron, however the head, arms and hands are exposed to high radiation.

The well-known ALARA* principle - a basic X-ray protection guideline – requests an as low aspossible radiation exposure – even deceeding the limit - achievable by reasonable meansfor persons who are subject to ionizing radiation at their workplace. The combination of our products "REGO ceiling mounted protection shield" and "REGO lower body protection" enables you to protect yourself in the best possible way at your workplace, while wearing X-ray protection aprons with low lead equivalent.

The ceiling mounted protection shield consists of the central axis, extension arm andretaining rod.

*ALARA: "As Low As Reasonably Achieveable"



Description of single parts

bescription of single parts		
Simple central axis	Description: stable metal construction for fixation on the raw ceiling (cement) for bridging the suspended ceiling Length: 37-144cm Bearing capacity: 30 kg With dome cover Optional 2-way, 3-way and 4-way arm possible	
Extension arm	Range/Length: 60 cm, 75 cm, 85 cm or 95 cm Rotation: by 360° around the central axis Mounting: Linking to spring arm	
Spring arm	Length: 90 cm Bearing capacity: up to 21 kg Rotation: iadjustable in the vertical direction in intervals every 15° from -45° to +45° Mounting: Linking to retaining rod internal and adjustable Spring allows shield to balance and stay in desired position	
Retaining rod	Length: 60 cm or 80 cm Vertical rotation : by 360°, inclination of shield by about -5° bis +45° Mounting: Coupling to protective shield by a ball joint Including black thermoplastic handle to guide the holder arm	
Protection shield	Dimensions: Lead Acrylic panel 77 x 62 x 1,2 cm Lead equivalent: Pb 0,50 mm Rotation: vertically by 360° around the suspension Customized product: different sizes or cuttings on request	

Mobile X-Ray Protection Wall

A maximum X-Ray protection and mobility with a view- the REGO X-Ray protection wall!

You need a mobile, complete and strong X-Ray protection for the medical personnel? We offer mobile one-fold or three-fold X-Ray protection walls. You choose the lead equivalent and, if necessary, the size of the lead glass window.

X-Ray protection wall one-fold:

Material	Chipboard with incorporated lead plate
Lead equivalent	X-Ray protection wall: on choice: Pb 1,0 mm, Pb 2,0 mm X-Ray protection window: Pb 2,0 mm
Outer cover / Colour	Frame Aluminium profile, based on chassis made of Aluminium cast on flexible and lockable double wheels, white
Dimension	X-Ray protection wall: 100 x 195 cm (W x H) X-Ray protection window: 30 x 40 cm, 40 x 50 cm, 70 x 80 cm (W x H)
Weight	Pb 1,0 mm: app. 77 kg Pb 2,0 mm: app. 103 kg
Customized products	On request

X-Ray protection wall three-fold:

Material	Chipboard with incorporated lead plate
Lead equivalent	X-Ray protection wall: on choice: Pb 1,0 mm, Pb 2,0 mm X-Ray protection window on request: Pb 2,0 mm
Outer cover / Colour	Frame Aluminium profile, based on chassis made of Aluminium cast on flexible and lockable double wheels, white
Dimension	Wall`s middle part: 100 x 195 cm, Side parts: 50 x 195 cm (W x H) Window on request: 30 x 40 cm, 40 x 50 cm, 70 x 80 cm (W x H)
Weight	Pb 1,0 mm: app. 155 kg Pb 2,0 mm: app. 205 kg
Customized products	On request



Protection Wall one-fold

Our Tip : You can find the article numbers on the attached list of articles





Protection Wall three-folds

www.rego.de

Lower Body Shield

Our lower body X-Ray protection mounted on the operating table offers an extensive protection for doctors and medical personnel while operating. The flexible and lead material, is available in a value of Pb 0,50 mm. The metal parts are non-ferromagnetic due to their properties acquired by eloxation. The lower body protection curtains can be mounted on both sides of the operating table upon request, enabling very easy positioning by adjusting the rails. This enables the user to achieve maximum protection and comfort.

Material	Lead vinyl / Metal Parts from eloxated aluminium
material	
Lead equivalent	Pb 0,50 mm; on request Pb 1,00 mm
Colour	Grey
Size	Length: 110 cm, Height: 76 cm
Weight	Metal part: app. 4 kg Lead part: Pb 0,50 mm: app. 7,4 kg
Customized products	On request
Connection system	T-Nut rail system, for rails with 25 x 10 mm





Radiography: X-Ray Accessories



We offer a wide variety of X-Ray viewers for your everyday use! Wall mounted or desk model, with or without dimming possibility, a flat viewing box or one with electronic ballast, for operating or treatment rooms – also for mammography or dentists – Choose the suitable one for you!

1.LED Viewing Boxes

The LED viewers type is available in four sizes. Being ultra slim they are the most modern design with a stepless dimmer. The long life 50.000 hours technology and the luminance of 6.000 cd/m² will get you in your radiologic daily routine what you need.



2 Viewing Areas Art.- No.: 643041

Material	Stainless steel housing, front panel plexiglass
Lamps	LED, 6.000 cd/m ² (=19.000,00 Lux)
Colour	White RAL 9016
Housing Dimensions	LED 36: 43 x 52 x 35 cm LED 72: 79,5 x 52 x 35 cm LED 108: 116 x 52 x 35 cm LED 144: 152 x 52 x 35 cm
Viewing Area (W x H x D)	LED 36: 36 x 43 x 3,5 cm (65 W, 1 viewing area) LED 72: 72 x 43 x 3,5 cm (125 W, 2 viewing areas) LED 108: 108 x 43 x 3,5 cm (180 W, 3 viewing areas) LED 144: 144 x 43 x 3,5 cm (250 W, 4 viewing areas)
Weight	LED 36: 4,5 kg LED 72: 8 kg LED 108: 12 kg LED 144: 16 kg
Specialties	Dimmer included On choice: wall mounted or desk model



3 Viewing Areas Art.- No.: 643042



4 Viewing Areas Art.- No.: 643043

2. X-Ray Viewing Boxes with Electronic **Ballast**

For an improved light quality, saving of energy and longer life of lamps we offer the REGO X-Ray viewers type R / HF and JHF.: Easy for the eyes - high in contrast energy-efficient!

Different models - different functions:

R-Model: Economic, simple, flicker free X-Ray viewer. You can order this model in different sizes as a basic version of our viewers with electronic ballast, separate panels and excellent lighting quality.

HF-Model: In addition to the electronic ballast and the separate panels you get the ability to steplessly dim the light from 10-100%.



R 35 1p+, 1 Viewing Area Art.-No.: 643221



HF 35, 1 Viewing Area

Art.-No.: 643216

Viewing Box Model R

viewing box would k	
Material	Metal housing
Lamps	Fluorescent tubes (per panel 4 pcs. each with 15W) 4.200 cd/m ² (+/- 25%)
Colour	White, powder coated
Outer Dimensions	R 35 1p+: 38 x 51 x 9,2 cm R 70 2p+: 74 x 51 x 9,2 cm R 105 3p+: 110 x 51 x 9,2 cm R 140 4p+: 146 x 51 x 9,2 cm R 2 x 120 6p+: 111 x 96 x 9,2 cm
Viewing Area (W x H)	R 35 1p+: 35 x 43 cm (1 viewing area) R 70 2p+: 70 x 43 cm (2 viewing areas) R 105 3p+: 105 x 43 cm (3 viewing areas) R140 4p+: 140 x 43 cm (4 viewing areas) R 2 x 120 6p+: 2 x 120 x 43 cm (2 rows each 3 viewing areas)
Weight	R 35 1p+: 6kg R 70 2p+: 11 kg R 105 3p+: 16,4 kg R140 4p+: 21,5 kg R 2 x 120 6p+: 32 kg
Specialities	Electronic ballast included Separate panels integrated Improved illumination

Viewing Box Model HF

Material	Metal housing
Lamps	Fluorescent tubes (per panel 4 pcs. each with 15 W)
Colour	White, powder coated
Outer Dimensions	HF 35: 38 x 51 x 9,2 cm HF 70: 74 x 51 x 9,2 cm HF 2 x 120: 111 x 96 x 9,2 cm
Viewing Area (W x H)	HF 35: 35 x 43 cm (1 viewing area, 3 x 15W) HF 70: 70 x 43 cm (2 viewing areas, 6 x 15 W) HF 2 x 120: 2 x 120 x 43 cm (2 rows each 3 viewing areas
Weight	HF 35: 6kg HF 70: 11 kg HF 2 x 120: 32 kg
Specialities	Electronic ballast included Separate panels integrated Improved illumination Stepless, electronic dimmer included (10-100%)

Γ



JHF-model for Diagnosis: Choose this model if you don't require separate panels but you need a stepless electronic dimmer from 10-100% with additional shutters which help to divide the viewing area according to your requirements



JHF 80+, 4 Lamps à 30W Art.-No.: 643132



JHF 105+, 4 Lamps à 36W Art.-No.: 643133

Viewing Box Model JHF

Material	Metal housing
Leuchtmittel	Fluorescent tubes, >4.500 cd/m ²
Farbe	White powder coated
Outer Dimensions	JJHF 40+: 72 x 69 x 12 cm JHF 105+: 138 x 69 x 12 cm JHF 140+: 174 x 69 x 12 cm
Viewing Area (W x H)	JHF 40+: 40 x 43 cm (1 panel, 4 lamps à 15W) JHF 105+: 105 x 43 cm (1 panel, 4 lamps à 36W) JHF 140+: 140 x 43 cm (1 panel, 4 lamps à 58W)
Weight	JHF 40+: 23 kg JHF 105+: 49 kg JHF 140+: 57 kg
Specialities	Electronic ballast included Improved illumination Stepless, electronic dimmer included (10-100%) 2 shutters included



MJHF 96x60+, 10 Tubes à 36W Art.-No.: 643137



MJHF 2x96x30+, 10 Tubes à 36W Art.-No.: 643138

3. Mammographic X-Ray Viewer

For mammographic examinations we offer special viewing boxes. In addition to the already included stepless electronic dimmer from 10-100%, they offer a substantially stronger, flicker free illumination. Besides there are included shutters for an adaption of the viewing area used.

Material	Metal housing
Leuchtmittel	Fluorescent tubes (10 pcs à 36W), > 7.000 cd/m²
Farbe	White, powder coated
Rahmenmaße	MJHF 96 x 60+: 124 x 94 x 12 cm MJHF 2 x 96 x 30+: 124 x 94 x 12 cm
Bildschirmmaße (B x H)	MJHF 96 x 60+: 96 x 60 cm MJHF 2 x 96 x 30+: 2 x 96 x 30 cm
Gewicht	MJHF 96 x 60+: 59 kg MJHF 2 x 96 x 30+: 57 kg
Besonderheiten	Electronic ballast included Improved illumination Stepless, electronic dimmer included (10-100%) 4 shutters included MJHF 2 x 96 x 30: with variable centred holder

4. Dental X-Ray Viewer


Well designed for the use in panoramic radiographs. The viewer can be used as desk model or as wall mounted model.

Material	Plastic housing with aluminium back
Lamps	2 fluorescent tubes
Colour	White
Outer dimensions	36 x 17 x 6,5 cm
Viewing area (W x H)	28,5 x 15,5 cm
Specialties	Electronic ballast included Improved illumination On choice: table or wall-mounted model



Lead Markers

Do you use lead markers in your X-Ray daily routine such as numbers, letters, textes on plexiglass in different font sizes, or R/L markers in different designs or timers for gall bladder and kidney pictures? – REGO offers what you need.



Letters A-Z Font size: 7,5 mm Single: 630028 Set: 630029

Numbers 0-9, additionally 1, 2, 1/2 Single: 630007 Set: 630008

R - L Markers rectangular
Font size: 30 mm
ArtNo.: 630031-630030

Numbers / letters and texts on plexiglas*

Plexiglas

4 mm, on choice: yellow or red

Texts: On choice 5 mm or 7,5 mm

Numbers: 0-9 , ½, 1, 2 Lead markers: A-Z

R/L markers: on choice 15 mm or 30 mm Numbers / letters: on choice 5 mm; 7,5 mm; 10 mm

Text templates: Marking can be chosen from a selection of texts

Text templates: Custom made or with icons – on request For protection of the lead inlay a protection of backside with plexiglass is available on request.

* For storage of your letters and numbers we offer a storage box with 40 compartments

Material

Font size

Specialties

Customized products

Set

Thickness / Colour



R – L Markers rectangular Font size: 15 mm Art.-No.: 630001–630002



R - L Metal with chain Art.-No.: 630013



R - L Marker a-p/p-a.: Metal clip Art.-No.: 630014 - 630015



Timer for Gall Blader and Kidney Pictures Art.-No.: 630020 – 630021

Material Steel, nickel plated Font size 15 mm Specialties The R and L marker plates are connected via chain Handling a.p./p.a. blank

R-L Marker a-p/p-a.: metal clip

Material	Specialties
Dimension of clips (W x H x D)	15 x 40 x 15 mm
Handling	a.p. blank / p.a. blank
Font size	15 mm
Specialties	To be slipped onto an X-Ray cassette ap. and pa. marking depending on clip used

Timer for gall blader and kidney pictures

Material	Plastic
Colour	orange
Specialties	On choice available: 0-60 minutes, 0-240 minutes with indication "Empty" and "after stimulus"

72

Positioning Aids

Uncomplicated and successful X-rayrecordings thanks to the REGO positioning aids! Choose from a big assortment of REGO positioning aids.

Foam: not coated, X-Ray reluctant, open-pored. Coated: foam inlay, Polyurethan.

Polyethylen: X-Ray reluctant, tight, washable, disinfectable.

Offset or indistinct X-Ray pictures are a very unsatisfactory result and not accepted for a perfect radiologic examination. The reason for this could be the slightest movements of the patient during the examination, caused by none or bad positioning on the Buckytable. Positioning aids are necessary to avoid such faulty radiographs and to offer acomfortable positioning of the patients at the same time. REGO has different shapes available, which can be used dependently on the specific examination. In addition, you can order a storage case for easy and compact storage.

	Foam,	Coated	
	uncoated		Polyethylen
Material	Foam	Foam	Polyethylen
Features	Uncoated, X-Ray reluctant, open-pored	Coated, X-Ray reluctant, disinfectable	X-Ray reluctant, tight, washable, disinfectable
Shapes available:			
Wedge flat 15°	200 mm x 250 mm x 70 mm / 10 mm	180 x 240 x 70 mm /10 mm	180 x 240 x 70 mm /10 mm
Wedge small 45°	120 x 200 x 60 mm	120 x 200 x 60 mm	180 x 100 x 50 mm
Wedge large 45°	250 x 200 x 125 mm	240 x 180 x 120 mm	240 x 180 x 120 mm
Cushion rectangular	200 x 250 x 70 mm	180 x 240 x 70 mm	240 x 180 x 50 mm
Cushion round, with hole	Ø 200 x 50mm / Ø 70 mm	Ø 200 x 50 mm / Ø 50 mm	Ø 200 x 50 mm / Ø 50 mm
Roll	Ø 110 x 250 mm	Ø 100 x 250 mm	Ø 100 x 250 mm
Cushion round without hole	Ø 200 x 50 mm	Ø 200 x 50 mm	Ø 200 x 50 mm
Long wedge 45°		240 x 360 x 120 mm	
Long wedge 45°		240 x 560 x 100 mm	
Cranial shape ap.	250x 250 x 100 mm	250 x 250 x 100 mm	
Cranial shape pa.	250x 250 x 100 mm	250 x 210 x 100 mm	
Cranial shape lateral right	250x 250 x 100 mm	300 x 300 x 100 mm	
Cranial shape lateral left	250x 250 x 100 mm	300 x 300 x 100 mm	
Babyshape		250 x 400 x 110 mm	
Infantshape		340 x 530 x 140 mm	
Model ULM		360 x 650 x 200 mm	
Customized products	On request	On request	On request



Standard set 10 pcs + Storage case



Standard set 10 pcs Art.-Nr.: 614112



Model ULM Art.-No.: 614118



Cranial shape right and left Art.-No.: 614110-610111

Compression Belt

We recommend to use of REGO compression belts in order to get high-quality abdomen radiographs. By using a belt, adjustable by one or two suspenders, the patients upper body is positioned to the grid wall tripod in order to decrease the half value depth to improve the quality of the X-Ray.

Field of application	Abdomen radiography
Material / Colour	Tensioning cloth: 80% Polyester, 20% cotton; white Tensioning parts: Aluminium and plastic
Size	Width of belt: 24 cm, length of belt: 114 cm On choice: Tightening on one side, tightening on two sides
Weight	1 Suspender: 1 kg 2 Suspender: 1,8 kg
Mounting	Can be inserted in units with profile sliding mechanism
Customi@ed pqadactor	different railing systems

Compression Belt for abdomen examinations, for T-Nut Rail system with 1 Suspender Art.-No.: 612002



Truss Pads

Easy radiography, high quality, facilitated diagnosis: Use our truss pads for fixing the patient to the vertical stand while taking X-Ray pictures. Thus, bad pictures caused by motion blur are avoided.

Field of application	X-Rays of abdomen
Material / Colour	Aluminium anodized, soft rubber caps
Size	Appr. 1,6 kg / pair
Mounting	To be inserted in integrated T-Nut of the grid wall tripod and fixing / adjusting the knurled screw



Device Rippstein

The application of the Rippstein device is necessary for antetorsion X-Rays a.-p. and also those in direction of the shaft in the femur with a 90° hip- and knee flexion in order to obtain a high quality diagnostics. Any movement or failure, while positioning, would effect substantial deviations on the X-Ray images. REGO Rippstein device positions the patients and keeps them still in the desired position; high-quality and precise images are guaranteed!


There are available holders for the shanks for children and adults, an individual adjustment of the Rippstein device to the hip width, upper leg

and lower leg is also possible by adapting two metal bars.

Field of application	Imaging antetorsion
Material	Stainless steel, cellular rubber
Weight	Appr. 6 kg
Dimension (W x H x D)	Width: max. appr. 70 cm Hight: max. appr. 45 cm
Specialties	Holder for lower legs in two sizes included Can be adjusted in width as well as in height with screw lock devices Can be fixed on T-slots or on the side profile rails of the X-Ray table

Device Rippstein Art.-No.: 614300





2 different sizes

Compensating Filter

A versatile filter for your X-Rays – X-Rays of the shoulder, pelvis or spine are a challenge in your daily routine. Too much radiation is absorbed by the surrounding, differently thick parts of the body. The targeted area is overexposed and the radiography shows a nearly black patch instead. You can avoid this when using compensating filters, which eliminate the interfering soft rays. You achieve an absorption and thus an improved X-Ray quality. At the same time exposure to radiation on the patients' side is reduced. Depending on the X-Ray apparatus, the transparent base plates are made of impact-resistant polycarbon in varios sizes.



Filterholder for up to 6 filters Art.-No.: 620020

Material	Aluminium alloy		
Ground plate / Colour	Polycarbon, transparent		
Dimension	Base plate: standard sizes: on choice 170 x 170 mm or 176 x 176 mm		
Size	36: 43 x 52 x 35 cm 72: 79,5 x 52 x 35 cm 108: 116 x 52 x 35 cm 144: 152 x 52 x 35 cm		
	Hilus-filter for tomography of lung, for ap. and p.a. X-Rays: Classic (made of high quality acrylic glass) Art No.: 620001 Universal (made of a special aluminium alloy) Art No: 620002		
	For X-Rays of spine and extremities +/- Art No: 620003		
	For X-Rays of foot, lungs in female patients and for thoracic spine (ap.) +/- \mbox{Art} No: 620004		
	For X-Rays of total leg, upright positioned, pelvis, high narrow-waist and broad-hip compensation +/- Art No.: 620005		
	For X-rays of shoulder joints (ap) Art No.: 620006		
	For X-Rays of skull (frontal und lateral) Art No.: 620007		
Formen	For X-Rays of thoracic spine (lateral) Art No.: 620008 For anterior somatograms (Rippstein) in child orthopaedics		
	For X-Rays of pelvis (ap) Art No.: 620009		
	Für X-Rays of abdomen Art No.: 620010		
	Pediatric filters as additional filter for reduction of X-Rays in pediatry (made of bimetal or transparent, sizes 170 x 176 mm) Pediatric filter 1mm Al/0,10 mm Cu Art No.: 620013 Pediatric filter 1mm Al/0,20 mm Cu Art No.: 620014		
	For X-Rays of thoriacic spine, lumber spine and pelvis +/- Art No.: 620015		
	For X-Rays of hand and fingers Art No.: 620016		
Customized products	The standard sizes (170x170mm and 176x176mm) fit into the light localizers of all common X-ray devices (e.g. Siemens, Philips). Other formats are also available on request		

* Filterholder for 6 filters is available on request



X-Ray Cassettes and Accessories

X-Ray Cassettes

X-Ray cassettes for grids, for autoradiography, available in every size: the standard REGO X-Ray cassette Type G completes your radiology.

In addition, we offer our flexible cassettes with slider in various sizes. The flexibility allows the cassette to be adjusted to every body shape


Material of foam pad	Surface sealing PU – foam (FCKW-free)
Card holder	ABS – plastic infection molding, black
Outer cover	Aluminium housing Front side: Aluminium sheet, painted white RAL 7035 Back side: Aluminium sheet, painted blue Frame: Aluminium profile Hinges: Aluminium
Models	Typ G: Aluminum cassette with latch closure Type Cassette flexible: with slider, flexible
Sizes	Available in any size: from 9 x 12 cm – 40 x 120 cm Standard sizes: 18 x 24 cm, 15 x 30 cm, 24 x 30 cm, 35 x 35 cm, 35 x 43 cm
Customized products	Special sizes on request With steel screens for NDT: on request With lead foil on request



X-Ray Cassette 18x24 cm Art.-No.: 120005



on choice: with steel foil or lead foil



Detector- / Cassette Holder

Many different cassette sizes and formats, and one slot for the grid wall tripod – this can be a challenge for the everyday use. REGO has got the perfect solution for you:

The mounted grid does not fit to your necessary specifications for your desired screening: Choose the REGO cassette holder – available in in different variations for installing them onto the side rails of the grid wall tripod or for wall mount.

To install these holders, lateral rails on both sides are necessary – You don't have these? U-shaped-holders are available as custom made product to be mounted to the tripod and enabling the installation on the cassette holder.

R-Holder, B/W-Holders:

	Cassette Holder Type R	Cassette Holder Type B	Cassette Holder Type W
Material	Aluminium anodized	Aluminium anodized	Aluminium anodized
Features	X-Rays without moving grid, high stability Low weight (appr. 2,5 kg)	X-Rays without moving grid, high stability Low weight (appr. 2,5 kg)	X-Rays without moving grid, high stability Low weight (appr. 2,5 kg)
Fixing	Hanging into the side rails of the grid wall tripod; suitable for all standard front plates with profile sliding mechanism, DIN-profile slides	Hanging into the side rails of the grid wall tripod; suitable for all standard front plates with profile sliding mechanism, DIN-profile slides	Wall mounting
Cassette sizes	13 x 18 cm - 35 x 43 cm Up to 30 x 90 cm Up to 30 x 120 cm	18 x 24 cm – 35 x 43 cm 60 – 120 cm length (for large sized cassettes)	18 x 24 cm - 35 x 43 cm 60 - 120 cm length (for large sized cassettes) 210 cm cm (length of bar) for full body X-Rays
Special features		Height adjustable (5 cm spaces by snap in pins)	Height adjustable (5 cm spaces by snap in pins)



Cassette Holder Type B - for Cassettes with imaging plate and grid 18x24 up to 35x124 cm Art.-No.: 102120

Holders for Slip-on-Grid _____ and for Special and In-Bed X-Rays

If positioning of the patient for taking X-Rays is difficult, then cassette holders for special and in-bed X-Rays are required. The radiography can be enabled in horizontal position on the bucky table or in bed, while positioning the cassette vertically in the cassette holder (also possible for slip-on-grids).

High stability, low weight, adjustable to all cassette sizes, and also as model for slip-on-grids available.

	Cassette Holder for Slip-on-Grid	Cassette Holder for special and in-bed X-Rays
Material	Plastic light grey, with stable Aluminium profiles	Plastic light grey, with stable Aluminium profiles
Features	Cassette and grid to be positioned vertically; to be used for slip-on-grids and cassette	Cassette can be used in vertical position
Mounting	portable	portable
Cassette sizes	13 x 18 cm up to 35 x 43 cm Variable thickness of slip-on-grid	13 x 18 cm up to 35 x 43 cm Also for X-Ray cassettes with up to 16 mm thickness



Cassette Holder for special and in-bed X-Rays up to 35 x 43 cm Art.-No.: 102121



Holder for Slip-on-Grids for special and in-bed X-Rays up to 35 x 43 cm Art.-No.: 102122

Detector- / Cassette Holder, mobile

Mobile, safe from falling over, height adjustable and can be turned & swivelled: The universally used mobile REGO detector- / cassette holder in radiology and radiotherapy is the solution for numerous simple, as well as highly complex radiographies for a lot of different scopes. Suitable for digital detectors, cassettes with / without heavy steel screens and slip-on-grids.

These various features of adjustment guaranteeprecise recordings of desired body areas of both adults and children.

Fields of application	Radiology and Radiotherapy	
Material	Painted metal construction, partially stainless steel	
Technical Details	Slide bearings between clamping pieces and rods Suitable clamping pins for simple fixing	
Mounting	Mobile, 4 wheels with brake	
Weight	32 kg (without dectector / cassette)	
Features	To be used for digital detectors, cassettes (with / without steel screen) and slip-on-grids with cassettes. Non tilting in any position of detector / cassette	
Cassette sizes	13 x 18 cm up to 35 x 43 cm	
Adjustment	In height from 0 cm up to 184 cm Axis of cassette swivelling vertically from left / right up to 90° Turning of cassette in its level by 360° Tilting of cassette in the horizontal level by 90°	
Customized products	On request	

Mobile Detector- / Cassette Holder Art.-No.: 102125

www.rego.de



X-Ray Cassette Accessories

EG0

Screen Cleaner

Dirty intensifying screens are a thing of the past, thanks to this cleaning agent: Antistatic, liquid, colorless cleaning agent on Cyastate-, Isopropanol- and water base.

ne nt	Chemical composites	Cyastat SN Isopropanol Water
н Э.	Colour	Liquid, colorless
	Specialties	Antistatic




Art.-No.: 201002

Intensifying Screens

In order to obtain a sharp and high-resolution quality picture, one often requires intensifying screens with fluorescent salt made from Rare Earths. These absorb the X-Rays more efficiently and emit the radiation via visible light onto the film / imaging plate. That way you can reach the desired sharpness of the radiograph easily and safely. The simple installation, by adhesion, and the choice between different speed classes (100, 200, 400, 800) facilitates your daily radiologic routine. One thing to observe: Which screens are suitable for your imaging? - Depending on the type of imaging the use of green- or blue-emitting is necessary. The higher the speed class, the higher is the patient's protection, however the sharpness of the picture will be deteriorated at the same time.

For various application fields the graduated screens might be adequate, more information on request.


Material	Green emitting (Rare Earth Material) Blue emitting (Basis Calcium Tungstate)
Speed Class	On choice: 100, 200, 400, 800
Mounting	Adhesion in the cassette
Size	Any size possible: from 9 x 12 cm up to 40 x 40 cm



X-Ray Ruler

You get an easy, direct, according to scale reading of information in 2 mm steps by having the X-Ray ruler displayed onto the radiography through its lead inlays and lead numbers.

,	Material	Grey plastic with lead numbers and lead inlays
	Dimension	4 mm thick, 40 mm wide, length up to 200 cm, can be ordered in 10 cm steps



Art.-No.: 121150

Lead Vinyl Divider

The use of Lead Vinyl Dividers is resource-saving and easy to handle. This way you can use an imaging screen most efficiently and it can quickly be divided onto different radiographs.

Put the Divider on the desired surface of the cassette to spare that part from the radiation in order to use that part for another screening in the same way.

Material	Lead Vinyl
Lead equivalent	1,0 mm Pb
Size	Available for all standard cassette sizes, additionally in oblong or longitudinal format Oblong: e.g. 10,3 x 26,5 cm, 13,3 x 32,5 cm, 19,0 x 38,0 cm, 19,0 x 46 cm Longitudinal: e.g. 20,5 x 13,3 cm, 26,5 x 16,3 cm, 38,0 x 19,0 cm, 38,0 x 23,0 cm



X-Ray Scattered Radiation Grids

In order to minimize the scattered radiation and improve the quality of X-Rays you can use X-Ray grids consisting of numerous lead lamellae. Depending on the configuration, parallel or focused to the X-ray direction in V-Shape, the choice is between parallel or focused grids with their specific advantages and disadvantages.

You wish to have a best quality X-Ray picture and a perfect positioning (centering and focusing) of the patient? Then the focused grid is your choice. The scattered radiation is absorbed as much as possible, the direct radiation gets through the customized lamellae perfectly through the grid and enables in this way a premium quality X-Ray picture.

For in bed patients or in emergency rooms, where a correct positioning of the patient is difficult or nearly impossible, we propose the parallel grid. The quality is lower however the size of picture is bigger, and you have a more successful radiography.

All grids mentioned below are available as parallel and as focused grids. In addition to the lines per cm you can choose different ratios. The ratio describes the relation between lamellae's height and lamellae's distance.



Smit-Grids/ _____ Smit-Bucky Grids

Lightweight, portable, high X-Ray reluctancy and as low as possible absorption of primary radiation – at the same time the patient is exposed to a low as possible radiation dose.

The reason for the high quality is the highly transparent interspacer, which enables a thickness of the grid up to 5 mm. Thus, a higher quality picture is possible.

The Smit-grids are available as mobile version as well as mounted onto the Bucky table (Smit-Bucky-grid).

•	Material	Highly transparent interspacer
	Thickness of grid	Up to 5 mm
	Mounting	Mobile or on Bucky table
	Lines /cm / Ratio*	Smit-grid: 44/8, 44/10, 44/12, 60/10 Smit-Bucky-grid: 36/8; 36/10, 36/12, 44/8, 44/10, 44/12, 60/10, 60/13
	Sizes	Smit-grid: all sizes from 13 x 18 cm up to 40 x 40 cm Smit-Bucky grid: 48 x 43,8 cm

* Ständer für bis zu 6 Filter auf Wunsch erhältlich



REGO Special Grids

The REGO Special Grids are applicable in many ways as they can be put in the X-Ray cassettes and also be placed loosely onto the X-Ray cassette. Additionally, they can be built into the slip-on-grid.



Material	Aluminium/lead lamellae with changeable configuration inside of the grid
Thickness of grids	Up to 3 mm
Ratio: lines/cm	Optionally: Ratio 6: 60 lines/cm; 70 lines/cm; 80 lines/cm Ratio 8: 40 lines/cm; 60 lines/cm; 70 lines/cm; 80 lines/cm Ratio 10: 40 lines/cm; 60 lines/cm; 70 lines/cm; 80 lines/cm Ratio 12: 40 lines/cm; 60 lines/cm; 70 lines/cm; 80 lines/cm
Sizes	Available in all standard sizes: 40 lines/cm: from 13 x 18 cm up to 40 x 40 cm 60 lines/cm: from 18 x 24 cm up to 40 x 40 cm
Special sizes / specific number of lines	On request

Slip-on Grid

The REGO slip-on grids is a high quality, utmost lightweight and stable protection for grids made of carbon fibre. The grid is glued into the bridge being protected by a cover of carbon fibre. Then the cassette or the detector is inserted into the slip-on grid. At the same time it keeps the high X-Ray reluctancy. The slip-ons made of carbon fibre have increased lightness, X-Ray reluctancy and are optically more attractive than the conventional slip-ons made of synthetics.

Material	On choice: Carbon fibre or stainless steel
Weight	Without grid: 0,65 kg
Sizes	On choice: 24 x 30 cm, 35 x 43 cm
Specialties	Housing made of carbon fibre, one part Applicable for any grids



Slip-on grids consist of: Art.-No.: 301001 + 302042 + 301004 + GRID

Carbon Fibre Slip-on Grid

Sandwich-construction

The REGO Carbon Fibre slip-on grid in sandwich construction offers protection from dirt, impacts and shocks or a too high surface load through patients. The highly sensitive detector can be inserted into the completely enclosing case which has rubber metal buffers in the inside. A locking secures the inserted detector from falling out. For the best handling the carbon fibre slip-on grid is equipped with a handle.

Material	Carbon fibre/Polyethylen/Carbon fibre (2,0/20/2,0 mm) Outside: Carbon fibre, inside: Rubber-metal buffer
Weight	1,9 kg
Dimensions (W x H x D)	Outer dimensions: 51,1 x 43 x 2 cm Inner dimensions: 46,1 x 38,6 x 1,6 cm (without rubber metal buffers)
Size	35 x 43 cm
Specialties	Handle included VA-sliding lock, spring loaded, included Incorporation of grid possible
Customized products	Other sizes on request Can be adapted for any detector brand

Carbon Fibre Slip-on grid in sandwich-construction Art.-No.: 302051



Carbon Fibre Slip-on Grid with Lock

Having a high loading capacity, service durability, and low weight this product is perfectly securing the inside grids and cassettes in every X-ray equipment, indifferently if WLAN controlled or tethered equipment. Perfectly fitting for your daily radiologic routine. Please choose your protecting bridge with a handle placed on the long or short side. Additionally, it includes a carbon fibre inlay for ideal weight distribution.

Material	Carbon fibre, stainless steel
Weight	1,4 kg
Dimensions (W x H x D)	47,5 x 46,3 x 2,5 cm
Size	35 x 43 cm
Specialties	Handle on the long or short side (your choice) for one hand operation Inlay of Carbon fibre included Edges rounded off included To be used for WLAN controlled system or tethered equipment

Slip-on grid with lock (long side) Art.-No.: 302060

Heavy Duty Cover for Detectors

You are searching for a highly durable cover for your detectors or cassettes? The Article 302062 can withstand up to 192 kg while simultaneously being lightweight and portable through the integrated handlebar. Equipped with a marked target area it facilitates positioning of the patient.

On hard or soft surfaces, through its integrated non-skid rubber feet, every radiograph is a success, while maintaining maximum patient safety.

Application areas	Bariatrics and podiatrics
Material	Carbon fibre, Polyethylene
Weight	3 kg
Size (W x H x D)	430 x 510 x 37 mm
Sizes	35 x 43 cm
Specialties	Non-skid rubber feet included Printed target area included Guaranteed loading capacity (max.): 192 kg



Weight Bearing Platform

Röntgenaufnahmen von Knien, Unterschenkeln, Knöcheln oder Füßen, mit der 1-stufigen oder 2-stufigen Gewichtsverteilungsplattform werden dies zum Kinderspiel! Rutschfeste Gummifüße und Plattformoberfläche des Stufenmodells, sowie ein festmontiertes Stahlgeländer bieten maximale Sicherheit des Patienten und garantieren gleichzeitig mit durch die integrierten Detektorslots bestmögliche Röntgenbilder. Erleichtern Sie sich Ihren Röntgenalltag!

Application areas	X-Ray images of knee, lower leg, ankle and foot
Material	HDPE plastic material and stainless steel
Weight	1-step: 20 kg 2-step: 60 kg
Size (W x H x D)	1-step: 60 x 104 x 51 cm (step's height: 15 cm) 2-step: 71 x 130 x 84 cm (1. step: 19 cm, 2. step: 38 cm) Dimensions of platform: 59 x 71 cm
Sizes	35 x 43 cm, 43 x 43 cm
Number of detector slots	1-step: 1 2-step: 5
Specialties	Non-skid rubber feet included Non-skid platform surface included Handrail made of stainless steel included Rolls at the backside included Guaranteed loading capacity (max.): 340 kg



Weight bearing platform (2-steps) Art.-No.: 302064



Dosimeter Alpha Plus for Constancy Tests

Device with connecting possibilities onto different detectors offering numerous application possibilities: Tests of dose constancy of all analog and digital X-ray / radiographic / mammographic or dental equipments. The graphical display showing the dose, dose rate and recording time are highlighted.



Application area	Constancy tests of the X-Ray devices
Viewing area dose	0,000 Gray – 99,99 Gray
Viewing area time	0,001 seconds - 9999 seconds
Weight	300 grams
Size (W x H x D)	
Interfaces	PC (SUB-D-plug)
Power supply	9V Alkali-block battery, 30 hours operating time
Specialties	Basic device with connection for changeable detectors and dose sensors Viewing area of dose, dose rate and acquisition time

Art.-No.: 522035

Dose Sensor: _ Finger Detector

For measurement of the radiation, you should apply this finger detector. When inserted in the radiation path, the finger detector meters the recording time and transfers it to the final device Alpha Plus with an integrated cable. The Alpha Plus visualizes and displays the values measured.

Application areas	Constancy tests of digital X-Ray device
Basic device	Alpha Plus
Dose range	0,1 mGy/s - 500 mGy/s
Energy range	50 kV – 155 kV
Measurement accuracy	Better than 5% under reference conditions
Cable length	130 cm
Specialties	Can be used as external sensor and also inserted in patient's equivalent filter Plug connection, to be screwed, included Flexible cable, included

Art.-No.: 522036

Dose Sensor: _____ Mammographic Detector

Mammographic X-Ray devices basically vary in the dose of radiation applied, in comparison to the conventional X-Ray devices. The significantly lower X-Ray dose of maximum 50 kV complicate the receipt of precise results for constancy measurements done with usual detectors.

Thus, a mammographic detector had been developed: Measurement of X-Ray dose from 22 kV up to 55 kV can be determined with this device and are read out and displayed via the basic device Alpha Plus.



Application area	Constancy tests of analog and digital X-Ray devices
Basic device	Alpha Plus
Material	Housing of plastic material
Dose range	0,1 mGy/s – 500 mGy/s
Energy range	22 kV – 55 kV
Cable length	130 cm
Weight	50 Gramm
Size (W x H x D)	
Specialties	Plug connection, to be screwed, included Flexible cable, included

Art.-No.: 522037

Patient-equivalent Filter/ _____ Absorption Filter

Choose our absorption filter for inspection and testing of your X-Ray equipment: Inserted into the X-Ray device and optionally available with insertion slot for "finger"-detector.

The measurement results are transferred and read out by the basic device Alpha Plus.

Application area	Constancy tests of X-Ray devices
Basic device	Alpha Plus
Material	25 mm Aluminium
Dose range	0,1 mGy/s - 500 mGy/s
Energy range	50 kV – 155 kV
Weight	1200 grams
Specialties	Plug connection, to be screwed, included Insertion slot for finger detector – on request

Art.-No.: 522038

Dose Area _____ Product Meter


In order to ensure a maximum quality whereas patient's radiation is held on a minimum, you have to control the dose area product regularly.

This product is equipped with a transparent ionization chamber with integrated electronics and internal LCD display.

If you require an interface to a printer or to a personal computer, then choose the model SDP.

If there is no request for that, the dose area product meter with internal illuminated display is the right choice for you.

	IPS	SDP	
Application area	Metering system for the dose area product for upper tubes		
Mounting	Insertion in the collimator		
Power supply	Light beam or power supply		
Interface	-	Personal computer/printer	
Specialties	Internal illuminated display included Lonisation chamber, transparent, included Additional guide rails or adapter in different sizes – on request Connection cable included Joints included		



IPS Art.-No.: 522030 SDP Art.-No.: 522031

94

Safelight – LED-X

For film development in small and mid-sized darkrooms you use safelight LED with red filter (Polymethylmethacrylat – PMMA). Facilitate your daily work routine with this dimmable light. Its indirect light is suitable for all imaging screens and dental screens.



Application area	During processing green / blue emitting films in darkrooms, for any X-Ray film types and dental films
Material / colour	Plastic material / white
Mounting	Wall mounting
Power supply	AC 110-230 V / 50-60 Hz 20 LEDs: DC 12 V / 700 mA, 5W
Weight	400 grams
Size (W x H x D)	110 x 70 x 160 mm
Environmental conditions allowed	Temperature: -30°C - + 50°C Humidity: 30% - 90% (without condensation)
Specialties	Red lamp (640 nm) Brightness control (on the backside) included Cable 1,5 m included

Art.-No.: 643011

Fluorad 150

Testing device for the acceptance test of imaging and scanning devices according to DIN 6868 Part 150.

With "Fluorad 150" you are able to make the following statements:

Dynamic range	Size (W x H x D)	300 mm x 300 mm x 18,5 mm
Contrast Resolution	Construction	The copper plate within the details is bedded in acrylglass plates.
Spatial Resolution Radiation Quality	Material / colour	The acrylglass is white, so that the light radiation can be better seen under spotlight conditions.
Homogeneity	Specialties	The structures are painted on booth sides of the testphantom.

Fluorad 150

1. The copper plate is 1,5 mm thick

2. 17-leveled copper steps for checking the contrast range (thickness 0,0 to 3,5 mm) within a dynamic level there is also a detail contrast field (Ø 4 mm)


3. 8 detailed contrast fields (ø 10 mm) to determine the contrast resolution

4. Lead line grid (0.5 to 5 LP/mm), rotated 45°, to determine the spatial resolution

5. Radiation-proof center marking


6. Radiation-dense digits for designating the dynamic levels

7. Positioning lines



The acrylglass is white, so that the light radiation better seen under spotlight conditions.

The structures are painted on both sides of the testphantom.







Accessories and Hygiene Products

Cleanser for X-Ray_ Protection Clothing

Clean and simultaneously smelling freshly and decently – choose our REGO cleanser free of aldehyde for cleaning your aprons!

Application area	Cleaning of X-Ray protection clothing
Chemical components	2% concentrate 98% destilled water
Colour	Liquid, green
Specialties	Smell fresh and decent, free of aldehyde
Set	250 ml bottle with sprayer



REGO Mouth and _____ **Nose Protection Cover**

The silver series REGO Mouth- and Noseprotection cover was designed under the recent pandemic situation we encountered. The protection fulfills its duty on exterior occasion. This prevents the transmission of droplets, which can come in contact with the nose and mouth area.

Mouth- and Nose Protection Cover Models

The Silver Series REGO Mouth- and Noseprotection Covers available in 10 piece pack and 4 different colors. It has 2 variants.

As a well-known manufacturer of X-ray protective clothing, we have used our Personal Protective Equipment (PPE) Directive (EU) 2016/425 experience in the manufacturing of this mouth and nose protection mask.

The Polyester material partially contains silver threads, which are antibacterial (confirmed by the Testing institute OPMG), antistatic, odor-

repelling, thermoregulating and water resistant. Scientific studies show that silver ions are able to destroy pathogenes. In its development we took special care for it to be comfortably to wear. It has 2 different types of closing mechanism:

Type 1: 2 pairs of bands. To tie them together Type 2: 2 integrated rubber ear slopes for easy pull over.

The cotton inlay offers additional comfort and absorbs the moisture of the air from the mouth

Easy to handle it can be washed up to 60° C in the gentle cycle of your washing machine.

Atlantic blue	For lacing or with elastic rubber band
Bavarian blue	For lacing or with elastic rubber band
Burgundy red	For lacing or with elastic rubber band
Smaragd green	For lacing or with elastic rubber band

The laminated side of the mouth and nose protection mask is waterproof and offers limited air permeability. In this way, air circulation during breathing takes place outside the surface of the mask. All physical properties of the material have been tested by the manufacturer according to European standards. We hereby declare that the mask does not comply with the PPE regulation.

Features

High performance	Proven antibacterial effect
Comfort	Quick attachment by elastic ear loops
Protection	Cotton insert for graduation of breath moisture
Fastenings	2 fastening options : 2 pairs ribbons for lacing or elastic ear loops



Terms and Conditions

The general terms and conditions of the buyer do not apply. They shall also not apply, if we do not particularly contradict them.
 Delivery and charging is based on the terms and conditions valid on the day of shipping, unless there was a binding offer forehand for the buyer. The day of shipping is the day, when the goods are delivered to the shipper, train, post or to another consignor.

3. In case of express shipment at the buyer's request, the buyer bears the difference between expenses for normal freight and that for the expedited shipping.

4. As far as terms of delivery have been agreed, they do not apply in case of interrupted production processes, especially because of fire, explosion, floodings, engine trouble or regulatory actions and because of force majeure, including strikes, lockouts, warlike or terrorist occasions. The deadline is also cancelled in case of the named occasions at a supplier, who supplys the necessary materials for our products. In the named cases we have the option, to discontinue also another supply without paying compensation. The delivery time is calculated in case of doubt from the day of the order confirmation till the day of the shipping.

5. Partial shipping- and packaging costs will be calculated. A transport insurance takes place only on request and only by reimbursement of costs. In case of orders less than 50,00 EUR net value there will be calculated a small quantity surcharge. In case of credit advice for returning goods, that are for our part unindebted, an amount at most 20% of the net value, but 20,00 EUR minimum for coverage of the internal expenses and the delivery charges will be deducted. If returning goods are not carefully and impeccably packaged, we do not assume liability.

6. We reserve us the proprietary rights of all goods, supplied by us, till the buyer has paid all receivables including interest and costs. Pledge or a transfer to innocent bystanders by buyer are illegal.

7. In case of pledge of our goods by third parties the buyer is required to inform us immediately.

8. If we receive any inappropriate or dissatisfying information about the buyer after the conclusion of contract, we have the right, to terminate the contract because of this reason and / or to claim for our claims and / or the current contract guarantees.

9. Also without negative information we reserve for ourselves, the right to claim prepayment or cash payment for our supplies case by case.

10. In case of payment within 10 days we grant 2% discount. Within 30 days the net billing amount is owed. After 30 days the buyer is automatically and without another reminder in default.

11. If the buyer delays in payment, we calculate at the minimum default charges according to the law (§ 288 I, II BGB). The buyer's default discharges us from another delivery obligation.

12. In case of draft and cheque payment the buyer has to pay the discount charges and all other costs. Also, the buyer has to pay draft and cheques which are not covered. Draft and cheques are only accepted on account of performance. Payment is considered to be effected only after credit to our account has been confirmed by our bankers.

13. The buyer is competent to charge against claims, if his consideration is uncontested or legally binding. The buyer's rights of retention are excluded, as far as they do not base on the same contractual relationship.

14. Notices of defects are to be argued immediately, but within 8 days after receipt of the goods at the latest, as far as the buyer is a trader and there are no hidden defects.

15. The statute of limitation of claims for defects is one year. This does not apply, if the defect was withheld fraudulently, there is a guarantee commitment, there are damages based on injury of life, of body or of healthiness or the damage based on a reckless endangerment or fundamental breach on our part or on our representatives or on our performing agent.

16. The claims become invalid by legal terms, independent of previous or subsequent clauses of this contract by injury of life, of body or of healthiness, which are based on a negligent or a nonnegligent violation of duty of our legal representatives or performing agents. The same applies to claims based on fraudulent concealment or those, arisen by an explicit written given warranty.

17. For other damages than claims for defects we are only liable, as far as this is mandatory legally, in case of with intent, of reckless endangerment on our part, our representatives or our performing agents, of injury of life, of body or of healthiness, which are based on our part negligence, our representatives or our performing agents. The same applies to damages, which accured by fraudulent concealment or accured in contrary to an explicit written granted warranty.

18. We are not liable for the aimed success at the customer.

19. Our liability for the rest is excluded for ordinary negligence.

20. If we have to take a legal action for enforcement of not paid claims, all other payable claims may be also sued, even if there is no event of default.

21. The customer agrees that his personal data will be processed and stored, as this is necessary for consummation of this contra-

ct. This also applies to settlement of payment.

22. The place of performance is Augsburg.

23. The place of jurisdiction is Augsburg if the customer runs a business within the meaning of the German Commercial Code (HGB). In this case we are allowed to litigate at the place of main office or branch office of the costumer.

24. If the customer has no domestic place of general jurisdiction or if he transfers his place of residence out of Federal Republic of Germany after the conclusion of contract, Augsburg is the place of jurisdiction. This also applies, if the residence of the employer is unknown at the moment of commencement of proceedings.

25. German law applies with the exception of international codifications like for example CISG (Convention on Contracts for International Sale of Goods).

Please consider that the specifications and pictures in the catalog are without obligation. We reserve the right to change the delivery item in relation to the models shown here.

	www.rego.ae
Notes	
	102



CONTACT

Rego X-Ray GmbH Stuttgarter Straße 5 86154 Augsburg GERMANY

Phone +49 (0) 821 450435-0 Fax +49 (0) 821 450435-11

> E-Mail info@rego.de

www.rego.de