



Metal Lay-in Metal Linear Baffle Ceiling Systems

DECLARATION OF PERFORMANCE

According to EU 305/2011, Annex V
Performans Beyanı, EU 305/2011, Ek 5' e göre

DECLARATION OF PERFORMANCE**According to EU 305/2011, Annex V****Performans Beyanı, EU 305/2011, Ek 5' e göre**

Product classification code / Ürün tipi kimlik kodu	Metal ceiling panels made of galvanised steel, powder-coated
Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer / Yapı malzemesinin ilgili uyumlaştırılmış teknik şartnamesine göre imalatçı tarafından öngörülen kullanım amacı veya amaçları	Metal Suspended ceiling components for indoor use iç mekanlar için metal asma tavan sistemleri
Name and manufacturer address / Üretici Unvanı, Adresi, Tescilli Marka	Şems Metal San.Tic.A.Ş. Kayseri Organize Sanayi Bölgesi 12. Cadde No: 31/A Melikgazi/Kayseri Telefon: (0352) 290 72 02-03
Notified Body/Bodies	Efectis Era Avrasya Test ve Belegelendirme A.Ş. Notified Body Number: 2184 Task Performed: 13501-1 +A1: 2009 Reaction to fire Evaluation System 3 Belgian Building Research Institute Notified Body Number: 1136 Task Performed: BDS EN 13964 Appendix F Evaluation System 3

Essential Characteristic	Declared Performance	Harmonised Technical Specification	AVCP**
Reaction to Fire	A1	EN 13964:2014 cl. 4.4.2 EN 13501-1:2007+A1 2009	3
Fire Resistance	EI 60 (a < b)*	EN 13501-2 (Reference Standard: EN 1364-2)	3
Release of Asbestos	No content	EN 13964:2014 cl. 4.5.1	4
Release of Formaldehyde	E1	EN 13964:2014 cl. 4.5.2	4
Durability	B	EN 13964:2014 cl. 4.5.4	4
Thermal Conductivity	N.P.D *	EN 13964:2014 cl. 4.10	4
Sound Absorption	N.P.D *	EN 13964:2014 cl. 4.7.2	4
Resistance to Fixing	N.P.D *	EN 13964:2014 cl. 4.3.4	4

N.P.D. = No Performance Determined

AVCP = System of Assessment and Verification of Constancy of Performance (AVCP)

The performance of the product identified above complies with the set of declared performance. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under sole responsibility of the manufacturer identified above.

The written approval for the use of the results given in the declaration of performance with regard to the essential characteristics and the assurance that “**company SEMS METAL A.S.**” remains responsible for the accuracy, reliability and stability of the test results

Signed for and on behalf of the manufacturer by
Deckon Suspended Ceiling Systems

Murat Özkalıpcı,

Managing Director. 17.07.2020

SEMS METAL
SAN. VE TİC. A.Ş.
O.S.B. 12. Cad. No: 31/A / MELİKGAZI / KAYSERİ
Tel: 0 352 290 72 02-03 Fax: 290 14 99
Mersis No: 3810 010 852 445