

Electronic ICU Bed, 4 Motors



INFINITUM SERIES

IN 42 ELECTRONIC INTENSIVE CARE BED

INFINITUM hospital beds are a superior quality hospital bed that suits various environments - from med-surg to high acuity care. It is designed to maximize infection control and fall prevention, while being easy to use. With wide range of accessory options INFINITUM covers comprehensive needs of users.

















Electronic ICU Bed, 4 Motors

- Electrical operated backrest, height and legrest adjustment
- Electrical operated Trendelenburg, Reverse Trendelenburg, fowler and vascular position
- Patient handset
- Foot end nurse control unit
- Footrest adjustment by ratchet
- Auto-CPR
- Auto Regression system on backrest
- Auto contour
- Hygienic design (PP), lockable and tuck away side rails
- X-ray Translucent HPL Backrest with X-ray cassette holder at backrest
- Easy removable ABS mattress platform
- · Removable head and footboards
- Electrostatic epoxy painted metal frame
- · Height adjustable stainless steel IV pole
- Plastic protective crash bumpers on four corners
- Central Lockable Castors, 150mm
- Angle gauge for back
- Angle gauge for Trendelenburg and Reverse Trendelenburg positions
- Cardiac chair position with single button
- Shock position with single button
- Semi-Fowler position with single button
- Bed exit position with single button
- Examination position with single button
- Electronic CPR with one touch button
- Activation key at remote control to prevent any undesired positions
- Urine bag holder
- Urine basket (optional)
- Dual side manual CPR levers at backrest (optional)
- Rechargeable Battery Backup (optional)
- Bed size extension (optional)
- IPX6 standard electronic system

| TECHNICAL DETAILS | |
|------------------------|----------|
| Overall Length: | 216 cm |
| Overall Width: | 102 cm |
| Height: | 37-80 cm |
| Trendelenburg: | 0°-16° |
| Reverse Trendelenburg: | 0°-16° |
| Backrest Angle: | 0°-70° |
| Legrest Angle: | 0°-40° |
| Castor Diameter: | 15 cm |
| Under bed Clearance: | 15 cm |
| Product Weight: | 115 kg |
| Safe Working Load: | 250 kg |

| ELECTRICAL DATA | |
|----------------------|--|
| 1.5A max. At 230V AC | |
| 50-60 Hz | |
| Class I, Type B | |
| IPX6 | |
| | |









Electronic ICU Bed, 4 Motors

Accessories



Central Brake Castors 150mm



Foot-end Nurse Control Panel



Rechargeable Battery Backup



X-Ray Cassette Holder at Backrest



Dual Sided Manual CPR at Backrest



X-Ray Translucent HPL Backrest



Stationary Headboard



Control Panels Embedded on Side Rails



Urine Bag Basket



Bed Extension



Lifting Pole



Monitor & Defibrillator Shelf



Oxygen Cylinder Holder



Nurse Panel Shelf




Orthopedic Traction System

Color Options















P08





