

### Specificații tehnice F4.1

|  |
|--|
| <b>Numărul procedurii de achiziție: nr. ocde-b3wdp1-MD-1745584974568 din 25 aprilie 2025</b>       |
| <b>Obiectul achiziției: Echipamente tehnice</b>  |
| <b>Cod CPV : 30210000-4 - Mașini de procesare a datelor (hardware). Achiziții cu costuri mici.</b> |

| Denumire<br>a<br>bunurilor<br>/<br>serviciilor   | Denumirea<br>modelului<br>bunului/<br>serviciului | Țara de<br>origine | Producă<br>torul   | Specificarea tehnică deplină solicitată de<br>către autoritatea contractantă   | Specificarea tehnică deplină propusă de<br>către ofertant  | Standar<br>de de<br>referință |
|--|---|--------------------|--------------------|--|--|-------------------------------|
| 1  | 2   | 3                  | 4                  | 5  | 6  | 7                             |
| <b>Bunuri/<br/>servicii</b>  |   |                    |                    |  |  |                               |
| Camere video cu tripod și accesorii  |   |                    |                    |  |  |                               |
| Lot nr.2   |   |                    |                    |  |  |                               |
| <b>Mobile<br/>journalism<br/>kit<br/>(set<br/>complet,<br/>inclusiv<br/>telefon<br/>mobil,<br/>microfoane,<br/>iluminare,<br/>treped etc.)</b> | <b>G2 - Pro<br/>video grip</b>                    | <b>Spania</b>      | <b>Shoulderpod</b> | The grip for recording professional video with<br>smartphone. Features an ergonomic design for steady<br>hand-held shooting, 6 cold shoes for adding external<br>accessories such as microphones and lights, 2 tripod<br>mounts for shooting horizontal and vertical video and<br>an innovative quick-release clamping mechanism that<br>fits all smartphone models with or without a case.<br>The grip for recording professional video with<br>smartphone. Features an ergonomic design for steady<br>hand-held shooting, 6 cold shoes for adding external<br>accessories such as microphones and lights, 2 tripod<br>mounts for shooting horizontal and vertical video and<br>an innovative quick-release clamping mechanism that<br>fits all smartphone models with or without a case.<br><b>Video Grip</b><br>- Enlarged Smartphone grip areas for one or two | The grip for recording professional video with<br>smartphone. Features an ergonomic design for steady<br>hand-held shooting, 6 cold shoes for adding external<br>accessories such as microphones and lights, 2 tripod<br>mounts for shooting horizontal and vertical video and<br>an innovative quick-release clamping mechanism that<br>fits all smartphone models with or without a case.<br>The grip for recording professional video with<br>smartphone. Features an ergonomic design for steady<br>hand-held shooting, 6 cold shoes for adding external<br>accessories such as microphones and lights, 2 tripod<br>mounts for shooting horizontal and vertical video and<br>an innovative quick-release clamping mechanism that<br>fits all smartphone models with or without a case.<br><b>Video Grip</b><br>- Enlarged Smartphone grip areas for one or two hands |                               |



|  |                                     |               |                    |   |   |  |
|--|-------------------------------------|---------------|--------------------|---|---|--|
|  | <b>T1 - Multi-functional tripod</b> | <b>Spania</b> | <b>Shoulderpod</b> | <p>hands operation; - Rubberized handles for maximum comfort when using it as a your smartphone video rig; - "Free-thumbs" design for easily tapping on the screen controls while shooting.; - -Holds any iPhone or Android phone between 64 and 90mm wide;</p> <ul style="list-style-type: none"> <li>- V-shaped jaws fit any mobile with or without a case.</li> <li>- Rubber-padded clamps hold your smartphone firmly while protecting it from scratches. (Equivalent Shoulderpod G2)</li> </ul> <p><b>Multi-functional tripod</b><br/>(A tripod + monopod + hand-held-stabilizer for helping you make professional videos easily)</p> <ul style="list-style-type: none"> <li>- 3 functions: Tripod, monopod and hand-held stabilizer.</li> <li>- Max tripod height: 162 cms.</li> <li>- Minimum length when packed for storage: 43 cms.</li> <li>- Reversible central column for ultra-low shots and compact storage.</li> <li>- Innovative desk-top set up for top-down shots.</li> <li>- Removable "T1" leg for monopod function.</li> <li>- Max monopod height: 162 cms when adding the central column.</li> <li>- Unique wooden handle and leather wrist strap for hand-held stabilizer function.</li> <li>- All-metal, solid aluminium construction.</li> <li>- 30 mm ball head with 2 spirit-levels.</li> <li>- Quick release plate with Arca-Swiss clamp.</li> <li>- Double threaded stud for mounting 3/8" and 1/4" ball-heads.</li> <li>- Foamed legs for comfortable shoulder carry.</li> <li>- Adjustable leg angles with metal thumb-trigger.</li> <li>- Torque-adjustable leg hinges with the included allen wrench.</li> <li>- Ultra-fast twist-locks for immediate leg setup.</li> <li>- Cone shaped anti-slip rubber feet for maximum stability.</li> <li>- Weight: 1,4 kgs..</li> </ul> <p><b>Video light:</b></p> <ul style="list-style-type: none"> <li>- 33 white + 33 amber high-efficiency LED display.</li> <li>- Pro-grade +95 CRI - Colour Rendering Index.</li> <li>- Delivers a 120° cone of evenly distributed soft light.</li> <li>- Continuous brightness adjustment from 80 to 800 Lumen.</li> <li>- Continuous colour temperature adjustment from</li> </ul> | <p>operation; - Rubberized handles for maximum comfort when using it as a your smartphone video rig; - "Free-thumbs" design for easily tapping on the screen controls while shooting.; - -Holds any iPhone or Android phone between 64 and 90mm wide;</p> <ul style="list-style-type: none"> <li>- V-shaped jaws fit any mobile with or without a case.</li> <li>- Rubber-padded clamps hold your smartphone firmly while protecting it from scratches.</li> </ul> <p><b>Multi-functional tripod</b><br/>(A tripod + monopod + hand-held-stabilizer for helping you make professional videos easily)</p> <ul style="list-style-type: none"> <li>- 3 functions: Tripod, monopod and hand-held stabilizer.</li> <li>- Max tripod height: 162 cms.</li> <li>- Minimum length when packed for storage: 43 cms.</li> <li>- Reversible central column for ultra-low shots and compact storage.</li> <li>- Innovative desk-top set up for top-down shots.</li> <li>- Removable "T1" leg for monopod function.</li> <li>- Max monopod height: 162 cms when adding the central column.</li> <li>- Unique wooden handle and leather wrist strap for hand-held stabilizer function.</li> <li>- All-metal, solid aluminium construction.</li> <li>- 30 mm ball head with 2 spirit-levels.</li> <li>- Quick release plate with Arca-Swiss clamp.</li> <li>- Double threaded stud for mounting 3/8" and 1/4" ball-heads.</li> <li>- Foamed legs for comfortable shoulder carry.</li> <li>- Adjustable leg angles with metal thumb-trigger.</li> <li>- Torque-adjustable leg hinges with the included allen wrench.</li> <li>- Ultra-fast twist-locks for immediate leg setup.</li> <li>- Cone shaped anti-slip rubber feet for maximum stability.</li> <li>- Weight: 1,4 kgs..</li> </ul> <p><b>Video light:</b></p> <ul style="list-style-type: none"> <li>- 33 white + 33 amber high-efficiency LED display.</li> <li>- Pro-grade +95 CRI - Colour Rendering Index.</li> <li>- Delivers a 120° cone of evenly distributed soft light.</li> <li>- Continuous brightness adjustment from 80 to 800 Lumen.</li> <li>- Continuous colour temperature adjustment from</li> </ul> |  |
|  | <b>L2 - Video light</b>             | <b>Spania</b> | <b>Shoulderpod</b> |   |   |  |

|                 |                         |                  |                  |   |   |  |
|-----------------|-------------------------|------------------|------------------|---|---|--|
|                 |                         |                  |                  | <p>2500°K (warm) to 6500°K (cool).</p> <ul style="list-style-type: none"> <li>- Intuitive rotatable dials.</li> <li>- Iso-lux performance maintains global brightness while adjusting colour temperature.</li> <li>- Internal 2000 mAh Li-ion rechargeable battery.</li> <li>- Up to 2 hours of autonomy at full power and up to 10 hours at low brightness.</li> <li>- USB-C charging port.</li> <li>- Dual mount with cold shoe adapter and 1/4"-20 metal tripod thread.</li> <li>- Y-shaped bracket with rotatable hinge.</li> </ul> <p>In the box: 1x light + 1 USB-A to USC-C charging cable + USB-A charger</p> <p><b>Pro directional microphone:</b><br/>(Hybrid Analog/USB Camera-Mount Shotgun Microphone)</p> <p>Microphone Type - Camera-Mount / Shotgun<br/>Element Type - Electret Condenser<br/>Polar Pattern - Supercardioid</p> <p>On-Board Controls - Gain/Sensitivity, HF, High-Pass Filter, On/Off, Pad; Frequency Range - 20 Hz to 20 kHz; 35 Hz to 18 kHz ±3 dB;</p> <p>Analog Output 1x 1/8" / 3.5 mm TRRS Female (on Mic); 1x 1/8" / 3.5 mm TRRS Male (on Included Cable); Power Sources - Battery / Bus Power</p> <p><b>(equivalent RODE VideoMic NTG)</b></p> <p>Dual Compact Digital Wireless Microphone System</p> <p>Wireless Technology - Digital 2.4 GHz</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Max Operating Range - 100 m</p> <p>Receiver Type - Camera-Mount / Beltpack</p> <p>Microphone Type - Built-In (Transmitter)</p> <p>Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Mobile App Compatible - Android &amp; iOS (App Name: Rode Central)</p> <p>30213000-5Audio I/O - 1x 1/8" / 3.5 mm TRS Female Unbalanced Input</p> <p>Battery Type - 1x Built-In Rechargeable (Included)</p> <p><b>Equivalent (RODE Wireless ME Dual)</b></p> <p>3.5mm to USB-C mic cable - Plug external mics to your USB-C smartphone's port</p> | <p>2500°K (warm) to 6500°K (cool).</p> <ul style="list-style-type: none"> <li>- Intuitive rotatable dials.</li> <li>- Iso-lux performance maintains global brightness while adjusting colour temperature.</li> <li>- Internal 2000 mAh Li-ion rechargeable battery.</li> <li>- Up to 2 hours of autonomy at full power and up to 10 hours at low brightness.</li> <li>- USB-C charging port.</li> <li>- Dual mount with cold shoe adapter and 1/4"-20 metal tripod thread.</li> <li>- Y-shaped bracket with rotatable hinge.</li> </ul> <p>In the box: 1x light + 1 USB-A to USC-C charging cable + USB-A charger</p> <p><b>Pro directional microphone:</b><br/>(Hybrid Analog/USB Camera-Mount Shotgun Microphone)</p> <p>Microphone Type - Camera-Mount / Shotgun<br/>Element Type - Electret Condenser<br/>Polar Pattern - Supercardioid</p> <p>On-Board Controls - Gain/Sensitivity, HF, High-Pass Filter, On/Off, Pad; Frequency Range - 20 Hz to 20 kHz; 35 Hz to 18 kHz ±3 dB;</p> <p>Analog Output 1x 1/8" / 3.5 mm TRRS Female (on Mic); 1x 1/8" / 3.5 mm TRRS Male (on Included Cable); Power Sources - Battery / Bus Power .</p> <p><b>Dual Compact Digital Wireless Microphone System</b></p> <p>Wireless Technology - Digital 2.4 GHz</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Max Operating Range - 100 m</p> <p>Receiver Type - Camera-Mount / Beltpack</p> <p>Microphone Type - Built-In (Transmitter)</p> <p>Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Mobile App Compatible - Android &amp; iOS (App Name: Rode Central)</p> <p>30213000-5Audio I/O - 1x 1/8" / 3.5 mm TRS Female Unbalanced Input</p> <p>Battery Type - 1x Built-In Rechargeable (Included)</p> <p><b>Equivalent</b></p> <p>3.5mm to USB-C mic cable - Plug external mics to your USB-C smartphone's port</p> |  |
|                 | <b>VideoMic NTG</b>     | <b>Australia</b> | <b>Rode</b>      |   |   |  |
|                 | <b>Wireless ME Dual</b> | <b>Australia</b> | <b>Rode</b>      |   |   |  |
| <b>SR-C2001</b> |                         | <b>China</b>     | <b>Saramonic</b> |   |   |  |



|                                       |   |                                  |   |  |  |  |
|---------------------------------------|---|----------------------------------|---|--|--|--|
|                                       | <b>SR-C2000</b><br><br><b>Apple</b>                         | <b>China</b><br><br><b>China</b> | <b>Saramonic</b><br><br><b>iPhone 16 Pro, 256GB, Black Titanium</b> | <p>3.5mm to iPhone (Lightning) mic cable - Plug external mics to your iPhone's Lightning port</p> <p><b>Include phone</b></p> <p>Size 6.3 inches; LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits (typ), 2000 nits (HBM)</p> <p>Resolution 1206 x 2622 pixels, 19.5:9 ratio (~458 ppi density); Protection Ceramic Shield glass (2024 gen) Always-on display; Dual SIM (2 eSIM); Chipset A1 Pro</p> <p>Internal min 256GB; MAIN CAMERA 48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22µm, dual pixel PDAF, sensor-shift OIS</p> <p>12 MP, f/2.8, 120mm (periscope telephoto), 1/3.06", 1.12µm, dual pixel PDAF, 3D sensor-shift OIS, 5x optical zoom; 48 MP, f/2.2, 13mm (ultrawide), 0.7µm, PDAF; TOF 3D LiDAR scanner (depth); Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Video 4K@24/25/30/60/100/120fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby Vision HDR (up to 60fps), ProRes, 3D (spatial) video/audio, stereo sound rec. Bluetooth 5.3, A2DP, LE</p> <p>Selfie camera Single 12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS; SL 3D, (depth/biometrics sensor) Video 4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS; USB Type-C 3.2 Gen 2, DisplayPort</p> <p>Colors Black Titanium</p> <p>-Warranty: 2 years.</p> | <p>3.5mm to iPhone (Lightning) mic cable - Plug external mics to your iPhone's Lightning port</p> <p><b>Include phone</b></p> <p>Size 6.3 inches; LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits (typ), 2000 nits (HBM)</p> <p>Resolution 1206 x 2622 pixels, 19.5:9 ratio (~458 ppi density); Protection Ceramic Shield glass (2024 gen) Always-on display; Dual SIM (2 eSIM); Chipset A1 Pro</p> <p>Internal min 256GB; MAIN CAMERA 48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22µm, dual pixel PDAF, sensor-shift OIS</p> <p>12 MP, f/2.8, 120mm (periscope telephoto), 1/3.06", 1.12µm, dual pixel PDAF, 3D sensor-shift OIS, 5x optical zoom; 48 MP, f/2.2, 13mm (ultrawide), 0.7µm, PDAF; TOF 3D LiDAR scanner (depth); Polar Pattern - Omnidirectional</p> <p>Included Transmitters - 2x Bodypack with Microphone</p> <p>Video 4K@24/25/30/60/100/120fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby Vision HDR (up to 60fps), ProRes, 3D (spatial) video/audio, stereo sound rec. Bluetooth 5.3, A2DP, LE</p> <p>Selfie camera Single 12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS; SL 3D, (depth/biometrics sensor) Video 4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS; USB Type-C 3.2 Gen 2, DisplayPort</p> <p>Colors : Black Titanium</p> <p>-Warranty: 2 years.</p> |  |
| <b>Lot nr.3</b>                       |   |                                  |   |  |  |  |
| <b>Genți pentru camere video/foto</b> | <b>VEO RANGE 38M Large Messenger Camera Bag (Beige Tan)</b> | <b>China</b>                     | <b>Vanguard</b>   | <p>Destinat pentru camera foto sau video, cu compartiment pentru laptop</p>  | <p>The VEO RANGE 38 features a well-padded main top compartment that can hold a DSLR with attached, 2-3 lenses, flash and essential accessories. The sturdy lower compartment can fit a VEO 2S tripod, or alternatively, the compartment can be set up to hold more camera gear or video equipment, including a gimbal, small drone, or personal items. Vanguard has also thought of a dedicated 15" laptop compartment, secure front and back zippered pockets for your smartphone, wallet and other essentials, two large side pockets for water bottles and a data card organizer.</p> <p>Color : Tan/Beige</p>   |  |



|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  | Carry/Transport Options<br>Shoulder Strap, Trolley Sleeve, Handle<br>Padded Strap: Yes<br>Type of Closure<br>Zipper<br>Interior Type<br>Adjustable Dividers (Hook & Loop)<br>Laptop/Tablet Compatibility<br><b>Single Compartment:</b> Fits 15" Laptop / 15" Tablet<br>Water Resistance<br>Rain Cover Included<br>Dimensions<br><b>Exterior</b> : 16.88 x 13.38 x 8.25" / 42.88 x 33.99 x 20.95 cm<br><b>Interior</b> : 15.13 x 11.75 x 5.75" / 38.43 x 29.84 x 14.61 cm<br>Garanție : 12 luni |  |
|--|--|--|--|--|--|--|

Semnat: \_\_\_\_\_ Numele, Prenumele: Cîrlig Ion , În calitate de : Director

Ofertantul: „WEST BUY” SRL Adresa: mun.Chisinau , bd.Mircea cel Batrin 39 ap 143

Data : 06.05.2025