



www.china-greetmed.com

Ningbo GREETMED
Medical Instruments Co.,Ltd.

MEDICAL EQUIPMENTS

2015 VERSION



» GT630-300

Oxygen Cylinder (steel)

(major specification: 2L, 3.2L, 4L)

Adopting unique design of combination of pressure-reducing valve and safety valve. Compact in structure, fancy and safe, equipped with flow regulator, stable output pressure.

Adopting empty- inside packing (we have acquired the patent for this packing) unique double-way design (needn't open the lower valve when breathing oxygen, relieves user's fear for the pressure containers)

Strong, tough, collision, protection. It is easy to carry and move for its mini-size and lightweight.



GT630-300 A (Steel)



GT630-300 B

10L

8L

6.3L

Oxygen Cylinder 6L/8L/10L (with a trolley)





GT130-100
Electronic Infant Scale
Max. Weighing: 20kg




GT130-200
Baby Scale
Max. Weighing: 20kg




GT130-300
Electronic Infant Scale
Max. weighing: 20kg
Min. value per division: 50g



GT130-400
Max. weighing: 25kg
Min. value per division: 100g




GT130-500
Baby Scale
1. Tray Size: 56X28X9.3cm
Body Size: 36X29.5X7.5cm
Net Size: 56X31.5X13.5cm
2. Max. weight : 30kg
3. Graduation: 5g
4. Lcd Display+auto Power Off
+low Battery Indicator+1 Loadcell
5. Precision: +/-1%
6. Displayed In Two Units: Kg/Lb/Oz
7. Batteries: 4xaa(not Included)
7 Load Cells



GT131-120
Health Scale

GT131
Health S
Max. Wei



GT131-300

Electronic Body Scale

Max weighing: 200kg

Division: 100g


Display: LED Power: AC/DC

Height range to be measured: 800-2100mm

Min value of height per division: 5mm

G.W.: 15kg N.W.: 13kg

Measurement: 100 x 32 x 26cm



GT131-400

Electronic Body Scale

Max weighing: 200kg

Division: 100g

Display: LCD Power: AC/DC

Height range to be measured: 800-2100mm

Min value of height per division: 5mm

G.W.: 15kg N.W.: 13kg

Measurement: 100 x 32 x 26cm

Max. weighing: 200kg

THERMOMETER

Clinical Thermometer

Glass
 Scale: °C or, °C & °F
 Accuracy: $\pm 0.1^{\circ}\text{C}$ ($\pm 0.2^{\circ}\text{F}$)
 White back, Yellow back or Blue back



GT004-130 Oral Use

Digital Thermometer

Pen type, 3-Digital
 Scale: °C or °F
 Accuracy: $\pm 0.1^{\circ}\text{C}$ ($\pm 0.2^{\circ}\text{F}$)
 Min Scale: 0.1°C
 Memory function: last temperature
 Measuring times: 2 minutes
 Beeper function
 Auto shut-off



GT004-100 Armpit Use, Large size




GT004-110 Armpit Use, Middle size



GT004-120 Armpit Use, Small size



GT004-140 Rectal Use



GT004-231

Flexible probe
Water-proof
Large LCD display

Display range: 32.0°C~42.0°C,
89.6°F~107.6°F

Accuracy: $\pm 0.1^{\circ}\text{C}$, $\pm 0.2^{\circ}\text{F}$

Min Scale: 0.1°C / 0.1°F

Response: 60 seconds

size: 126 x 18 x 10 mm

LCD: 20 x 7 mm

N.W.: 11.5g



GT004-232

Flexible probe
Water-proof
Large LCD display

Display range: 32.0°C~42.0°C,
89.6°F~107.6°F

Accuracy: $\pm 0.1^{\circ}\text{C}$, $\pm 0.2^{\circ}\text{F}$

Min Scale: 0.1°C / 0.1°F

Response: 60 seconds

size: 125 x 20 x 11 mm

LCD: 20 x 7 mm

N.W.: 11.5g



GT004-233

Flexible probe
Water-proof
Large LCD display

Flexible tip more safe suit for baby;
60" temperature taking lead time.

9 minutes Auto Off

Fever alarm


Memory of last reading

0.1 resolution

Bi-Bi signal after measurement finished

LCD size at 18 x 9.4 mm

Water-resistant available at additional cost



GT004-254

Infrared Ear Thermometer


- 1) Display range: 34.0~44.0°C/93.2~111.2°C
- 2) Accuracy: $\pm 0.2^{\circ}\text{C}/\pm 0.4^{\circ}\text{F}$
- 3) Min. scale: 0.1
- 4) Memory: 10 memories
- 5) Measurement time (reference only): 1 second
- 6) Beeper function
- 7) Auto shut-off (1min after idle)
- 8) Battery: AAA x 2, alkaline batteries
- 9) Battery life: approx. 4,000 takes
- 10) Size: 146 x 32 x 37mm
- 11) N.W.:75g (including batteries)
- 12) Safe and hygienic
- 13) Requires new disposable probe cover after each use



GT004-254

Infrared Ear Thermometer


- 1) Display range: 34.0~44.0°C/93.2~111.2°C
- 2) Accuracy: $\pm 0.2^{\circ}\text{C}/\pm 0.4^{\circ}\text{F}$
- 3) Min. scale: 0.1
- 4) Memory: 10 memories
- 5) Measurement time (reference only): 1 second
- 6) Beeper function
- 7) Auto shut-off (1min after idle)
- 8) Battery: 3V, Button battery(LR/CR 2032)
- 9) Battery life: approx. 4,000 takes
- 10) Dimensions: 118 x 28.5 x 21mm
- 11) N.W.: 36g (including batteries)
- 12) Safe and hygienic
- 13) Easy-clean and cover free design



*Best service to all old and new clients!
Best greeting to all patients in the world!*


Aneroid Sphygmomanometer

- 300mmHg Gauge
- Cotton or Nylon cuff
- With or without D-ring is available
- Artery label
- Vinyl or Nylon zippered carrying case




GT001-101

Aneroid Sphygmomanometer



GT001-110

Aneroid Sphygmomanometer
With Separate Single Head Stethoscope




GT001-111

Aneroid Sphygmomanometer
with Attached Single Head Stethoscope


GT001-120

Palm Type Aneroid Sphygmomanometer
Plastic Shell
65mm Diameter dial



GT001-121


Palm Type Aneroid Sphygmomanometer
Metal Shell
65mm Diameter dial





*Best service to all old and new clients!
Best greeting to all patients in the world!*



GT001-401
Zipper Case



GT001-403
Bllder



GT001-402
Cuff



GT001-405
Air-release Valve

GT001-406
End Valve

