

Trokare
Trocars


Trocarts
Trócares
Trocar

Trokarhülse mit Automatik-Ventil, manueller Klappenöffnung und Hahn
Trocar sheath with multifunctional valve and stopcock

Gaine de trocar avec valve automatique, ouverture manuelle et robinet

Vaina de trocar con valvula automatica, apertura manual y robinete

Camicie con valvola automatica con leva aprivalvola e rubinetto



CLASSIC

Ø 3.5 mm	x = 70 mm	tk 730-210	-
Ø 5.5 mm	x = 95 mm	tk 704-679	tk 704-680
Ø 7.0 mm	x = 95 mm	tk 704-362	-
Ø 11.0 mm	x = 101 mm	tk 704-683	tk 704-684

Metallrohr, glatt
Metal tube, smooth
Tube metalique, lisse
Tubo de metal, lisa
Tubo metallico, liscio

Metallrohr mit Gewinde
Metal tube, threaded
Tube metalique avec filetage
Tubo de metal con rosco
Tubo metallico con filetto




CLASSIC

Ø 5.5 mm	x = 95 mm	tk 704-681	tk 704-682
Ø 11.0 mm	x = 101 mm	tk 704-685	tk 704-686

Kunststoffrohr, glatt
Plastic tube, smooth
Tube plastique, lisse
Tubo plastico, lisa
Tubo di plastica, liscia

Kunststoffrohr mit Gewinde
Plastic tube, threaded
Tube plastique avec filetage
Tubo de plastico con rosca
Tubo di plastica con filetto

Trokare | Trocarts
 Trocars | Trócares
 Trocar



Ø 2.8 mm	x = 108 mm	x = 148 mm
	tk 730-171	tk 730-161
	tk 730-172	tk 730-162

für tk 730-170
 for tk 730-170
 pour tk 730-170
 para tk 730-170
 per tk 730-170

für tk 730-160
 for tk 730-160
 pour tk 730-160
 para tk 730-160
 per tk 730-160



Ø 3.5 mm		tk 704-070	tk 730-220	tk 704-072
Ø 5.5 mm		tk 704-016	tk 704-022	tk 704-031
Ø 7.0 mm		tk 704-014	tk 704-018	-
Ø 10.0 mm		-	-	tk 704-033
Ø 11.0 mm		tk 704-006	tk 704-026	tk 704-035
Ø 12.5 mm		-	-	tk 704-036
Ø 13.0 mm		tk 704-093	tk 704-092	-
Ø 15.0 mm		tk 704-015	tk 704-028	-
Ø 20.0 mm		tk 704-020	tk 704-029	-


Ø 5.5 mm		tk 704-016-15	tk 704-022-15	-
Ø 11.0 mm		tk 704-006-15	tk 704-026-15	-
Ø 13.0 mm		tk 704-012-15	tk 704-027-15	-

Für Trokar-System
 For trocar system
 Pour système trocar
 Para el sistema de trócares
 Sistema per trocar

Trokar (dreikant)
 Trocar (pyramidal)
 Trocart (pyramidal)
 Trócar (piramidal)
 Trocar (piramidale)

Trokar (Kegelform)
 Trokar (conical tip)
 Trocart (conique)
 Trócar (conico)
 Trocar (conico)

Trokar (stumpf)
 Trocar (blunt)
 Trocart (mousse)
 Trócar (romo)
 Trocar (smusso)



Scheren, zerlegbar
Scissors, detachable

Ciseaux, démontables
Tijeras, desmontables
Forbici, smontabili



ohne Sperre
without ratchet
sans crémaillère
sin cremallera
senza cremagliera


Einsatz allein
Insert only
Insert seul
Inserto solo
Inserto, solo

TEKNOLINE

		Ø 5.0 mm	Ø 5.0 mm
 1:1	Hakenschere <i>Hook scissors</i>	250 mm	tk 775-4020-25 C
	Ciseaux à crochet	330 mm	tk 775-4020 C
	<i>Tijera de gancho</i>	450 mm	tk 775-4020-45 C
	Forbici a gancio		
 1:1	METZENBAUM-Schere <i>METZENBAUM-scissors</i>	250 mm	tk 775-4022-25 C
	METZENBAUM ciseaux	330 mm	tk 775-4022 C
	<i>METZENBAUM tijera</i>	450 mm	tk 775-4022-45 C
	METZENBAUM forbici		
 1:1	METZENBAUM-Schere, gebogen <i>METZENBAUM-scissors, curved</i>	250 mm	tk 775-4023-25 C
	METZENBAUM ciseaux, courbes	330 mm	tk 775-4023 C
	<i>METZENBAUM tijera, curva</i>	450 mm	tk 775-4023-45 C
	METZENBAUM forbici, curve		
 1:1	Mikroschere <i>Micro scissors</i>	250 mm	tk 775-4024-25 C
	Ciseaux micro	330 mm	tk 775-4024 C
	<i>Tijera micro</i>	450 mm	tk 775-4024-45 C
	Forbici micro		
 1:1	Mikroschere, gebogen <i>Micro scissors, curved</i>	250 mm	tk 775-4025-25 C
	Ciseaux micro, courbes	330 mm	tk 775-4025 C
	<i>Tijera micro, curva</i>	450 mm	tk 775-4025-45 C
	Forbici micro, curve		
 1:1	Peritoneal-Schere, 1 Blatt gezahnt <i>Peritoneal scissors, 1 blade serrated</i>	250 mm	tk 775-4026-25 C
	Ciseaux péritonéales, une lame crantée	330 mm	tk 775-4026 C
	<i>Tijera peritoneal, una hoja dentada</i>	450 mm	tk 775-4026-45 C
	Forbici paritoneale, 1 lama dentellata		
 1:1	METZENBAUM-Schere, gebogen, lang <i>METZENBAUM-scissors, curved, long</i>	250 mm	tk 775-4027-25 C
	METZENBAUM ciseaux, courbes, longue	330 mm	tk 775-4027 C
	<i>METZENBAUM tijera, curva, larga</i>	450 mm	tk 775-4027-45 C
	METZENBAUM forbici, curve, lama lunga		
 1:1	OP-Schere <i>OP-scissors</i>	250 mm	tk 775-3928-25 C
	Ciseaux à opérations	330 mm	tk 775-3928 C
	<i>Tijera para operaciones</i>	450 mm	tk 775-3928-45 C
	Forbici per operazione		
 1:1	OP-Schere, gebogen <i>OP-scissors, curved</i>	250 mm	tk 775-3929-25 C
	Ciseaux à opérations, courbes	330 mm	tk 775-3929 C
	<i>Tijera para operaciones, curva</i>	450 mm	tk 775-3929-45 C
	Forbici per operazione, curve		

Fasszangen, zerlegbar
Grasping forceps, detachable

Pinces à saisir, démontables
Pinzas de agarre, desmontables
Pinze da presa, smontabili



ohne Sperre
without ratchet

mit Sperre
with ratchet







Einsatz allein
Insert only


sans crémaillère
sin cremallera
senza cremagliera

avec crémaillère
con cremallera
con cremagliera

Insert seul
Inserto solo
Inserto, solo

TEKNOLINE

		Ø 5.0 mm	Ø 5.0 mm	Ø 5.0 mm	
 <p>1:1</p>	Needle nose Fasszange Needle nose grasping forceps	250 mm	tk 775-4082-25 C	tk 775-4082-25 CS	tk 775-4082-25
	Pince Needle Nose	330 mm	tk 775-4082 C	tk 775-4082 CS	tk 775-4082
	Pinza Needle Nose	450 mm	tk 775-4082-45 C	tk 775-4082-45 CS	tk 775-4082-45
	Pinza da presa, piatte				
 <p>1:1</p>	Krallengreifer Claw grasping forceps	250 mm	tk 775-4243-25 C	tk 775-4243-25 CS	tk 775-4243-25
	Pince à griffes	330 mm	tk 775-4243 C	tk 775-4243 CS	tk 775-4243
	Pinza de garras	450 mm	tk 775-4243-45 C	tk 775-4243-45 CS	tk 775-4243-45
	Pinza per estrazione				
 <p>1:1</p>	Retraktionszange, atraumatisch Retraction forceps, atraumatic inner teeth	250 mm	tk 775-4093-25 C	tk 775-4093-25 CS	tk 775-4093-25
	Retracteur atraumatique	330 mm	tk 775-4093 C	tk 775-4093 CS	tk 775-4093
	Retractor atraumatico	450 mm	tk 775-4093-45 C	tk 775-4093-45 CS	tk 775-4093-45
	Pinza per estrazione				
 <p>1:1</p>	JOHAN, 17mm, gezahntes Maul, doppelbeweglich JOHAN, 17mm, serrated jaws, double action	250 mm	tk 775-4119-25 C	tk 775-4119-25 CS	tk 775-4119-25
	JOHAN, 17mm, mors dentelee, double action	330 mm	tk 775-4119 C	tk 775-4119 CS	tk 775-4119
	JOHAN, 17mm, estriada boca, doble acción	450 mm	tk 775-4119-45 C	tk 775-4119-45 CS	tk 775-4119-45
	JOHAN, 17mm, morso zigrinato, doppia azione				
 <p>1:1</p>	JOHAN, 20mm, gezahntes Maul, doppelbeweglich JOHAN, 20mm, serrated jaws, double action	250 mm	tk 775-4120-25 C	tk 775-4120-25 CS	tk 775-4120-25
	JOHAN, 20mm, mors dentelee, double action	330 mm	tk 775-4120 C	tk 775-4120 CS	tk 775-4120
	JOHAN, 20mm, estriada boca, doble acción	450 mm	tk 775-4120-45 C	tk 775-4120-45 CS	tk 775-4120-45
	JOHAN, 20mm, morso zigrinato, doppia azione				
 <p>1:1</p>	JOHAN, 25mm, gezahntes Maul, doppelbeweglich JOHAN, 25mm, serrated jaws, double action	250 mm	tk 775-4121-25 C	tk 775-4121-25 CS	tk 775-4121-25
	JOHAN, 25mm, mors dentelee, double action	330 mm	tk 775-4121 C	tk 775-4121 CS	tk 775-4121
	JOHAN, 25mm, estriada boca, doble acción	450 mm	tk 775-4121-45 C	tk 775-4121-45 CS	tk 775-4121-45
	JOHAN, 25mm, morso zigrinato, doppia azione				



Fasszangen, zerlegbar
Grasping forceps, detachable

Pincès à saisir, démontables
Pinzas de agarre, desmontables
Pinze da presa, smontabili











ohne Sperre
without ratchet
sans crémaillère
sin cremallera
senza cremagliera

mit Sperre
with ratchet
avec crémaillère
con cremallera
con cremagliera


Einsatz allein
Insert only
Insert seul
Inserto solo
Inserto, solo

TEKNOLINE

		Ø 5.0 mm	Ø 5.0 mm	Ø 5.0 mm			
 <p>1:1</p>	DUCKBILL Fasszange <i>DUCKBILL grasping forceps,</i> DUCKBILL pince, <i>DUCKBILL pinza,</i> DUCKBILL pinza da presa	250 mm 330 mm 450 mm	tk 775-4095-25 C tk 775-4095 C tk 775-4095-45 C	tk 775-4095-25 CS tk 775-4095 CS tk 775-4095-45 CS	tk 775-4095-25 tk 775-4095 tk 775-4095-45		
	 <p>1:1</p>	Fasszange, gerieft <i>Grasping forceps, serrated</i> Pince strié <i>Pinza estriada</i> Pinza da presa zigrinata	250 mm 330 mm 450 mm	tk 775-4036-25 C tk 775-4036 C tk 775-4036-45 C	tk 775-4036-25 CS tk 775-4036 CS tk 775-4036-45 CS	tk 775-4036-25 tk 775-4036 tk 775-4036-45	
		 <p>1:1</p>	Fasszange, gerieft <i>Grasping forceps, serrated</i> Pince strié <i>Pinza estriada</i> Pinza da presa zigrinata	250 mm 330 mm 450 mm	tk 775-4067-25 C tk 775-4067 C tk 775-4067-45 C	tk 775-4067-25 CS tk 775-4067 CS tk 775-4067-45 CS	tk 775-4067-25 tk 775-4067 tk 775-4067-45
			 <p>1:1</p>	KELLY Fasszange <i>KELLY grasping forceps</i> KELLY, pince à saisir <i>KELLY, pinza de agarre</i> KELLY, pinza da presa	250 mm 330 mm 450 mm	tk 775-4094-25 C tk 775-4094 C tk 775-4094-45 C	tk 775-4094-25 CS tk 775-4094 CS tk 775-4094-45 CS
 <p>1:1</p>				Fasszange mit Reservoir, spitz <i>Grasping forceps with cup, pointed</i> Pince avec cuillère, pointu <i>Pinza con cuchara, aguda</i> Pinza da presa con cucchiaio, acuta	250 mm 330 mm 450 mm	tk 775-4063-25 C tk 775-4063 C tk 775-4063-45 C	tk 775-4063-25 CS tk 775-4063 CS tk 775-4063-45 CS
	 <p>1:1</p>			Fasszange mit Reservoir <i>Grasping forceps with cup</i> Pince avec cuillère <i>Pinza con cuchara</i> Pinza da presa con cucchiaio	250 mm 330 mm 450 mm	tk 775-4038-25 C tk 775-4038 C tk 775-4038-45 C	tk 775-4038-25 CS tk 775-4038 CS tk 775-4038-45 CS
		 <p>1:1</p>		Fasszange mit Delphin Nase, kurz <i>Dolphin-nose forceps, short</i> Pince à nez du dauphin, court <i>Pinza nariz de delfín, corta</i> Pinza da presa forma naso di delfino, corta	250 mm 330 mm 450 mm	tk 775-4037-25 C tk 775-4037 C tk 775-4037-45 C	tk 775-4037-25 CS tk 775-4037 CS tk 775-4037-45 CS
			 <p>1:1</p>	Fasszange gebogen <i>Grasping forceps, curved</i> Pince, courbe <i>Pinza, curva</i> Pinza da presa, curva	250 mm 330 mm 450 mm	tk 775-4080-25 C tk 775-4080 C tk 775-4080-45 C	tk 775-4080-25 CS tk 775-4080 CS tk 775-4080-45 CS

Fasszangen, zerlegbar
Grasping forceps, detachable

Pinces à saisir, démontables
Pinzas de agarre, desmontables
Pinze da presa, smontabili




ohne Sperre
without ratchet
sans crémaillère
sin cremallera
senza cremagliera

mit Sperre
with ratchet
avec crémaillère
con cremallera
con cremagliera

Einsatz allein
Insert only
Insert seul
Inserto solo
Inserto, solo


TEKNOLINE

		Ø 5.0 mm	Ø 5.0 mm	Ø 5.0 mm
 <p>1:1</p>	Fasszange, gerieft Grasping forceps, serrated	250 mm	tk 775-4225-25 C	tk 775-4225-25 CS
	Pince strié	330 mm	tk 775-4225 C	tk 775-4225 CS
	Pinza estriada	450 mm	tk 775-4225-45 C	tk 775-4225-45 CS
	Pinza da presa zirinata			tk 775-4225-45
 <p>1:1</p>	Multiple Fasszange Multiple grasping forceps	250 mm	tk 775-4090-25 C	tk 775-4090-25 CS
	Pince strié, multiple	330 mm	tk 775-4090 C	tk 775-4090 CS
	Pinza estriada, multiple	450 mm	tk 775-4090-45 C	tk 775-4090-45 CS
	Pinza da presa universale			tk 775-4090-45
 <p>1:1</p>	Fasszange glatt Forceps smooth	250 mm	tk 775-4035-25 C	tk 775-4035-25 CS
	Pince lisse	330 mm	tk 775-4035 C	tk 775-4035 CS
	Pinza lisa	450 mm	tk 775-4035-45 C	tk 775-4035-45 CS
	Pinza da presa liscia			tk 775-4035-45
 <p>1:1</p>	FUNDUS Fasszange mit Zähnen FUNDUS grasping forceps with teeth	250 mm	tk 775-4074-25 C	tk 775-4074-25 CS
	FUNDUS pince, dentelé	330 mm	tk 775-4074 C	tk 775-4074 CS
	FUNDUS pinza, dentada	450 mm	tk 775-4074-45 C	tk 775-4074-45 CS
	FUNDUS pinza da presa zigrinata			tk 775-4074-45
 <p>1:1</p>	Fasszange, lang Grasping forceps, long	250 mm	tk 775-4076-25 C	tk 775-4076-25 CS
	Mors longue	330 mm	tk 775-4076 C	tk 775-4076 CS
	Boca larga	450 mm	tk 775-4076-45 C	tk 775-4076-45 CS
	Pinza da presa, lunga			tk 775-4076-45
 <p>1:1</p>	Mini Fasszange, gefenstert Mini grasping forceps, fenestrated	250 mm	tk 775-4079-25 C	tk 775-4079-25 CS
	Mors mini, fenêtré	330 mm	tk 775-4079 C	tk 775-4079 CS
	Boca mini, fenestrada	450 mm	tk 775-4079-45 C	tk 775-4079-45 CS
	Pinza da presa mini, fenestrata			tk 775-4079-45
 <p>1:1</p>	Fasszange gerieft, gefenstert Grasping forceps, serrated with window	250 mm	tk 775-4068-25 C	tk 775-4068-25 CS
	Mors strié, fenêtré	330 mm	tk 775-4068 C	tk 775-4068 CS
	Boca estriada, fenestrada	450 mm	tk 775-4068-45 C	tk 775-4068-45 CS
	Pinza da presa zigrinata, fenestrata			tk 775-4068-45
 <p>1:1</p>	Fasszange mit starker Zahnung Grasping forceps, strong teeth	250 mm	tk 775-4081-25 C	tk 775-4081-25 CS
	Mors fortement strié	330 mm	tk 775-4081 C	tk 775-4081 CS
	Boca fuertemente estriada	450 mm	tk 775-4081-45 C	tk 775-4081-45 CS
	Pinza da presa con dentatura robusta			tk 775-4081-45












Bipolare Koagulationszange EVO II
Bipolar coagulation forceps EVO II

Pince bipolaire EVO II
Pinza bipolar EVO II
Pinza bipolari, EVO II



250 mm	340 mm	450 mm	
tk 707-131-25	tk 707-131	tk 707-131-45	tk 707-132
Schaft, allein <i>Shaft, only</i>	Schaft, allein <i>Shaft, only</i>	Schaft, allein <i>Shaft, only</i>	Griff, allein <i>Handle, only</i>
Gaine seule <i>Vaina sola</i>	Gaine seule <i>Vaina sola</i>	Gaine seule <i>Vaina sola</i>	Poignée seul <i>Mango solo</i>
Asta, solo	Asta, solo	Asta, solo	Manico, solo

Ø 5.0 mm			
 1:1	MARYLAND Fassungzange <i>MARYLAND grasping forceps</i>	250 mm 340 mm 450 mm	tk 707-120-25 tk 707-120 tk 707-120-45
 1:1	MARYLAND pince <i>MARYLAND pinza</i>		tk 707-020-25 tk 707-020 tk 707-020-45
 1:1	METZENBAUM Schere, gebogen <i>METZENBAUM scissors, curved</i>	250 mm 340 mm 450 mm	tk 707-121-25 tk 707-121 tk 707-121-45
 1:1	METZENBAUM ciseaux, courbes <i>METZENBAUM tijera, curva</i>		tk 707-021-25 tk 707-021 tk 707-021-45
 1:1	Fassungzange, gefenstert <i>Grasping forceps, fenestrated</i>	250 mm 340 mm 450 mm	- tk 707-122 tk 707-122-45
 1:1	Pince à saisir, fenêtrée <i>Pinza de agarre, fenestrada</i>		- tk 707-022 tk 707-022-45
 1:1	Fassungzange, gefenstert, spitz <i>Grasping forceps, fenestrated, pointed</i>	250 mm 340 mm 450 mm	- tk 707-123 tk 707-123-45
 1:1	Pince à saisir, fenêtrée, pointue <i>Pinza de agarre, fenestrada, aguda</i>		- tk 707-023 tk 707-023-45
 1:1	Fassungzange, gefenstert, gebogen <i>Grasping forceps, fenestrated, curved</i>	250 mm 340 mm 450 mm	tk 707-124-25 tk 707-124 tk 707-124-45
 1:1	Pince à saisir, fenêtrée, courbe <i>Pinza de agarre, fenestrada, curva</i>		tk 707-024-25 tk 707-024 tk 707-024-45
 1:1	Pinzettenspitze <i>Fluted tip</i>	250 mm 340 mm 450 mm	tk 707-125-25 tk 707-125 tk 707-125-45
 1:1	Mors fins <i>Boca fina</i>		tk 707-025-25 tk 707-025 tk 707-025-45
 1:1	Hakenzange <i>Claw forceps</i>	250 mm 340 mm 450 mm	- tk 707-126 tk 707-126-45
 1:1	Pince á griffes <i>Pinza de gaucho</i>		- tk 707-026 tk 707-026-45
 1:1	Pinza a gancio		

Zange, komplett <i>Forceps, complete</i>	Einsatz, allein <i>Insert, only</i>
Pince, complète <i>Pinza, completa</i>	Insert, seul <i>Inserto, solo</i>
Strumento, completo	Inserto, solo

Leichtgewicht Nadelhalter, zerlegbar
Lightweight needle holder, detachable

Porte-aiguilles légères, démontables
Porta-agujas ligeros, desmontables
 Port'aghi leggero, smontabile



		Ø 5.0 mm	Ø 5.0 mm	Ø 5.0 mm
Nadelhalter, TC, gerade <i>Needle holder, TC, straight</i> Porte-aiguilles, TC, droit <i>Porta-agujas, TC, recta</i> Port'aghi, TC, retto	330 mm	tk 708-640	tk 708-641	tk 708-634
Nadelhalter, TC, links gebogen <i>Needle holder, TC, left curved</i> Porte-aiguilles, TC, courbe à gauche <i>Porta-agujas, TC, curva a la izquierda</i> Port'aghi, TC, curvo a sinistra	330 mm	tk 708-644	tk 708-645	tk 708-635
Nadelhalter, TC, rechts gebogen <i>Needle holder, TC, right curved</i> Porte-aiguilles, TC, courbe à droite <i>Porta-agujas, TC, curva a la derecha</i> Port'aghi, TC, curvo a destra	330 mm	tk 708-648	tk 708-649	tk 708-636
Nadelhalter Flamingo, diamantiert, gerade <i>Needle holder Flamingo, diamond coated, straight</i> Porte-aiguilles Flamant, diamanté, droit <i>Porta-agujas Flamenco, diamantada, recta</i> Port'aghi Flamingo, diamantata, retto	330 mm	tk 708-652	tk 708-653	tk 708-637
Nadelhalter 1x2 Zähne, TC, gerade <i>Needle holder 1x2 teeth, TC, straight</i> Porte-aiguilles 1x2 dents, TC, droit <i>Porta-agujas 1x2 dientes, TC, recta</i> Port'aghi, 1x2 denti, TC, retto	330 mm	tk 708-656	tk 708-657	tk 708-638
Nadelhalter, gerade, gerieft <i>Needle holder, straight, serrated</i> Porte-aiguilles, droit, strié <i>Porta-agujas, boca recta, estriada</i> Port'aghi, morso retto, zigrinato	330 mm	tk 708-660	tk 708-661	tk 708-639

komplett <i>complete</i>	komplett <i>complete</i>	Einsatz allein <i>Insert, only</i>
complet <i>completo</i>	complet <i>completo</i>	Insert, seul <i>Inserto, solo</i>
completo	completo	Inserto, solo

tk 708-630	tk 708-631
Handgriff, gerade <i>Handle, straight</i> Manche, droit <i>Mango, recta</i> Impugnatura, retta	Handgriff, gebogen <i>Handle, curved</i> Manche, courbe <i>Mango, curva</i> Impugnatura, angolata

	Ø 5.0 mm
330 mm	tk 708-633
	Metallschaft <i>Metal shaft</i> Gaine métallique <i>Vaina de metal</i> Camicia di metallo

EC Certificate

mdc medical device certification GmbH

Notified Body 0483
herewith certifies that

Tekno-Medical Optik-Chirurgie GmbH
Sattlerstraße 11
78532 Tuttlingen
Germany

for the scope

sterile scalpel knives UMDNS 12-252;
shaver blades, UMDNS 17-117;
saw blades for orthopedics, UMDNS 13-447

has introduced and applies a

Quality System

for the manufacture of the products concerned and carries out a
final inspection as specified in Annex V, Section 3.

The mdc audit has proven that this quality system
meets all requirements according to

Annex V – Section 3 of the Council Directive 93/42/EEC

of 14 June 1993 concerning medical devices.

The surveillance will be held as specified in Annex V, Section 4.

Valid from	2018-07-05
Valid until	2023-07-04
Registration no.	D1043500072
Report no.	P18-00452-117481
Stuttgart	2018-06-27



Head of Certification Body



EC Certificate

mdc medical device certification GmbH

Notified Body 0483
herewith grants

Tekno-Medical Optik-Chirurgie GmbH
Sattlerstraße 11
78532 Tuttlingen
Germany

for the scope

aneurysm clip
(sterile and non-sterile, temporary and permanent,
made of titanium and steel),
UMDNS 10-905

the

EC Design Examination Certificate

The examination of the design of the product by mdc has proven
that the design meets the requirements according to

Annex II – Section 4
of the Council Directive 93/42/EEC

of 14 June 1993 concerning medical devices.

This certificate is only valid in connection with a valid
mdc certificate according to Annex II – excluding section 4 for the
above mentioned products.

Valid from	2018-11-22
Valid until	2023-11-22
Registration no.	D1043500074
Report no.	P18-00455-117538
Stuttgart	2018-11-22



Head of Certification Body



EC Certificate

mdc medical device certification GmbH

Notified Body 0483
herewith certifies that

Tekno-Medical Optik-Chirurgie GmbH
Sattlerstraße 11
78532 Tuttlingen
Germany

for the scope

**instruments for high frequency surgery,
endoscopic instruments and devices with accessories,
suction- and irrigation units, battery operated units
(see attachment)**

has introduced and applies a

Quality System

for the design, manufacture and final inspection.

The mdc audit has proven that this quality system
meets all requirements according to

**Annex II – excluding Section 4
of the Council Directive 93/42/EEC**

of 14 June 1993 concerning medical devices.

The surveillance will be held as specified in Annex II, Section 5.

Valid from	2018-11-19
Valid until	2023-07-04
Registration no.	D1043500076
Report no.	P18-00452-133952
Stuttgart	2018-11-19



Head of Certification Body



Attachment of the certificate

No. D1043500076

Date 2018-11-19

Page 1 of 1

Product category	Product	Class	Product code
Battery operated units	Drill, battery operated and accessories Saw, battery operated and accessories	Ila	16-868
Instruments for high frequency surgery	Electrosurgical units with accessories	Ilb	11-490
	HF-handles	Ilb	11-499
	Bipolar coagulation forceps, bipolar coagulation grippers Bipolar and monopolar forceps	Ilb	11-502
	Monopolar and bipolar electrodes Coagulation electrodes, coagulation grippers, scissors	Ilb	16-206
	Electrodes, electrosurgical, sterile and non sterile Bipolar coagulation forceps EVO II Bipolar clamps and scissors-clamps Monopolar laparoscopic electrodes	Ilb	16-860
	Endoscopic instruments and devices with accessories	Morcellator handpiece complete	Ila
Morcellator		Ila	11-333
Arthroscopic shaver systems with accessories		Ila	17-918
Laparoscopic instruments for electrosurgery		Ilb	11-502
Resectoscopes monopolar and bipolar		Ilb	13-335
Insufflators, laparoscopy with accessories		Ilb	16-849
Suction- and irrigation units	Suction- /irrigation unit MULTI PUMP and accessories Pump for arthroscopy ART PUMP II and accessories Pump for arthroscopy ART PUMP II D and accessories Pump for hysteroscopy HYS PUMP II and accessories Pump for urology URO PUMP II and accessories	Ila	17-424



Head of Certification Body



Konformitätserklärung Declaration of Conformity

im Sinne der Richtlinie 93/42 EWG: Anhang VII
according to the Medical Device Directive 93/42 /EEC: Annex VII

Wir, die Firma
We, the company

Tekno – Medical
Optik-Chirurgie GmbH
Sattlerstr. 11
78532 Tuttlingen

erklären in alleiniger Verantwortung, dass folgende Produktgruppe
declare on our sole responsibility that the product group

Medizinprodukte / medical devices

Produktnummer: siehe Anhang Produktliste zur Konformitätserklärung
Item numbers: see attached list Product list Declaration of Conformity

Klassifizierung nach 93/42/EWG nach Anhang IX: Klasse IIa
Classification according to 93/42/EEC Annex IX: class IIa

allen Anforderungen der Richtlinie 93/42/EWG, zuletzt geändert durch die EU-Richtlinie 2007/47EG entsprechen.
meet all the requirements of the Directive 93/42/EEC, last changed by the EU-Directive 2007/47/EC.

Zusätzliche Angaben/ Additional information:

Die Entwicklung, Herstellung und der Vertrieb der Produkte wird durch ein QM-System gemäß den Forderungen der ISO 13485, des Medizinproduktegesetzes und der FDA unterstützt.
Development, manufacturing and distribution of the medical devices are supported by a QM-system in according with the requirements of ISO 13485, the act on medical devices and the FDA.

Das QM-System wird überwacht durch die Benannte Stelle 0483 mdc medical device certification GmbH, Kriegerstr. 6, D-70191 Stuttgart, Germany.
The QM-system is controlled by the notified body 0483 mdc medical device certification GmbH, Kriegerstr. 6, D-70191 Stuttgart, Germany.

gültig bis 04.07.2023
valid untill 04.07.2023

Ort: Tuttlingen
Place:

Datum: 05.07.2018
Date:



Geschäftsführer
Managing Director
-Florian Mattes-

Produktliste zur Konformitätserklärung

Product List Declaration of Conformity

UMDNS UMDNS	UMDNS Beschreibung	UMDNS-Description	Klasse Class	Regel Rule
10-198	Arthroskop	Arthroscopes	KL2A	7
10-580	Kanüle, Uterin	Cannulae, Uterine	KL2A	5
11-114	Zystourethroskop	Cystourethroscope	KL2A	7
11-333	Drillbohrer, zervikal	Drills, cervikal	KL2A	9
11-497	Elektrodenhalter, HF-Chirurgie	Electrode Holders, Electrosurgical	KL2A	5
11-603	Ösophagoskop	Esophagoscopes	KL2A	7
12-081	Hysteroskop	Hysteroscopes	KL2A	7
12-252	Messer, Skalpell	Knives, Scalpel	KL2A	6
12-291	Laparoskop	Laparoscopes	KL2A	7
12-750	Nadel, pneumoperitoneal	Needles, Pneumoperitoneal	KL2A	7
12-849	Otoskop	Otoscopes	KL2A	7
13-447	Klinge, Säge	Sawblade	KL2A	6
14-047	Thorakoskop	Thoracoscopes	KL2A	7
15-074	Bronchoskop, starr	Bronchoscopes, Rigid	KL2A	7
15-076	Laryngoskop, starr	Laryngoscopes, Rigid	KL2A	7
15-206	Kanüle, sonstige	Cannulae, Other	KL2A	7
15-260	Trokar, sonstige	Sleeves	KL2A	7

15-290	Nephroskop, starr	Nephroscopes, rigid	KL2A	7
15-591	Nephroskop	Nephroscopes	KL2A	7
16-146	Hülse	Sleeves	KL2A	7
16-146	Hülse	Sleeves	KL2A	5
16-849	Insufflationsgerät	Insufflators, Laparoscopic	KL2A	2
16-868	Antrieb	Drive	KL2A	9
17-117	Schneideinstrument, Meniskus	Cutters, Meniscus	KL2A	6
17-145	Zystoskop, starr	Cystoscopes, Rigid	KL2A	7
17-424	Absauggerät, endoskopische Spülung	Aspirators, Endoscopic Irrigation	KL2A	11
17-575	Diskektomiesystem, perkutan, automatisch	Percutameous Discectomy System, Automated	KL2A	7
17-633	Urethrotom	Urethrotomes	KL2A	7
17-690	Ureterorenoskop	Ureterorenoscopes	KL2A	6
17-690	Ureterorenoskop	Ureterorenoscopes	KL2A	7
17-918	Rasiersystem, Arthroskopie	Shaver-System	KL2A	2+11
18-097	Laserführung, endoskopisch	Laserguide, endoscopic	KL2A	7

Stand: 29.01.2019

EC Certificate

mdc medical device certification GmbH

Notified Body 0483
herewith certifies that

Tekno-Medical Optik-Chirurgie GmbH
Sattlerstraße 11
78532 Tuttlingen
Germany

for the scope

**instruments for high frequency surgery,
endoscopic instruments and devices with accessories,
suction- and irrigation units, battery operated units
(see attachment)**

has introduced and applies a

Quality System

for the design, manufacture and final inspection.

The mdc audit has proven that this quality system
meets all requirements according to

**Annex II – excluding Section 4
of the Council Directive 93/42/EEC**

of 14 June 1993 concerning medical devices.

The surveillance will be held as specified in Annex II, Section 5.

Valid from	2021-05-20
Valid until	2023-07-04
Registration no.	D1043500083
Report no.	P21-00826-205644
Stuttgart	2021-05-20



Head of Certification Body



Attachment of the certificate

No. D1043500083

Date 2021-05-20

Page 1 of 1

Product category	Product	Class	Product code
Instruments for high frequency surgery	Electrosurgical units with accessories	IIb	11-490
	HF-handles	IIb	11-499
	Bipolar coagulation forceps Bipolar forceps	IIb	11-502
	Monopolar and bipolar electrodes Coagulation electrodes, coagulation grippers, scissors	IIb	16-206
	Electrodes, electrosurgical, sterile and non sterile Bipolar coagulation forceps EVO II Bipolar clamps and scissors-clamps Monopolar laparoscopic electrodes	IIb	16-860
	Pistol handle, with HF	IIa	15-206
Endoscopic instruments and devices with accessories	Pistol handle, without HF	IIa	15-206
	Laparoscopic instruments for electrosurgery	IIb	11-502
	Resectoscopes monopolar and bipolar	IIb	13-335
	Insufflators, laparoscopy with accessories	IIb	16-849
Suction- and irrigation units	Arthroscopic shaver systems with accessories	IIa	17-918
	Suction- /irrigation unit MULTI PUMP and accessories	IIa	17-424
	Pump for arthroscopy ART PUMP II and accessories		
	Pump for arthroscopy ART PUMP II D and accessories		
	Pump for hysteroscopy HYS PUMP II and accessories		
Pump for urology URO PUMP II and accessories			
Battery operated units	Drill, battery operated and accessories	IIa	16-868
	Saw, battery operated and accessories		



Head of Certification Body

