

## Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

| Numărul procedurii de achiziție <a href="#">ocds-b3wdp1-MD-1621335794256</a> din 18.05.2021 |                      |                                       |                 |                 |   |   |                        |
|---|----------------------|---------------------------------------|-----------------|-----------------|---|---|------------------------|
| Denumirea procedurii de achiziție: Achiziționarea echipamentului de telecomunicații         |                      |                                       |                 |                 |   |   |                        |
| Cod CPV   | Denumirea bunurilor  | Modelul articolului                   | Țara de origine | Produce-cătorul | Specificarea tehnică deplină solicitată de către autoritatea contractantă   | Specificarea tehnică deplină propusă de către ofertant  | Standarde de referință |
| 1   | 2                    | 3                                     | 4               | 5               | 6   | 7   | 8                      |
| <b>Lotul 1 Echipament de telecomunicații</b>  |                      |                                       |                 |                 |   |   |                        |
| 32500000-8  | Telefon IP           | Poly VVX 250                          | China           | Poly            | Telefon IP NEC 12 butoane, Monocrom, 168x41 LCD MWI multicolor Maini libere, duplex complet Suport pentru casti, suport optional EHS Suport reglabil - 5 trepte Taste functionale / solicitari LCD Cursorul de navigare si tasta de apelare Director Suport retea 10/100 Ethernet / 1G prin licenta) PoE, cu blocul de alimentare Suport audio in banda larga | Poly VVX 250<br>2.8 "colour LCD screen (320 x 240 px)<br>Polycom HD Voice<br>Polycom Acoustic Fence<br>Integrated USB port<br>2 x Gigabit Ethernet Ports<br>Answering machine<br>Wall or desktop stand to choose from<br>Integrates with more than 60 industry-leading call control platforms<br>Multilingual<br>4 contextual keys<br>The busy LED light (BLF)<br>4 lines<br>Multiple call functions<br>EHS support (off-hook)<br>Two-port gigabit Ethernet switch 10/100/1000Base-TX across LAN and PC ports<br>Garantie 24 luni |                        |
|   | Telefon fix analogic | Telefon Panasonic KX-TS2350UAB, Black | China           | Panasonic       | Telefon fix analogic, reapelarea ultimului numar, buton blit, ton / impuls apelare, control al  | Telefon Panasonic KX-TS2350UAB, Black<br>Număr linii telefonice: 1<br>Reglare volum receptor: 6 nivele  |                        |

|   |                        |                         |       |  |   |  |  |
|---|------------------------|-------------------------|-------|--|---|--|--|
|   |                        |                         |       |  | volumului soneriei, control al volumului difuzoarelor   | Reglare volum sonerie: 3 nivele<br>Reapelare: Da<br>Mod formare apeluri: Tone / pulse<br>Garantie 24 luni  |  |
| <b>Lotul 2. Echipament de telecomunicatii</b> |                        |                         |       |  |   |  |  |
| 32500000-8                                    | Camera WEB             | Logitech HD Webcam C270 | China | Logitech   | Logitech HD Webcam C270, Microphone, HD 720p video calls & recording, 3 Megapixel images, USB   | Logitech HD Webcam C270, Microphone, HD 720p video calls & recording, 3 Megapixel images, USB<br>Garantie 24 luni  |  |
|   | Convertor fibra optica | Converter MC111CS       | China | TP-Link  | TP-LINK MCI 1 ICS, Complies with 802.3u 10/100Base-TX, 1 OOBbase-FX standards Auto-negotiation of Half-Duplex / Full-Duplex transfer mode Adopts WDM technology, transmitting and receiving data on one single fiber Work with MCI 12CS WDM single fiber media converter Extends fiber distance up to 20km (12.5 miles) | 10/100M RJ45 to 100M, TP-Link single-mode SC fiber (WDM)<br>Converter MC111CS, F-duplex, up to 20Km<br>Garantie 24 luni  |  |
|   | Computer               | Computer                | China | Sohoo<br>Spacer<br>Intel<br>ASRock<br>Apacer<br>GOODRAM<br>Esperanza<br>ACER | Com puter: CPU: 2-cores Processor similar to Intel Pentium, Main frequency: 3.70 GHz, Cache: 4MB Mainboard: Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB), Type: DDR4 or more performant SSD:Capacity: 256 GB SATA III interface LAN: 10/100/1000 Mb/s RJ 45               | Computer<br>- Power Supply ATX 550W Sohoo, 12cm Fan, Bulk<br>- Carcasa Spacer Moon, mATX, Mini-Tower<br>- CPU Intel Pentium G5420 3.8GHz (2C/4T,4MB, S1151, 14nm, Integrated Intel UHD Graphics 610, 54W) Box<br>- MB ASRock H310CM-HDV mATX |  |

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  | <p>connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external<br/> Extension slots: 1 x PCI-e x 16, 1 x mini PCI-e, Back panel ports: 2 x USB 2.0 2 x USB 3.0 2 x USB 3.1 1 x HDMI or DP 1 x VGA(D-Sub) 1 x RJ 45 LAN 1 (one) Channel Audio in Power: Minimum: 550W. Accessories: USB optical mouse, same brand as USB Keyboard USB Keyboard: same brand as USD optical mouse Form Factor: Full Tower, Middle Tower or Mini Tower Connection: Schuko CEE 7/7P M onitor: Type: 23.8 or 24 inch IPS Resolution: 1920 x 1080 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Cablu HDMI Cablu de alimentare</p> | <p>- 8GB DDR4- 2400MHz Apacer PC19200, CL17, 288pin DIMM 1.2V<br/> - 2.5" SSD 256GB GOODRAM CX400 Gen.2, SATAIII, Read: 550 MB/s, Write: 480 MB/s, 3D NAND TLC SSDPR-CX400-256-G2<br/> - Keyboard Esperanza ASPIS EGK102R<br/> - Mouse Esperanza SCORPIO MX203, Gaming mouse, 2400dpi, optical sensor, blue LED, USB braided cable<br/> -Monitor 23.8" ACER VA LED KA240Y Glossy Black (1ms, 100M:1, 250cd, 1920x1080, 178°/178°, VGA, HDMI.<br/> Garantie 24 luni</p> |  |
|--|--|--|--|--|--|--|

Semnat: \_\_\_\_\_ Numele, Prenumele: Constantin Alexandru În calitate de: director  
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16