## **SAMSUNG**

## **Q60D - QLED 4K Smart TV (2024)**

Brilliant, long lasting colours with Quantum Dot





65-85"

## **Top Features**

QLED powered by Quantum Dot

With 100% colour volume, Samsung's Quantum Dot technology takes light and turns it into breathtaking colours that stay true at almost any level of brightness.<sup>1</sup>

**Tizen Smart Hub and Smart Connectivity** 

Access Australia's favourite apps for streaming movies, games and shows you love. Monitor your energy consumption and control your compatible Samsung and third-party devices, including Google Home, Apple Airplay and Amazon Alexa, directly from your TV.<sup>2</sup>

Samsung TV Plus

Enjoy free live streaming TV with Samsung TV Plus. Choose from a variety of channels offering news, sports, entertainment and more. All you need is an Internet connection.<sup>3</sup>

Samsung Care

The free support service that helps keep your Samsung TV switched on. Providing benefits and assistance so that you can get the best out of your Samsung TV.<sup>4</sup>

<sup>1</sup> Compared to previous Samsung Smart TV. Available on HDR content only. Colour volume testing is capable of producing results greater than 100%. Q-series models produce more than 100% colour volume when tested using the IDMS 1.03b standard and DCI-P3 colour space. Brightness tested at maximum luminance with 10% White Window in HDR. Testing verified by an independent third party.

<sup>2</sup> Internet connection and Samsung Account required. Data and subscription charges may apply. Apps and UI may be subject to change without notice. Agreement of the Smart Hub Terms and Conditions and Privacy Policy is required before use. Requires SmartThings enabled devices. Rease visit www.samsung.com/au/apps/smartthings/ for a list of current compatible devices.

3 Ad-supported streaming service with content subject to change without notice.

<sup>4</sup> TRCs apply. The Offer is only available to Ediplic Products above 41 inches which are located within Metropolitan areas in Australia. For more information visit: https://www.samsung.com/au/samsung-care/tc/

		55*	65"	75"	85"
Product	Product Category	QLED	QLED	QLED	QLED
	Model Number	QA55S95DAWXXY	QA65S95DAWXXY	QA77S95DAWXXY	QA85Q60DAWXXY
Display	Screen Size	55"	65"	75"	85"
	Resolution	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)
	Native Refresh Rate	50Hz	50Hz	50Hz	50Hz
	Motion Rate	100	100	100	100
	Anti Reflection	N/A	N/A	N/A	N/A
Video	Picture Engine	Quantum Processor Lite 4K	Quantum Processor Lite 4K	Quantum Processor Lite 4K	Quantum Processor Lite 4K
	HDR (High Dynamic Range)	Quantum HDR	Quantum HDR	Quantum HDR	Quantum HDR
	HDR 10+	Yes (ADAPTIVE)	Yes (ADAPTIVE)	Yes (ADAPTIVE)	Yes (ADAPTIVE)
	AI HDR Remastering	N/A	N/A	N/A	N/A
	Contrast	Dual LED	Dual LED	Dual LED	Dual LED
	Colour	Quantum Dot	Quantum Dot	Quantum Dot	Quantum Dot
	Wide Viewing Angle	N/A	N/A	N/A	N/A
	Micro Dimming	Supreme UHD Dimming UHD Dimming	Supreme UHD Dimming	Supreme UHD Dimming	Supreme UHD Dimming
	Contrast Enhancer	Yes	Yes	Yes	Yes
	Expert Calibration	N/A	N/A	N/A	N/A
	Smart Calibration	Basic	Basic	Basic	Basic
	Picture Upscale	4K Upscaling	4K Upscaling	4K Upscaling	4K Upscaling
	Al Motion Enhancer	N/A	N/A	N/A	N/A
	Supersize Picture Enhancer	N/A	N/A	N/A	N/A
	HDR Brightness Optimizer	N/A	N/A	N/A	N/A
	Filmmaker Mode	Yes	Yes	Yes	Yes
Audio	Dolby Atmos	N/A	N/A	N/A	N/A
	Object Tracking Sound	OTS Lite	OTS Lite	OTS Lite	OTS Lite
	Q-Symphony	Yes	Yes	Yes	Yes
	Sound Output (RMS)	20W	20W	20W	20W
	Speaker Type	2CH	2CH	2CH	2CH
	Multiroom Link	No	No	No	No
	Active Voice Amplifier Pro	N/A	N/A	N/A	N/A
	Adaptive Sound	Adaptive Sound	Adaptive Sound	Adaptive Sound	Adaptive Sound
	360 Audio	N/A	N/A	N/A	N/A

	55"	65"	77"	85"
Operating System	Tizen™ Smart TV	Tizen™ Smart TV	Tizen™ Smart TV	Tizen™ Smart TV
Bixby	Yes	Yes	Yes	Yes
Far-Field Voice Interaction	N/A	N/A	N/A	N/A
Built-in Voice Assistant	Alexa	Alexa	Alexa	Alexa
Works with AI Speaker	Alexa, Google Assistant	Alexa, Google Assistant	Alexa, Google Assistant	Alexa, Google Assistar
Samsung TV Plus	Yes	Yes	Yes	Yes
Web Browser	Yes	Yes	Yes	Yes
SmartThings Hub / Matter Hub / IoT-Sensor Funtionality	Yes	Yes	Yes	Yes
Multi Device Experience  Tap View	Mobile to TV, TV initiate mirroring, Sound Mirroring, Wireless TV On (requires Android 6.01 with Screen Cast capabilities or iPhone iOS 11.41 with AirPlay 2 support) Yes (requires Android 8.11 with Screen Cast capabilities)	Mobile to TV, TV initiate mirroring, Sound Mirroring, Wireless TV On (requires Android 6.01 with Screen Cast capabilities or iPhone iOS 11.4↑ with AirPlay 2 support) Yes (requires Android 8.11 with Screen Cast capabilities)	capabilities or iPhone iOS 11.4↑ with AirPlay 2 support)	capabilities or iPhone iOS 11. AirPlay 2 support)
Multi-View	Up to 2 videos	Up to 2 videos	Up to 2 videos	Up to 2 videos
Ambient Mode	Ambient	Ambient	Ambient	Ambient
NFT	Nifty Gateway	Nifty Gateway	Nifty Gateway	Nifty Gateway
ScreenVitals	N/A	N/A	N/A	N/A
Apple AirPlay	Yes	Yes	Yes	Yes
Daily+	Yes	Yes	Yes	Yes
Auto Game Mode (ALLM)	Yes	Yes	Yes	Yes
Game Motion Plus	Yes	Yes	Yes	Yes
VRR	N/A	N/A	N/A	N/A
Dynamic Black EQ	N/A	N/A	N/A	N/A
Surround Sound	N/A	N/A	N/A	N/A
Super Ultra Wide Game View	Yes	Yes	Yes	Yes
MiniMap Zoom	Yes	Yes	Yes	Yes
Hue Sync	Yes	Yes	Yes	Yes
FreeSync	N/A	N/A	N/A	N/A
HGiG	Yes	Yes	Yes	Yes
Gaming Hub	Yes (KR. US. CA. BR. GB. FR. DF. IT. FS.	Yes (KR, US, CA, BR, GB, FR, DE, IT, ES,	Yes (KR, US, CA, BR, GB, FR, DE, IT, ES,	Yes (KR, US, CA, BR, GB, FR, D

Smart Service

Smart Feature

Game Feature

Tuner/Broadcasting	Digital Broadcasting	<b>55"</b> DVB-T(T2 Ready)	<b>65"</b> DVB-T(T2 Ready)	<b>77"</b> DVB-T(T2 Ready)	<b>85"</b> DVB-T(T2 Ready)
ranci/broadcasting	Analog Tuner	Yes	Yes	Yes	Yes
	CI (Common Interface)	N/A	N/A	N/A	N/A
Connectivity	Wi-Fi	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)
	Bluetooth	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)
	HDMI	3	3	3	3
	HDMI Maximum Input Rate	4K 60Hz (for HDMI 1/2/3)			
	HDMI Audio Return Channel	eARC/ARC	eARC/ARC	eARC/ARC	eARC/ARC
	One Connect Box	N/A	N/A	N/A	N/A
	Anynet+ (HDMI-CEC)	Yes	Yes	Yes	Yes
	USB	2 x USB-A	2 x USB-A	2 x USB-A	2 x USB-A
	POGO (SlimFit Cam Only)	N/A	N/A	N/A	N/A
	Ethernet (LAN)	1	1	1	1
	Audio Out (Mini Jack)	N/A	N/A	N/A	N/A
	Digital Audio Out (Optical)	1	1	1	1
	RF In (Terrestrial / Cable input / Satellite input)	1/1(Common Use for Terrestrial)/0			
	Ex-Link ( RS-232C )	N/A	N/A	N/A	N/A
Design	Design	AirSlim	AirSlim	AirSlim	AirSlim
	Bezel Type	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less
	Slim Type	Slim look	Slim look	Slim look	Slim look
	Front Colour	BLACK	BLACK	BLACK	BLACK
	Stand Type	SIMPLE PLUS-WIDE	SIMPLE PLUS-WIDE	SIMPLE PLUS-WIDE	SIMPLE PLUS-WIDE
	Stand Colour	BLACK	BLACK	BLACK	BLACK
Additional Feature	Auto Rotation	N/A	N/A	N/A	N/A
	Motion Detection	N/A	N/A	N/A	N/A
	Knox Vault	N/A	N/A	N/A	N/A
	Embeded POP	Yes	Yes	Yes	Yes
	EPG	Yes	Yes	Yes	Yes
	Extended PVR	Yes	Yes	Yes	Yes
	IP Control	Yes	Yes	Yes	Yes
	OSD Language	Local Languages	Local Languages	Local Languages	Local Languages

			55"	65"	77*	85"
	Accessibility	Voice Guide	France French, Italian, German, Spain			
Motor impolited Support		Low Vision Support	High Contrast, SeeColors, Colour			
Power & Eco Selution         App. for All         App.		Hearing Impaired Support	Closed Caption (Subtitle), Multi-output Audio, Sign Language Zoom			
Power Consumption (Max)		Motor Impaired Support		Slow Button Repeat, Remote Control App. for All	Slow Button Repeat, Remote Control App. for All	Slow Button Repeat, Remote Control App. for All
Power Consumption (Stand-by)	Power & Eco Solution	Power Supply	AC220-240V~50/60Hz	AC220-240V~50/60Hz	AC220-240V~50/60Hz	AC220-240V~50/60Hz
Power Consumption (Eurry Saving Mode)   0.5 W   N/A   N/A   112.0 W   142.0 W		Power Consumption (Max)	145 W	170 W	230 W	280 W
Power Consumption (Typical)   74.0 W   86.0 W   112.0 W   142.0 W		Power Consumption (Stand-by)	N/A	0.5 W	0.5 W	0.5 W
Yearly Power Consumption (EU standard)		Power Consumption (Energy Saving Mode)	0.5 W	N/A	N/A	N/A
Feo Sensor   Yes   Yes		Power Consumption (Typical)	74.0 W	86.0 W	112.0 W	142.0 W
Number   N		Yearly Power Consumption (EU standard)	273 kWh	317 kWh	412 kWh	521 kWh
Energy Efficiency Class 6 6 6 6 6 Auto Power Off Yes Yes Yes Yes Yes Yes Yes  Dimension Package Size (WxHxD) 1399 x 846 x 148 mm 1612 x 950 x 164 mm 1834 x 1138 x 190 mm 2075 x 1247 x 220 mm  Set Size with Stand (WxHxD) 1232,1 x 773.8 x 249.1 mm 145.0 9 x 897.1 x 290.2 mm 1676.7 x 1026.5 x 338.9 mm 1900.9 x 1152.6 x 368.3 mm  Set Size without Stand (WxHxD) 1232,1 x 708.3 x 25.7 mm 1450.9 x 831.4 x 25.7 mm 1676.7 x 1026.5 x 338.9 mm 1900.9 x 1085.7 x 26.9 mm  Stand (Basic) (WxD) 303.2 x 249.1 mm 343 x 290.2 mm 363.2 x 338.9 mm 403.5 x 368.3 mm  Stand (Minimum) (WxD) N/A N/A N/A N/A N/A N/A N/A  VESA Spec 200 x 200 mm 400 x 300 mm 400 x 400 mm 600 x 400 mm  Weight Package Weight 22.5 kg 28.8 kg 43 kg 55.9 kg  Set Weight with Stand 16.3 kg 21.8 kg 32.7 kg 43.1 kg		Eco Sensor	Yes	Yes	Yes	Yes
Dimension         Package Size (WxHxD)         1399 x 846 x 148 mm         1612 x 950 x 164 mm         1834 x 1138 x 190 mm         2075 x 1247 x 220 mm           Set Size with Stand (WxHxD)         1232.1 x 773.8 x 249.1 mm         145.0 9 x 897.1 x 290.2 mm         1676.7 x 1026.5 x 338.9 mm         1900.9 x 1152.6 x 368.3 mm           Set Size with Out Stand (WxHxD)         1232.1 x 708.3 x 25.7 mm         1450.9 x 897.1 x 290.2 mm         1676.7 x 959.8 x 26.6 mm         1900.9 x 1085.7 x 26.9 mm           Stand (Basic) (WxD)         303.2 x 249.1 mm         343 x 290.2 mm         363.2 x 338.9 mm         403.5 x 368.3 mm           VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		Auto Power Saving	Yes	Yes	Yes	Yes
Dimension         Package Size (WxHxD)         1399 x 846 x 148 mm         1612 x 950 x 164 mm         1834 x 1138 x 190 mm         2075 x 1247 x 220 mm           Set Size with Stand (WxHxD)         1232.1 x 773.8 x 249.1 mm         1450.9 x 897.1 x 290.2 mm         1676.7 x 1026.5 x 338.9 mm         1900.9 x 1152.6 x 368.3 mm           Set Size without Stand (WxHxD)         1232.1 x 708.3 x 25.7 mm         1450.9 x 831.4 x 25.7 mm         1676.7 x 959.8 x 26.6 mm         1900.9 x 1085.7 x 26.9 mm           Stand (Basic) (WxD)         303.2 x 249.1 mm         343 x 290.2 mm         363.2 x 338.9 mm         403.5 x 368.3 mm           Stand (Minimum) (WxD)         N/A         N/A         N/A         N/A         N/A           VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		Energy Efficiency Class	6	6	6	6
Set Size with Stand (WxHxD)         1232.1 x 773.8 x 249.1 mm         1450.9 x 897.1 x 290.2 mm         1676.7 x 1026.5 x 338.9 mm         1900.9 x 1152.6 x 368.3 mm           Set Size without Stand (WxHxD)         1232.1 x 708.3 x 25.7 mm         1450.9 x 831.4 x 25.7 mm         1676.7 x 959.8 x 26.6 mm         1900.9 x 1085.7 x 26.9 mm           Stand (Basic) (WxD)         303.2 x 249.1 mm         343 x 290.2 mm         363.2 x 338.9 mm         403.5 x 368.3 mm           Stand (Minimum) (WxD)         N/A         N/A         N/A         N/A         N/A           VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		Auto Power Off	Yes	Yes	Yes	Yes
Set Size without Stand (WxHxD)         1232.1 x 708.3 x 25.7 mm         1450.9 x 831.4 x 25.7 mm         1676.7 x 959.8 x 26.6 mm         1900.9 x 1085.7 x 26.9 mm           Stand (Basic) (WxD)         303.2 x 249.1 mm         343 x 290.2 mm         363.2 x 338.9 mm         403.5 x 368.3 mm           Stand (Minimum) (WxD)         N/A         N/A         N/A         N/A           VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg	Dimension	Package Size (WxHxD)	1399 x 846 x 148 mm	1612 x 950 x 164 mm	1834 x 1138 x 190 mm	2075 x 1247 x 220 mm
Set Size without Stand (WxHxD)         1232.1 x 708.3 x 25.7 mm         1450.9 x 831.4 x 25.7 mm         1676.7 x 959.8 x 26.6 mm         1900.9 x 1085.7 x 26.9 mm           Stand (Basic) (WxD)         303.2 x 249.1 mm         343 x 290.2 mm         363.2 x 338.9 mm         403.5 x 368.3 mm           Stand (Minimum) (WxD)         N/A         N/A         N/A         N/A           VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		Set Size with Stand (WxHxD)	1232.1 x 773.8 x 249.1 mm	1450.9 x 897.1 x 290.2 mm	1676.7 x 1026.5 x 338.9 mm	1900.9 x 1152.6 x 368.3 mm
Stand (Minimum) (WxD)         N/A						
VESA Spec         200 x 200 mm         400 x 300 mm         400 x 400 mm         600 x 400 mm           Weight         Package Weight         22.5 kg         28.8 kg         43 kg         55.9 kg           Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		Stand (Basic) (WxD)	303.2 x 249.1 mm	343 x 290.2 mm	363.2 x 338.9 mm	403.5 x 368.3 mm
Weight     Package Weight     22.5 kg     28.8 kg     43 kg     55.9 kg       Set Weight with Stand     16.3 kg     21.8 kg     32.7 kg     43.1 kg		Stand (Minimum) (WxD)	N/A	N/A	N/A	N/A
Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg		VESA Spec	200 x 200 mm	400 x 300 mm	400 x 400 mm	600 x 400 mm
Set Weight with Stand         16.3 kg         21.8 kg         32.7 kg         43.1 kg						
	Weight	Package Weight	22.5 kg	28.8 kg	43 kg	55.9 kg
Cat Waight without Chard 155 kg 200 kg 71 k kg 415 kg		Set Weight with Stand	16.3 kg	21.8 kg	32.7 kg	43.1 kg
Set weight without stand 13.5 kg 20.7 kg 31.4 kg 41.5 kg		Set Weight without Stand	15.5 kg	20.9 kg	31.4 kg	41.5 kg

	55″	65"	77*	85"
Remote Controller Model	TM2360E	TM2360E	TM2360E	TM2360E
Slim Fit Wall-mount Support	Yes	Yes	Yes	Yes
Studio Stand Support	Yes	Yes	N/A	N/A
Auto-Rotation Accessory Support	N/A	N/A	N/A	N/A
Full Motion Slim Wall Mount Support (Y22)	Yes	Yes	Yes	Yes
SlimFit Cam Support	Yes	Yes	Yes	Yes
Zigbee / Thread Module	Built-In	Built-In	Built-In	Built-In
User Manual	Yes	Yes	Yes	Yes
Power Cable	Yes	Yes	Yes	Yes

Accessory