

## Letter of Bid

**Date of this Bid submission:**22.05.2026

**RFB No.:** [MDA/T/GD/NCB-4]

**Request for Bid No.:**ocds-b3wdp1-MD-1776946754822

**Alternative No.:**

To:PI “CIMU HSP

- (a) **No reservations:** We have examined and have no reservations to the bidding document, including Addenda issued in accordance with Instructions to Bidders (ITB 8);
- (b) **Eligibility:** We meet the eligibility requirements and have no conflict of interest in accordance with ITB 4;
- (c) **Bid/Proposal-Securing Declaration:** We have not been suspended nor declared ineligible by the Purchaser based on execution of a Bid-Securing Declaration or Proposal-Securing Declaration in the Purchaser’s Country in accordance with ITB 4.7;
- (d) **Sexual Exploitation and Abuse (SEA) and/or Sexual Harassment (SH):** *[select the appropriate option from (i) to (iii) below and delete the others. In case of JV members and/or subcontractors, indicate the status of disqualification by the Bank of each JV member and/or subcontractor].*

We, including any of our subcontractors:

- (i) [have not been subject to disqualification by the Bank for non-compliance with SEA/ SH obligations.]
  - (ii) [are subject to disqualification by the Bank for non-compliance with SEA/ SH obligations.]
  - (iii) [had been subject to disqualification by the Bank for non-compliance with SEA/ SH obligations, and were removed from the disqualification list. An arbitral award on the disqualification case has been made in our favor.]
- (e) **Conformity:** We offer to supply in conformity with the bidding document and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: *[insert a brief description of the Goods and Related Services]*;
  - (f) **Bid Price:** The total price of our Bid, excluding any discounts offered in item (f) below is:

Option 1, in case of one lot: Total price is: 1960000 ( un milion nouă sute șaizeci mii ) lei

Or

Option 2, in case of multiple lots: (a) Total price of each lot [*insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies*]; and (b) Total price of all lots (sum of all lots) [*insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies*];

- (g) **Discounts:** The discounts offered and the methodology for their application are:
- (i) The discounts offered are: [*Specify in detail each discount offered.*]
- (ii) The exact method of calculations to determine the net price after application of discounts is shown below: [*Specify in detail the method that shall be used to apply the discounts*];
- (h) **Bid Validity:** Our Bid shall be valid until [*insert day, month and year in accordance with ITP 18.1*], and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (i) **Performance Security:** If our Bid is accepted, we commit to obtain a performance security in accordance with the bidding document;
- (j) **One Bid per Bidder:** We are not submitting any other Bid(s) as an individual Bidder, and we are not participating in any other Bid(s) as a Joint Venture member, or as a subcontractor, and meet the requirements of ITB 4.3, other than alternative Bids submitted in accordance with ITB 13;
- (k) **Suspension and Debarment:** We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the World Bank Group or a debarment imposed by the World Bank Group in accordance with the Agreement for Mutual Enforcement of Debarment Decisions between the World Bank and other development banks. Further, we are not ineligible under the Purchaser's Country laws or official regulations or pursuant to a decision of the United Nations Security Council;
- (l) **State-owned enterprise or institution:** [*select the appropriate option and delete the other*] [*We are not a state-owned enterprise or institution*] / [*We are a state-owned enterprise or institution but meet the requirements of ITB 4.6*];
- (m) **Commissions, gratuities, fees:** We have paid, or will pay the following commissions, gratuities, or fees with respect to the Bidding process or execution of the Contract: [*insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity*]

| Name of Recipient | Address     | Reason      | Amount      |
|-------------------|-------------|-------------|-------------|
| <u>None</u>       | <u>None</u> | <u>None</u> | <u>none</u> |

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

(If none has been paid or is to be paid, indicate “none.”)

- (n) **Binding Contract:** We understand that this Bid, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- (o) **Purchaser Not Bound to Accept:** We understand that you are not bound to accept the lowest evaluated cost Bid, the Most Advantageous Bid or any other Bid that you may receive; and
- (p) **Fraud and Corruption:** We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.

**Name of the Bidder:** Triumph-Motiv SRL

**Name of the person duly authorized to sign the Bid on behalf of the Bidder:**Jighili Tatiana

**Title of the person signing the Bid:**Administrator

**Signature of the person named above:**

**Date signed** 22.05.2026

## Bidder Information Form

Date: 22.05.2026

RFB No.: [MDA/T/GD/NCB-4]

Alternative No.:

Page \_\_\_\_\_ of \_\_\_\_\_ pages

|  |
|--|
| 1. Bidder's Name: Triumf-Motiv SRL   |
| 2. In case of JV, legal name of each member: <i>[insert legal name of each member in JV]</i>   |
| 3. Bidder's actual or intended country of registration: Republica Moldova  |
| 4. Bidder's year of registration: 2012   |
| 5. Bidder's Address in country of registration: Traian 18/1, of. 80  |
| 6. Bidder's Authorized Representative Information<br><br>Name: Jighili Tatiana<br>Address: Chişinău, str. Puskin 60/1, of. 4<br>Telephone/Fax numbers: +373 79 458 122<br>Email Address: triumfmotiv.md@gmail.com  |
| 7. Attached are copies of original documents of <i>[check the box(es) of the attached original documents]</i><br><br><input checked="" type="checkbox"/> Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITB 4.4.<br><input type="checkbox"/> In case of JV, letter of intent to form JV or JV agreement, in accordance with ITB 4.1.<br><input type="checkbox"/> In case of state-owned enterprise or institution, in accordance with ITB 4.6 documents establishing: <ul style="list-style-type: none"> <li>• Legal and financial autonomy</li> <li>• Operation under commercial law</li> <li>• Establishing that the Bidder is not under the supervision of the Purchaser</li> </ul> |
| 8. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership. <i>[If required under BDS ITB 45.1, the successful Bidder shall provide additional information on beneficial ownership, using the Beneficial Ownership Disclosure Form.]</i>   |

## Sexual Exploitation and Abuse (SEA) and/or Sexual Harassment Performance Declaration

*[The following table shall be filled in by the Bidder, each member of a Joint Venture and each subcontractor proposed by the Bidder]*

Bidder's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member's or Subcontractor's Name: *[insert full name]*

RFB No. and title: ***[MDA/T/GD/NCB-4]***

Page *[insert page number]* of *[insert total number]* pages

| <b>SEA and/or SH Declaration</b><br><b>in accordance with Section III, Qualification Criteria, and Requirements</b>   |
|---|
| <p>We:</p> <p><input checked="" type="checkbox"/> (a) have not been subject to disqualification by the Bank for non-compliance with SEA/ SH obligations</p> <p><input type="checkbox"/> (b) are subject to disqualification by the Bank for non-compliance with SEA/ SH obligations</p> <p><input type="checkbox"/> (c) had been subject to disqualification by the Bank for non-compliance with SEA/ SH obligations, and were removed from the disqualification list. An arbitral award on the disqualification case has been made in our favor.</p> |
| <p><b><i>[If (c) above is applicable, attach evidence of an arbitral award reversing the findings on the issues underlying the disqualification.]</i></b></p>   |

## Price Schedule: Goods Manufactured Outside the Purchaser's Country, to be Imported

| (Group C Bids, goods to be imported) |                              |   |                                       |  |   |   |  |  |
|--------------------------------------|------------------------------|---|---------------------------------------|--|---|---|--|--|
| Currencies in accordance with ITB 15 |                              |   |                                       |  |   |   |  |  |
|                                      |                              |   |                                       |  |   |   | Date: 22.05.2026   |  |
|                                      |                              |   |                                       |  |   |   | RFB No: <b><u>MDA/T/GD/NCB-4</u></b>   |  |
|                                      |                              |   |                                       |  |   |   | Alternative No: _____  |  |
|                                      |                              |   |                                       |  |   |   | Page N° _____ of _____   |  |
| 1                                    | 2                            | 3   | 4                                     | 5  | 6   | 7   | 8  | 9  |
| Line Item N°                         | Description of Goods         | Country of Origin                             | Delivery Date as defined by Incoterms | Quantity and physical unit   | Unit price CIP <i>[insert place of destination]</i> in accordance with ITB 14.8(b)(i) | CIP Price per line item (Col. 5x6)            | Price per line item for inland transportation and other services required in the Purchaser's Country to convey the Goods to their final destination specified in BDS | Total Price per Line item (Col. 7+8)         |
| <i>[insert number of the item]</i>   | <i>[insert name of good]</i> | <i>[insert country of origin of the Good]</i> | <i>[insert quoted Delivery Date]</i>  | <i>[insert number of units to be supplied and name of the physical unit]</i> | <i>[insert unit price CIP per unit]</i>   | <i>[insert total CIP price per line item]</i> | <i>[insert the corresponding price per line item]</i>  | <i>[insert total price of the line item]</i> |
| 1                                    | New Oriental 1000N5s         | China   | 30.10.2026                            | 1  | 1960000   | 1960000                                       |  | 1960000                                      |
|                                      |                              |   |                                       |  |   |   | <b>Total Price</b>   | <b>1960000</b>                               |

Name of Bidder Triumpf-Motiv SRL Signature of Bidder Jighili Tatiana

Date 22.05.2026

## Form of Bid-Securing Declaration

*[The Bidder shall fill in this Form in accordance with the instructions indicated.]*

Date: 22.05.2026

Bid No.: [MDA/T/GD/NCB-4]

Alternative No.:

To: PI “CIMU HSP

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding or submitting proposals in any contract with the Purchaser for the period of time specified in Section II – Bid Data Sheet, if we are in breach of our obligation(s) under the Bid conditions, because we:

- (a) have withdrawn our Bid prior to the expiry date of the Bid validity specified in the Letter of Bid or any extended date provided by us; or
- (b) having been notified of the acceptance of our Bid by the Purchaser prior to the expiry date of the Bid validity in the Letter of Bid or any extended date provided by us, (i) fail or refuse to sign the Contract; or (ii) fail or refuse to furnish the Performance Security, if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiry date of the Bid validity.

Name of the Bidder Triumph-Motiv SRL

Name of the person duly authorized to sign the Bid on behalf of the Bidder Jighili Tatiana

Title of the person signing the Bid Administrator

Signature of the person named above

Date signed 22.05.2026

### 1. List of Goods and Delivery Schedule

| Line Item N° | Description of Goods                                    | Quantity | Physical unit | Final Destination (Project Site) as specified in BDS | Delivery (as per Incoterms) Date |                        |  |
|--------------|---|----------|---------------|--|----------------------------------|------------------------|--|
|              |   |          |               |  | Earliest Delivery Date           | Latest Delivery Date   | Bidder's offered Delivery date <i>[to be provided by the Bidder]</i> |
| Lot 1.       | Digital radiographic system (with vertical bucky stand) | 1        | unit          | 147, Grenoble str, Chisinau, Republic of Moldova     | <b>01 October 2026</b>           | <b>30 October 2026</b> | 30october 2026   |

## 2. List of Related Services and Completion Schedule

| Service       | Description of Service  | Quantity <sup>1</sup> | Physical Unit | Place where Services shall be performed                                  | Final Completion Date(s) of Services           |
|---------------|---|-----------------------|---------------|--|--|
| <b>Lot 1.</b> | <b>Digital radiographic system (with vertical bucky stand)</b>  |                       |               |  |  |
| 1             | Installation of Digital radiographic system (with vertical bucky stand)   | 1                     | Installation  | IMSP Municipal Clinical Hospital of Phtysiopneumology, Chisinau, Moldova | <b>2 weeks after installation of equipment</b> |
| 2             | Training of medical staff from the hospital for routine maintenance operation of the equipment (all instruments under this Lot) | 1/1                   | Days/person   |  |  |

1. If applicable

### 3. Technical Specifications

#### LOT 1. Digital radiographic system (with vertical bucky stand)

Delivery to:

**IMSP Municipal Clinical Hospital of Phtysiopneumology - 1 item;**  
147, Grenoble str, Chisinau, Republic of Moldova

#### Incoterms CIP

*The Goods and Related Services shall comply with following Technical Specifications and Standards:*

| SPECIFICATIE SOLICITATA |  | SPECIFICATIE OFERITA | DOCUMENTATIE                                      |
|-------------------------|--|----------------------|---|
| 1                       | <b>Aplicare:</b><br>Pentru proceduri radiografice generale.<br>Cu generator de minim 80kW, montare tub pe tavan, masă bucky flotanta cu miscare verticala și FPD fără fir. | DA                   | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 2                       | <b>Generator</b>   |                      |   |
|                         | Tip:   |                      |   |
| 2.1                     | Invertor de înaltă frecvență controlat de microprocesor  | DA                   | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|                         | Interval radiografic kV:   |                      |   |
| 2.2                     | Limita inferioară ≤ 40 kV.   | 40kV                 | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|                         | Limita superioară ≥ 150 kV   | 150 kV               | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|                         | Intervalul kV setat în trepte de 1kv   | DA                   | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|  |     |   |         |   |
|--|-----|---|---------|---|
|  |     | Precizie kV + 5%  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | Intervalul radiografic mA:  |         |   |
|  | 2.3 | Limita inferioară $\leq 10$ mA.   | 10mA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Limita superioară $\geq 1000$ mA, minim 35 de pași de ajustări mA.                    | 1000mA  | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | Intervalul mAs radiografic:   |         |   |
|  | 2.4 | Limita inferioară $\leq 0,5$ mAs.   | 0.1mAs  | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Limita superioară $\geq 800$ mAs, minim 65 de pași de ajustări mAs.                   | 1000mAs | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | Interval expunere:  |         |   |
|  | 2.5 | 0,001-10 secunde  | 1ms-10s | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | Putere kW:  |         |   |
|  | 2.6 | Puterea generatorului $\geq 80$ kW.   | 80kW    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | Controlul expunerii:  |         |   |
|  | 2.7 | Control automat al expunerii  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |         |   |
|  |     | <u>Program anatomic:</u>  |         |   |
|  | 2.8 | Cel puțin 245 programe anatomice. Posibilitate de a modifica parametrii prestabiliți. | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Funcție de securitate (autentificare prin parolă) pentru modificări neautorizate      | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|  |     |   |    |   |
|--|-----|---|----|---|
|  |     | Funcția pas automat trece automat la pasul următor din Programul anatomic când expunerea anterioară este terminată.               | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Direcția radiografiei este afișată pe afișaj.   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     |   |    |   |
|  |     | Panou de control:   |    |   |
|  | 2.9 | Panoul de control pentru starea de expunere, setarea parametrilor, APR, afișarea erorilor   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Sistem de indicare a supraîncărcării pentru tubul cu raze X, Interblocare de siguranță pentru a preveni expunerea la raze X dacă; | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | i. Anodul nu se rotește   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | ii. Filamentul nu se încălzește   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | iii. Caldura anodica este depasita  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Ajustare cu o singură atingere  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | i: Min.3 tipuri de dimensiunea corpului pacientului   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | ii. Dimensiunea focalizării   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | iii. Controlul sensibilității ecranului   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Afișaj de stare codificat cu culori   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Notă sonoră despre starea expunerii   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|  |     | Comutator de control manual:  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|   |      |   |         |   |
|---|------|---|---------|---|
|   | 2.10 | Comenzi separate ale comutatorului manual cu iluminare color pentru pregătire și expunere | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Control Automat al expunerii  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 2.11 | Auto Exposure Control(Photo timer) ≥ 3 campuri.   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 3 |      | <b>Tub Radiologic</b>   |         |   |
|   | 3.1  | Anod:   |         |   |
|   |      | Anod rotativ  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Viteza de rotație ≥9.000 rpm.   | 9700RPM | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Conținutul maxim de căldură anodic, ≥ 400 kHU   | 400kHU  | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Rata maximă de disipare a căldurii anodului ≥2.000 HU/s                                   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 3.2  | Focus:  |         |   |
|   |      | Pata focala mica ≤ 0,6 mm, pata focala mare ≥ 1,2 mm.                                     | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 4 |      | <b>Collimator</b>   | -       |   |
|   | 4.1  | Domeniu:  |         |   |
|   |      | Forma câmpului, dreptunghiulară   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Câmp maxim, nu mai puțin de 400x400mm   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Câmp minim, nu mai mare de 0,1x0,1 mm   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |      | Rotația câmpului de expunere  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|   |     |   |         |   |
|---|-----|---|---------|---|
|   | 4.2 | Aprinde:  |         |   |
|   |     | Indicator LUMINA PORNIT.  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Intensitatea medie de iluminare nu trebuie să fie mai mică de 160 lx. | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Functie de oprire automată  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Sursa LED.  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 4.3 | Filtrare:   |         |   |
|   |     | Filtrare inherentă, nu mai puțin de 0,9 mmAl eq.                      | 1.2mmAl | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Filtrul adăugat ar trebui să fie disponibil.                          | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     |   |         |   |
| 5 |     | <b>Suport Tub de raze X</b>   | -       |   |
|   | 5.1 | Tip:  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Montat pe tavan   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 5.2 | Deplasare longitudinală:  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | ≥4.0 m  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 5.3 | Deplasare transversală:   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Ninim 2.5 m   | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 5.4 | Deplasare verticală (de la podea până la focalizare):                 | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | 400 mm până la 2.000 mm sau mai mult                                  | DA      | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|     |  |  |    |   |
|-----|--|--|----|---|
|     |  | Blocare electromagnetică   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 5.5 |  | Rotirea tubului:   |    |   |
|     |  | Axă orizontală, $\geq \pm 120$ de grade sau mai mult                                 | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Axa verticală a coloanei $\geq \pm 180$ de grade                                     | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 5.6 |  | Afișaj SID:  |    |   |
|     |  | Gama de afișare SID, minim 250 cm  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 5.7 |  | Panou de control:  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Afișaj digital al SID și al unghiului tubului  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | În poziție verticală, unghiul trebuie convertit în modul unghi vertical.             | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Eliberare comutator de pe panoul de control  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Eliberare comutator și comutatorul lămpii colimatorului pe partea din spate          | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Comutatoare de deblocare programabile de utilizator                                  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 5.8 |  | Tracking vertical  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Tracking vertical cu suportul bucky, la tubului de $+90$ de grade sau $-90$ de grade | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Tracking vertical cu masa bucky, când rotirea tubului este de 0 grade                | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     |  | Funcție de retragere automată  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6   |  | <b>Masă</b>  |    |   |

|     |   |       |   |
|-----|---|-------|---|
| 6.1 | Tip:  |       |   |
|     | Blat de masă flotant cu bază fixă și înălțime reglabilă | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6.2 | Dimensiunea blatului mesei:                             | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Lungime, minim 200cm                                    | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Latime, minim 80 cm                                     | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6.3 | Mișcarea de deasupra mesei:                             | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Mișcare longitudinală, minim 110 cm                     | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Mișcare transversală, minim 25 cm                       | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Mișcare verticală cu funcționare electrică, minim 30 cm | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Înălțimea cea mai mică, maxim 55 cm                     | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Funcția de oprire în poziția inițială                   | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6.4 | Sarcina maximă a pacientului:                           |       |   |
|     | minim 200 kg  | 250KG | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6.5 | Dispozitivul Bucky                                      | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Distanța de mișcare a dispozitivului Bucky $\geq$ 35 cm | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|     | Dimensiuni 43 cm x 43 cm                                | DA    | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 6.6 | Funcția de îndepărtare a grilei:                        |       |   |

|   |     |  |                   |   |
|---|-----|--|-------------------|---|
|   |     | Funcție de îndepărtare a grilei pentru uz pediatric                                    | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 7 |     | <b>Bucky Stand</b>   | -                 |   |
|   | 7.1 | Tip:   |                   |   |
|   |     | Stand contra-echilibrat montat pe perete.  | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 7.2 | Reglarea înălțimii:  | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Distanța dintre marginea superioară și podea Bucky, minim 70-200 cm                    | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Mișcare verticală, minim 150 cm, blocare electromagnetica                              | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 7.4 | Sistemul Bucky   | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Dimensiune 43 cm x 43 cm   | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Tipul de încărcare (stânga sau dreapta) a detectorului poate fi selectat la instalare. | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   | 7.5 | Grila detasabila   | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
| 8 |     | <b>Detector digital - minim 2, Wireless</b>  |                   |   |
|   | 8.1 | Detector digital, Dimensiuni 43x43 cm  | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Scintilator CsI  | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Pixel Pitch $\leq 140\mu\text{m}$  | 139 $\mu\text{m}$ | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|   |     | Rezoluție spațială 3,5 lp/mm   | DA                | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |

|    |      |  |    |   |
|----|------|--|----|---|
|    |      | Pixel Matrix 3072 x 3072 pixeli  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      | Timp de achiziție a imaginii 3 s   | 8S | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      | Rezistent la praf și apă IP67  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      | 16 biți  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      | Scintilator Csl  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 8.2  | Statie de lucru pentru tehnician   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 8.3  | Server PACS@Viewer, HDD minim 1 TB, minim 1 licenta de acces   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 8.4  | Monitoare medicale, minim 2 MP, diagonala minim 21 inch  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      |  |    |   |
| 9  |      | <b>Accesorii obligatorii</b>   |    |   |
|    | 9.1  | Sticla cu plumb minim 1x0,8 m  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 9.2  | Guler de protecție 2 unități   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 9.3  | Sort de protecție 2 unități  | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    | 9.4  | Suport pe roți pentru (guler și șorț de protecție) cu cel puțin 5 agățătoare   | DA | New Oriental 1000N5s datasheet ( ver 2025.11.17 ) |
|    |      |  |    |   |
| 10 |      | <b>Documentație</b>  |    |   |
|    | 10.1 | Certificat CE de conformitate valabil, emis de un organism de evaluare a conformității notificat și inclus în baza de date NANDO (New Approach | DA |   |

|           |      |  |    |  |
|-----------|------|--|----|--|
|           |      | Notified and Designated Organisations) a Uniunii Europene.<br><a href="https://webgate.ec.europa.eu/single-market-compliance-space/notified-bodies">https://webgate.ec.europa.eu/single-market-compliance-space/notified-bodies</a>  |    |  |
|           | 10.2 | <b>Declarație CE</b> de conformitate emisă în conformitate cu Directiva 93/42/CEE sau Regulamentul (UE) 2017/745, care face referire la Certificatul CE de conformitate prin indicarea numărului acestuia sau a codului organismului notificat.  | DA |  |
|           | 10.3 | Certificat <b>ISO 13485</b> și/sau <b>ISO 9001</b> privind Sistemul de Management al Calității.  | DA |  |
|           | 10.4 | Conformitate cu standardele <b>EN 60601-1</b> și/sau <b>EN 60601-2-44</b> .  | DA |  |
|           |      |  |    |  |
| <b>11</b> |      | <b>Condiții generale</b>   |    |  |
|           | 11.1 | Manual(e) de utilizare care includ funcționarea tehnică și descrierea compartimentului software, în Romana sau Rusa  | DA |  |
|           | 11.2 | Manual de service, în engleza  | DA |  |
|           | 11.3 | Toate componentele sistemului trebuie să fie noi (neutilizate), anul de fabricație <b>cel puțin 2025</b>   | DA |  |
|           | 11.4 | <b>Licență</b> pentru dreptul de a desfășura activități care implică utilizarea surselor de radiații ionizante (se va furniza o copie a licenței valabile)   | DA |  |
|           | 11.5 | Produsul oferit de Participant trebuie să fie înregistrat în <b>Registrul de Stat al Echipamentelor Medicale și Dispozitivelor Medicale</b> și/sau pus în circulație în conformitate cu legislația din domeniul reglementării tehnice și evaluării conformității, așa cum este prevăzut de lege. | DA |  |
|           | 11.6 | Participantul trebuie să dețină autorizația producătorului (este necesară furnizarea   | DA |  |

|  |      |  |    |  |
|--|------|--|----|--|
|  |      | documentelor relevante de la producător) - o scrisoare de garanție din partea producătorului că participantul este capabil să furnizeze echipamentul propus în cantitatea și în termenul specificate în documentația de licitație.   |    |  |
|  | 11.7 | Participantul trebuie să confirme, în documentația de licitație, că parametrii tehnici ai echipamentului oferit respectă cerințele medicale și tehnice, sub forma unor informații oficiale tipărite de la producător sau a unor instrucțiuni de utilizare cu un link către pagina relevantă din aceste documente.  | DA |  |
|  | 11.8 | Prezența unui <b>centru de service</b> pe teritoriul Republicii Moldova. Furnizorii se angajează să ofere o descriere detaliată a serviciilor lor post-vânzare în Republica Moldova. Ofertantul trebuie să dispună de facilități de service cu personal tehnic calificat cel puțin în capitala Republicii Moldova - Chișinău.<br>Aceste facilități, care vor funcționa direct sub autoritatea și responsabilitatea Furnizorului, vor putea efectua service-ul și repararea completă a echipamentelor, în măsura posibilului, fără returnarea acestora la producător și vor avea la dispoziție toate piesele de schimb necesare pentru reparații de rutină sau întreținere programată sau le vor putea procura în termen de cel mult paisprezece (14) zile de la notificarea solicitării. | DA |  |
|  | 11.9 | <b>Serviciile de garanție și post-garanție</b> trebuie efectuate de către un inginer certificat (furnizați o copie a certificatului inginerului).  | DA |  |

|    |      |  |    |  |
|----|------|--|----|--|
|    |      | Perioada de garanție a service-ului trebuie să fie de cel puțin <b>24 de luni</b> de la data semnării certificatului de punere în funcțiune.<br>În perioada de garanție, se vor efectua toate serviciile de întreținere preventivă și corectivă recomandate de producător.   |    |  |
| 12 |      | <b>Piese de schimb</b><br>Echipamentul trebuie să fie însoțit de o listă autorizată de accesorii și piese de schimb.   | DA |  |
| 13 |      | <b>Servicii Conexe (Related Services):</b><br>Instalare, Operare și/sau mentenanță, Training   | DA |  |
|    | 13.1 | <b>Instalare</b><br>Ofertantul trebuie să asigure instalarea echipamentului de către personal certificat sau calificat.<br>Orice condiții prealabile pentru instalare vor fi comunicate beneficiarului în prealabil, fiind descrise în detaliu în scris.                     | DA |  |
|    | 13.2 | <b>Operare și/sau mentenanță</b><br>Ofertantul va furniza un plan complet de întreținere. Costul planului de întreținere va fi definit și garantat pe durata perioadei de garanție.  | DA |  |
|    | 13.3 | <b>Training</b><br>Instruirea personalului medical pentru operarea de întreținere de rutină a echipamentului (toate instrumentele din cadrul acestui Lot).<br>Ofertantul va asigura instruirea utilizatorilor (inclusiv modul de utilizare și întreținere a echipamentului). | DA |  |



